



Consumer Analytical Laboratory

Ohio Department of Agriculture
Consumer Analytical Laboratory
8995 East Main St. Bldg 3
Reynoldsburg, OH 43068
Phone: (614) 728-6230

ODA Plant Industry/Fertilizer-Lime APPROVED RESULTS sorted by Site LIME SAMPLES COLLECTED 1/1/2005 - 12/31/2005

Site:		Collected:		
	<u>Test</u>	<u>Claim</u>	<u>Result</u>	<u>Units</u>
	Calcium3		29.5	%
	Magnesium3		2.57	
	Moisture3		38.49	%
	Total Neutralizing Power		96.9	%
<hr/>				
Site: Airgas Great Lakes		Collected: 4/5/2005		
	<u>Test</u>	<u>Claim</u>	<u>Result</u>	<u>Units</u>
	Calcium3	25	46.4	%
	Magnesium3		0.05	%
	Moisture3		45.87	%
	Total Neutralizing Power	100	116.9	%
<hr/>				
Site: Airgas Great Lakes		Collected: 10/13/2005		
	<u>Test</u>	<u>Claim</u>	<u>Result</u>	<u>Units</u>
	Calcium3	25	40.8	
	Magnesium3		0.11	
	Moisture3		41.18	%
	Total Neutralizing Power	100	105.0	%
<hr/>				
Site: Alex-Lee Ag Services		Collected: 6/6/2005		
	<u>Test</u>	<u>Claim</u>	<u>Result</u>	<u>Units</u>
	Calcium3	20	30.2	%
	Magnesium3	12	11.6	%
	Moisture3		4.26	%
	Total Neutralizing Power	100	106.8	%
<hr/>				
Site: Alex-Lee Ag Services		Collected: 8/31/2005		
	<u>Test</u>	<u>Claim</u>	<u>Result</u>	<u>Units</u>
	Calcium3	20	15.92	%
	Magnesium3	12	12.51	%
	Moisture3		11.41	%
	Total Neutralizing Power	100	100.3	%



Consumer Analytical Laboratory

Ohio Department of Agriculture
Consumer Analytical Laboratory
8995 East Main St. Bldg 3
Reynoldsburg, OH 43068
Phone: (614) 728-6230

ODA Plant Industry/Fertilizer-Lime APPROVED RESULTS sorted by Site LIME SAMPLES COLLECTED 1/1/2005 - 12/31/2005

Site: Andreanos D & J, Inc.

Collected: 5/25/2005

<u>Test</u>	<u>Claim</u>	<u>Result</u>	<u>Units</u>
Calcium3	32.0	35.3	%
Magnesium3	6.0	6.32	%
Moisture3		24.22	%
Total Neutralizing Power	100	120.7	%

Site: Athens Landmark, Inc.

Collected: 6/7/2005

<u>Test</u>	<u>Claim</u>	<u>Result</u>	<u>Units</u>
Calcium3	90	33.3	%
Magnesium3	1	1.74	%
Moisture3		5.38	%
Total Neutralizing Power	90	93.6	%

Site: Bluffton Stone Co.

Collected: 3/24/2005

<u>Test</u>	<u>Claim</u>	<u>Result</u>	<u>Units</u>
#100 US Sieve		52	%
#20 US Sieve		88	%
#60 US Sieve		70	%
#8 US Sieve		98	%
Calcium3	20	20.81	%
Magnesium3	12	12.05	%
Moisture3		3.41	%
Total Neutralizing Power	96	94.6	%

Site: Bluffton Stone Co.

Collected: 10/20/2005

<u>Test</u>	<u>Claim</u>	<u>Result</u>	<u>Units</u>
#100 US Sieve		58	%
#20 US Sieve		96	%
#60 US Sieve		76	%
#8 US Sieve		97	%
Calcium3	20	20.33	%
Magnesium3	12	12.1	%
Moisture3		4.89	%
Total Neutralizing Power	96	106.9	%



Consumer Analytical Laboratory

Ohio Department of Agriculture
Consumer Analytical Laboratory
8995 East Main St. Bldg 3
Reynoldsburg, OH 43068
Phone: (614) 728-6230

ODA Plant Industry/Fertilizer-Lime APPROVED RESULTS sorted by Site LIME SAMPLES COLLECTED 1/1/2005 - 12/31/2005

Site: C.F. Poeppelman, Inc.

Collected: 3/23/2005

<u>Test</u>	<u>Claim</u>	<u>Result</u>	<u>Units</u>
#100 US Sieve		78	%
#20 US Sieve		97	%
#60 US Sieve		92	%
#8 US Sieve		99	%
Calcium3	20	21.12	%
Magnesium3	11	11.74	
Moisture3		6.97	%
Total Neutralizing Power	100	101.3	%

Site: C.F. Poeppelman, Inc.

Collected: 10/18/2005

<u>Test</u>	<u>Claim</u>	<u>Result</u>	<u>Units</u>
#100 US Sieve		64	%
#20 US Sieve		97	%
#60 US Sieve		77	%
#8 US Sieve		100	%
Calcium3	20	20.34	
Magnesium3	11	12.68	%
Moisture3		5.40	%
Total Neutralizing Power	100	101.9	%

Site: Campbell Soup Supply

Collected: 10/5/2005

<u>Test</u>	<u>Claim</u>	<u>Result</u>	<u>Units</u>
Calcium3	10.32	30.8	
Magnesium3	1.49	3.38	
Moisture3		59.76	%
Total Neutralizing Power	32.439	78.1	%

Site: Campbells Supply Co.

Collected: 4/6/2005

<u>Test</u>	<u>Claim</u>	<u>Result</u>	<u>Units</u>
Calcium3	8.1	37.8	%
Magnesium3	0.95	3.98	%
Moisture3		73.90	%
Total Neutralizing Power	20.5	72.5	%



Consumer Analytical Laboratory

Ohio Department of Agriculture
Consumer Analytical Laboratory
8995 East Main St. Bldg 3
Reynoldsburg, OH 43068
Phone: (614) 728-6230

ODA Plant Industry/Fertilizer-Lime APPROVED RESULTS sorted by Site LIME SAMPLES COLLECTED 1/1/2005 - 12/31/2005

Site: Canal Winchester Water

Collected: 4/4/2005

<u>Test</u>	<u>Claim</u>	<u>Result</u>	<u>Units</u>
Calcium3	33	36.74	%
Magnesium3	2	2.62	
Moisture3		85.40	%
Total Neutralizing Power	97	99.6	%

Site: Canal Winchester Water

Collected: 9/7/2005

<u>Test</u>	<u>Claim</u>	<u>Result</u>	<u>Units</u>
Calcium3	33	26.58	%
Magnesium3	2	2.86	%
Moisture3		84.19	%
Total Neutralizing Power	97	101.3	%

Site: Carmeuse Lime

Collected: 6/16/2005

<u>Test</u>	<u>Claim</u>	<u>Result</u>	<u>Units</u>
#100 US Sieve		51	%
#20 US Sieve		76	%
#60 US Sieve		58	%
#8 US Sieve		98	%
Calcium3	21	24.6	
Magnesium3	12	12.3	
Moisture3		3.41	%
Total Neutralizing Power	103	108.8	%

Site: Chillicothe Paper, Inc.

Collected: 10/6/2005

<u>Test</u>	<u>Claim</u>	<u>Result</u>	<u>Units</u>
#100 US Sieve		80	%
#20 US Sieve		94	%
#60 US Sieve		86	%
#8 US Sieve		99	%
Calcium3	25	32.2	
Magnesium3	1	1.39	
Moisture3		29.71	%
Total Neutralizing Power	68	87.9	%



Consumer Analytical Laboratory

Ohio Department of Agriculture
Consumer Analytical Laboratory
8995 East Main St. Bldg 3
Reynoldsburg, OH 43068
Phone: (614) 728-6230

ODA Plant Industry/Fertilizer-Lime APPROVED RESULTS sorted by Site LIME SAMPLES COLLECTED 1/1/2005 - 12/31/2005

Site: City of Bellaire

Collected: 7/7/2005

<u>Test</u>	<u>Claim</u>	<u>Result</u>	<u>Units</u>
Calcium3	428,222 mg/kg	42.9	
Magnesium3	5,416 mg/kg	1.10	
Moisture3		81.54	%
Total Neutralizing Power		96.6	%

Site: City of Bellevue

Collected: 2/14/2005

<u>Test</u>	<u>Claim</u>	<u>Result</u>	<u>Units</u>
Calcium3	28	31.1	%
Magnesium3	2.5	3.4	%
Moisture3	check	90.03	%
Total Neutralizing Power	80	78.2	%

Site: City of Bellevue WTP

Collected: 10/19/2005

<u>Test</u>	<u>Claim</u>	<u>Result</u>	<u>Units</u>
Calcium3	28	26.4	
Magnesium3	25	4.55	
Moisture3		92.52	%
Total Neutralizing Power	80	77.4	%

Site: City of Berea Water Treat

Collected: 10/17/2005

<u>Test</u>	<u>Claim</u>	<u>Result</u>	<u>Units</u>
#100 US Sieve		98	%
#20 US Sieve		100	%
#60 US Sieve		100	%
#8 US Sieve		100	%
Calcium3	30.1	33.1	
Magnesium3	2.15	1.1	%
Moisture3		43.56	%
Total Neutralizing Power	88.4	87.2	%

Site: City of Bowling Green

Collected: 4/28/2005

<u>Test</u>	<u>Claim</u>	<u>Result</u>	<u>Units</u>
Calcium3	25	32.3	%
Magnesium3	2	2.42	
Moisture3		85.23	%
Total Neutralizing Power	75	79.8	%



Consumer Analytical Laboratory

Ohio Department of Agriculture
Consumer Analytical Laboratory
8995 East Main St. Bldg 3
Reynoldsburg, OH 43068
Phone: (614) 728-6230

ODA Plant Industry/Fertilizer-Lime APPROVED RESULTS sorted by Site LIME SAMPLES COLLECTED 1/1/2005 - 12/31/2005

Site: City of Bowling Green

Collected: 10/20/2005

<u>Test</u>	<u>Claim</u>	<u>Result</u>	<u>Units</u>
Calcium3	25	25.5	
Magnesium3	2	2.37	
Moisture3		60.62	%
Total Neutralizing Power	75	84.7	%

Site: City of Clyde WTP

Collected: 4/4/2005

<u>Test</u>	<u>Claim</u>	<u>Result</u>	<u>Units</u>
Calcium3	38	40.5	%
Magnesium3	1.5	2.81	%
Moisture3		91.70	%
Total Neutralizing Power	78	85.0	%

Site: City of Clyde WTP Clyde, OH 43410

Collected: 12/27/2005

<u>Test</u>	<u>Claim</u>	<u>Result</u>	<u>Units</u>
Calcium3	40.5	34.4	%
Magnesium3	2.81	3.38	%
Moisture3		91.89	%
Total Neutralizing Power	85	92.4	%

Site: City of Columbiana

Collected: 5/11/2005

<u>Test</u>	<u>Claim</u>	<u>Result</u>	<u>Units</u>
Calcium3	11	35.1	%
Magnesium3	0.60	1.70	%
Moisture3		76.84	%
Total Neutralizing Power	28	101.7	%

Site: City of Columbiana

Collected: 11/21/2005

<u>Test</u>	<u>Claim</u>	<u>Result</u>	<u>Units</u>
Calcium3	35.1	35.8	
Magnesium3	1.7	2.44	
Moisture3		83.07	%
Total Neutralizing Power	101.7	103.8	%



Consumer Analytical Laboratory

Ohio Department of Agriculture
Consumer Analytical Laboratory
8995 East Main St. Bldg 3
Reynoldsburg, OH 43068
Phone: (614) 728-6230

ODA Plant Industry/Fertilizer-Lime APPROVED RESULTS sorted by Site LIME SAMPLES COLLECTED 1/1/2005 - 12/31/2005

Site: City of Defiance WTP

Collected: 5/12/2005

<u>Test</u>	<u>Claim</u>	<u>Result</u>	<u>Units</u>
Calcium3	8	25.9	%
Magnesium3	1	2.81	
Moisture3		90.69	%
Total Neutralizing Power	60	72.4	%

Site: City of Defiance WTP

Collected: 10/19/2005

<u>Test</u>	<u>Claim</u>	<u>Result</u>	<u>Units</u>
Calcium3	8	21.8	
Magnesium3	1	2.95	
Moisture3		77.89	%
Total Neutralizing Power	60	77.4	%

Site: City of Delaware Water Div

Collected: 5/10/2005

<u>Test</u>	<u>Claim</u>	<u>Result</u>	<u>Units</u>
Calcium3	17.64	31.5	%
Magnesium3	1.6	2.75	
Moisture3		70.25	%
Total Neutralizing Power		99.9	%

Site: City of Fairfield WP

Collected: 5/4/2005

<u>Test</u>	<u>Claim</u>	<u>Result</u>	<u>Units</u>
Calcium3	30	34.8	%
Magnesium3	2	1.98	
Moisture3		47.98	%
Total Neutralizing Power	90	100.3	%

Site: City of Fairfield WP

Collected: 11/9/2005

<u>Test</u>	<u>Claim</u>	<u>Result</u>	<u>Units</u>
Calcium3	30	38.1	
Magnesium3	2	3.15	
Moisture3		54.85	%
Total Neutralizing Power	90	104.3	%



Consumer Analytical Laboratory

Ohio Department of Agriculture
Consumer Analytical Laboratory
8995 East Main St. Bldg 3
Reynoldsburg, OH 43068
Phone: (614) 728-6230

ODA Plant Industry/Fertilizer-Lime APPROVED RESULTS sorted by Site LIME SAMPLES COLLECTED 1/1/2005 - 12/31/2005

Site: City of Findlay WTP

Collected: 5/9/2005

<u>Test</u>	<u>Claim</u>	<u>Result</u>	<u>Units</u>
Calcium3	29.44	31.7	%
Magnesium3	2.83	2.90	
Moisture3		90.50	%
Total Neutralizing Power	93	92.9	%

Site: City of Findlay WTP

Collected: 10/18/2005

<u>Test</u>	<u>Claim</u>	<u>Result</u>	<u>Units</u>
Calcium3	31.7	30.7	
Magnesium3	2.9	3.56	
Moisture3		90.17	%
Total Neutralizing Power	92.9	100.9	%

Site: City of Fostoria Water Plan

Collected: 6/2/2005

<u>Test</u>	<u>Claim</u>	<u>Result</u>	<u>Units</u>
Calcium3	29	31.0	%
Magnesium3	4	3.95	%
Moisture3		74.89	%
Total Neutralizing Power	56	100.9	%

Site: City of Fostoria Water Plan

Collected: 12/21/2005

<u>Test</u>	<u>Claim</u>	<u>Result</u>	<u>Units</u>
Calcium3	31	32.7	%
Magnesium3	4	4.56	%
Moisture3		76.01	%
Total Neutralizing Power	56	67.9	%

Site: City of Fremont WTP

Collected: 5/2/2005

<u>Test</u>	<u>Claim</u>	<u>Result</u>	<u>Units</u>
Calcium3	3	23.3	%
Magnesium3	0.47	3.35	
Moisture3		93.32	%
Total Neutralizing Power	8.9	74.8	%



Consumer Analytical Laboratory

Ohio Department of Agriculture
Consumer Analytical Laboratory
8995 East Main St. Bldg 3
Reynoldsburg, OH 43068
Phone: (614) 728-6230

ODA Plant Industry/Fertilizer-Lime APPROVED RESULTS sorted by Site LIME SAMPLES COLLECTED 1/1/2005 - 12/31/2005

Site: City of Gallipolis WP

Collected: 5/9/2005

<u>Test</u>	<u>Claim</u>	<u>Result</u>	<u>Units</u>
Calcium3	34	30.6	%
Magnesium3	1	0.97	%
Moisture3		26.58	%
Total Neutralizing Power	98	89.9	%

Site: City of Gallipolis WP

Collected: 10/19/2005

<u>Test</u>	<u>Claim</u>	<u>Result</u>	<u>Units</u>
Calcium3	29	33.0	
Magnesium3		1.93	
Moisture3		43.20	%
Total Neutralizing Power	89	97.9	%

Site: City of Glendale - Utilities

Collected: 10/20/2005

<u>Test</u>	<u>Claim</u>	<u>Result</u>	<u>Units</u>
Calcium3	30	34.6	
Magnesium3	2	1.91	%
Moisture3		58.75	%
Total Neutralizing Power	90	102.4	%

Site: City of Hamilton

Collected: 5/4/2005

<u>Test</u>	<u>Claim</u>	<u>Result</u>	<u>Units</u>
Calcium3	30	35.6	%
Magnesium3	2	2.21	
Moisture3		60.95	%
Total Neutralizing Power	90	105.9	%

Site: City of Hamilton

Collected: 5/3/2005

<u>Test</u>	<u>Claim</u>	<u>Result</u>	<u>Units</u>
Calcium3	30	33.5	%
Magnesium3	2	2.31	
Moisture3		62.95	%
Total Neutralizing Power	90	101.2	%



Consumer Analytical Laboratory

Ohio Department of Agriculture
Consumer Analytical Laboratory
8995 East Main St. Bldg 3
Reynoldsburg, OH 43068
Phone: (614) 728-6230

ODA Plant Industry/Fertilizer-Lime APPROVED RESULTS sorted by Site LIME SAMPLES COLLECTED 1/1/2005 - 12/31/2005

Site: City of Hamilton

Collected: 11/18/2005

<u>Test</u>	<u>Claim</u>	<u>Result</u>	<u>Units</u>
Calcium3	30	32.4	
Magnesium3	2	2.38	
Moisture3		50.11	%
Total Neutralizing Power	90	105.9	%

Site: City of Hamilton

Collected: 11/16/2005

<u>Test</u>	<u>Claim</u>	<u>Result</u>	<u>Units</u>
Calcium3	30	46.5	
Magnesium3	2	2.68	
Moisture3		55.52	%
Total Neutralizing Power	90	103.2	%

Site: City of Heath

Collected: 6/22/2005

<u>Test</u>	<u>Claim</u>	<u>Result</u>	<u>Units</u>
Calcium3	check	34.0	
Magnesium3	check	1.53	
Moisture3		79.86	%
Total Neutralizing Power	check	100.2	%

Site: City of Kent

Collected: 4/22/2005

<u>Test</u>	<u>Claim</u>	<u>Result</u>	<u>Units</u>
#100 US Sieve		98	%
#20 US Sieve		100	%
#60 US Sieve		100	%
#8 US Sieve		100	%
Calcium3	22.4	34.9	%
Magnesium3	1.30	0.97	%
Moisture3		37.28	%
Total Neutralizing Power	60.6	93.9	%



Consumer Analytical Laboratory

Ohio Department of Agriculture
Consumer Analytical Laboratory
8995 East Main St. Bldg 3
Reynoldsburg, OH 43068
Phone: (614) 728-6230

ODA Plant Industry/Fertilizer-Lime APPROVED RESULTS sorted by Site LIME SAMPLES COLLECTED 1/1/2005 - 12/31/2005

Site: City of Kent

Collected: 4/22/2005

<u>Test</u>	<u>Claim</u>	<u>Result</u>	<u>Units</u>
#100 US Sieve		98	%
#20 US Sieve		100	%
#60 US Sieve		100	%
#8 US Sieve		100	%
Calcium3	22.4	35.1	%
Magnesium3	1.30	1.32	%
Moisture3		30.09	%
Total Neutralizing Power	60.6	93.1	%

Site: City of Kent

Collected: 10/31/2005

<u>Test</u>	<u>Claim</u>	<u>Result</u>	<u>Units</u>
#100 US Sieve		98	%
#20 US Sieve		100	%
#60 US Sieve		100	%
#8 US Sieve		100	%
Calcium3	36.3	33.6	%
Magnesium3	2.11	1.48	%
Moisture3		17.02	%
Total Neutralizing Power	98.4	97.0	%

Site: City of Kenton

Collected: 4/18/2005

<u>Test</u>	<u>Claim</u>	<u>Result</u>	<u>Units</u>
Calcium3	29.0	31.6	%
Magnesium3	1.0	2.21	%
Moisture3		11.86	%
Total Neutralizing Power	75.0	93.3	%

Site: City of Kenton

Collected: 10/17/2005

<u>Test</u>	<u>Claim</u>	<u>Result</u>	<u>Units</u>
Calcium3	29	28.9	
Magnesium3	1	2.32	
Moisture3		87.74	%
Total Neutralizing Power	75	102.9	%



Consumer Analytical Laboratory

Ohio Department of Agriculture
Consumer Analytical Laboratory
8995 East Main St. Bldg 3
Reynoldsburg, OH 43068
Phone: (614) 728-6230

ODA Plant Industry/Fertilizer-Lime APPROVED RESULTS sorted by Site LIME SAMPLES COLLECTED 1/1/2005 - 12/31/2005

Site: City of London

Collected: 5/24/2005

<u>Test</u>	<u>Claim</u>	<u>Result</u>	<u>Units</u>
Calcium3	20	33.8	%
Magnesium3	1.5	1.90	%
Moisture3		76.35	%
Total Neutralizing Power	90	100.5	%

Site: City of London

Collected: 9/7/2005

<u>Test</u>	<u>Claim</u>	<u>Result</u>	<u>Units</u>
Calcium3	20	26.0	%
Magnesium3	1.5	2.32	%
Moisture3		71.55	%
Total Neutralizing Power	90	96.2	%

Site: City of Marietta

Collected: 10/3/2005

<u>Test</u>	<u>Claim</u>	<u>Result</u>	<u>Units</u>
Calcium3	30.0	32.9	
Magnesium3	1.0	2.01	
Moisture3		37.19	%
Total Neutralizing Power	83.1	97.7	%

Site: City of Marysville

Collected: 3/24/2005

<u>Test</u>	<u>Claim</u>	<u>Result</u>	<u>Units</u>
Calcium3	28	29.92	%
Magnesium3	3	5.03	
Moisture3		48.79	%
Total Neutralizing Power	90	99.4	%

Site: City of Mingo Junction

Collected: 10/19/2005

<u>Test</u>	<u>Claim</u>	<u>Result</u>	<u>Units</u>
Calcium3	32.5	34.3	
Magnesium3	0.5	1.59	
Moisture3		30.39	%
Total Neutralizing Power		101.6	%



Consumer Analytical Laboratory

Ohio Department of Agriculture
Consumer Analytical Laboratory
8995 East Main St. Bldg 3
Reynoldsburg, OH 43068
Phone: (614) 728-6230

ODA Plant Industry/Fertilizer-Lime APPROVED RESULTS sorted by Site LIME SAMPLES COLLECTED 1/1/2005 - 12/31/2005

Site: City of Napoleon, H2O Plan

Collected: 11/3/2005

<u>Test</u>	<u>Claim</u>	<u>Result</u>	<u>Units</u>
Calcium3	8.9	31.4	
Magnesium3	1.5	4.21	
Moisture3		85.53	%
Total Neutralizing Power	44.3	79.1	%

Site: City of Sidney

Collected: 3/31/2005

<u>Test</u>	<u>Claim</u>	<u>Result</u>	<u>Units</u>
Calcium3	30	28.00	%
Magnesium3	3	3.61	
Moisture3		38.66	%
Total Neutralizing Power	80	83.4	%

Site: City of Sidney

Collected: 10/19/2005

<u>Test</u>	<u>Claim</u>	<u>Result</u>	<u>Units</u>
Calcium3	30	29.57	
Magnesium3	3	3.72	
Moisture3		32.89	%
Total Neutralizing Power	80	85.9	%

Site: City of Troy

Collected: 4/13/2005

<u>Test</u>	<u>Claim</u>	<u>Result</u>	<u>Units</u>
Calcium3	30	41.1	%
Magnesium3	2	2.61	%
Moisture3		65.66	%
Total Neutralizing Power	90	84.7	%

Site: City of Troy

Collected: 10/19/2005

<u>Test</u>	<u>Claim</u>	<u>Result</u>	<u>Units</u>
Calcium3	30	29.32	
Magnesium3	2	5.54	%
Moisture3	Check	72.30	%
Total Neutralizing Power	90	98.0	%



Consumer Analytical Laboratory

Ohio Department of Agriculture
Consumer Analytical Laboratory
8995 East Main St. Bldg 3
Reynoldsburg, OH 43068
Phone: (614) 728-6230

ODA Plant Industry/Fertilizer-Lime APPROVED RESULTS sorted by Site LIME SAMPLES COLLECTED 1/1/2005 - 12/31/2005

Site: City of Upper Sandusky W

Collected: 6/21/2005

<u>Test</u>	<u>Claim</u>	<u>Result</u>	<u>Units</u>
Calcium3	7	30.9	
Magnesium3	1	4.55	
Moisture3		92.07	%
Total Neutralizing Power	75	96.9	%

Site: City of Upper Sandusky W

Collected: 11/17/2005

<u>Test</u>	<u>Claim</u>	<u>Result</u>	<u>Units</u>
Calcium3	7	29.3	
Magnesium3	1	4.73	
Moisture3		89.29	%
Total Neutralizing Power	75	95.1	%

Site: City of Washington Court H

Collected: 10/24/2005

<u>Test</u>	<u>Claim</u>	<u>Result</u>	<u>Units</u>
Calcium3	30	31.41	
Magnesium3	0.5	5.69	
Moisture3		5.0	%
Total Neutralizing Power	90	108.2	%

Site: City of Washington WD

Collected: 6/23/2005

<u>Test</u>	<u>Claim</u>	<u>Result</u>	<u>Units</u>
Calcium3	30	32.9	
Magnesium3	.5	6.11	
Moisture3		60.28	%
Total Neutralizing Power	90	100.8	%

Site: City of Westerville

Collected: 4/6/2005

<u>Test</u>	<u>Claim</u>	<u>Result</u>	<u>Units</u>
#100 US Sieve		100	%
#20 US Sieve		100	%
#60 US Sieve		100	%
#8 US Sieve		100	%
Calcium3	30.4	27.36	%
Magnesium3	2.6	3.34	
Moisture3		67.70	%
Total Neutralizing Power	85.96	81.9	%



Consumer Analytical Laboratory

Ohio Department of Agriculture
Consumer Analytical Laboratory
8995 East Main St. Bldg 3
Reynoldsburg, OH 43068
Phone: (614) 728-6230

ODA Plant Industry/Fertilizer-Lime APPROVED RESULTS sorted by Site LIME SAMPLES COLLECTED 1/1/2005 - 12/31/2005

Site: City of Wyoming

Collected: 10/14/2005

<u>Test</u>	<u>Claim</u>	<u>Result</u>	<u>Units</u>
Calcium3	30	36.0	
Magnesium3	2	2.39	
Moisture3		57.61	%
Total Neutralizing Power	90	94.5	%

Site: Cochran Transportation

Collected: 9/8/2005

<u>Test</u>	<u>Claim</u>	<u>Result</u>	<u>Units</u>
Calcium3	21	16.32	%
Magnesium3	12	12.97	%
Moisture3		3.70	%
Total Neutralizing Power	105	107.2	%

Site: Con-Ag Inc.

Collected: 4/4/2005

<u>Test</u>	<u>Claim</u>	<u>Result</u>	<u>Units</u>
#100 US Sieve		84	%
#20 US Sieve		99	%
#60 US Sieve		92	%
#8 US Sieve		100	%
Calcium3	20	20.53	%
Magnesium3	12	12.22	
Moisture3		11.67	%
Total Neutralizing Power	100	100.3	%

Site: Con-Ag Inc.

Collected: 10/19/2005

<u>Test</u>	<u>Claim</u>	<u>Result</u>	<u>Units</u>
#100 US Sieve		80	%
#20 US Sieve		98	%
#60 US Sieve		93	%
#8 US Sieve		100	%
Calcium3	20	19.91	
Magnesium3	12	12.4	
Moisture3		8.88	%
Total Neutralizing Power	100	101.9	%



Consumer Analytical Laboratory

Ohio Department of Agriculture
Consumer Analytical Laboratory
8995 East Main St. Bldg 3
Reynoldsburg, OH 43068
Phone: (614) 728-6230

ODA Plant Industry/Fertilizer-Lime APPROVED RESULTS sorted by Site LIME SAMPLES COLLECTED 1/1/2005 - 12/31/2005

Site: Conneaut Dock #1

Collected: 6/14/2005

<u>Test</u>	<u>Claim</u>	<u>Result</u>	<u>Units</u>
#100 US Sieve		40	%
#20 US Sieve		91	%
#60 US Sieve		56	%
#8 US Sieve		94	%
Calcium3	21	22.3	
Magnesium3	12	12.0	
Moisture3		5.71	%
Total Neutralizing Power	104	108.2	%

Site: Conneaut Dock #1

Collected: 6/14/2005

<u>Test</u>	<u>Claim</u>	<u>Result</u>	<u>Units</u>
#100 US Sieve		44	%
#20 US Sieve		92	%
#60 US Sieve		53	%
#8 US Sieve		96	%
Calcium3	36	39.7	
Magnesium3	0.3	0.61	
Moisture3		5.21	%
Total Neutralizing Power	97	102.7	%

Site: Custar Stone Co.

Collected: 4/14/2005

<u>Test</u>	<u>Claim</u>	<u>Result</u>	<u>Units</u>
#100 US Sieve		30	%
#20 US Sieve		63	%
#60 US Sieve		38	%
#8 US Sieve		94	%
Calcium3	18.92	28.3	%
Magnesium3	10.93	12.1	%
Moisture3		5.57	%
Total Neutralizing Power	102.8	99.6	%



Consumer Analytical Laboratory

Ohio Department of Agriculture
Consumer Analytical Laboratory
8995 East Main St. Bldg 3
Reynoldsburg, OH 43068
Phone: (614) 728-6230

ODA Plant Industry/Fertilizer-Lime APPROVED RESULTS sorted by Site LIME SAMPLES COLLECTED 1/1/2005 - 12/31/2005

Site: Custar Stone Co.

Collected: 10/24/2005

<u>Test</u>	<u>Claim</u>	<u>Result</u>	<u>Units</u>
#100 US Sieve		40	%
#20 US Sieve		78	%
#60 US Sieve		49	%
#8 US Sieve		98	%
Calcium3	18.92	18.2	
Magnesium3	10.93	11.5	
Moisture3		6.96	%
Total Neutralizing Power	102.8	102.8	%

Site: CWS

Collected: 9/26/2005

<u>Test</u>	<u>Claim</u>	<u>Result</u>	<u>Units</u>
Calcium3	39.2	33.9	%
Magnesium3		0.68	%
Moisture3		27.70	%
Total Neutralizing Power	73	78.8	%

Site: Delco Water

Collected: 5/25/2005

<u>Test</u>	<u>Claim</u>	<u>Result</u>	<u>Units</u>
Calcium3		32.8	%
Magnesium3		3.66	%
Moisture3		85.83	%
Total Neutralizing Power		102.3	%

Site: Delco Water

Collected: 5/25/2005

<u>Test</u>	<u>Claim</u>	<u>Result</u>	<u>Units</u>
Calcium3		31.4	%
Magnesium3		3.26	%
Moisture3		87.19	%
Total Neutralizing Power		98.3	%

Site: Del-Co Water

Collected: 9/28/2005

<u>Test</u>	<u>Claim</u>	<u>Result</u>	<u>Units</u>
Calcium3		30.9	%
Magnesium3		3.03	%
Moisture3		59.32	%
Total Neutralizing Power		95.6	%



Consumer Analytical Laboratory

Ohio Department of Agriculture
Consumer Analytical Laboratory
8995 East Main St. Bldg 3
Reynoldsburg, OH 43068
Phone: (614) 728-6230

ODA Plant Industry/Fertilizer-Lime APPROVED RESULTS sorted by Site LIME SAMPLES COLLECTED 1/1/2005 - 12/31/2005

Site: Del-Co Water

Collected: 11/7/2005

<u>Test</u>	<u>Claim</u>	<u>Result</u>	<u>Units</u>
Calcium3		30.7	
Magnesium3		3.64	
Moisture3		85.53	%
Total Neutralizing Power		94.8	%

Site: Del-Co Water

Collected: 11/7/2005

<u>Test</u>	<u>Claim</u>	<u>Result</u>	<u>Units</u>
Calcium3		33.3	
Magnesium3		3.86	
Moisture3		86.20	%
Total Neutralizing Power		101.1	%

Site: Duff Quarry, Inc.

Collected: 4/7/2005

<u>Test</u>	<u>Claim</u>	<u>Result</u>	<u>Units</u>
#100 US Sieve		15	%
#20 US Sieve		61	%
#60 US Sieve		32	%
#8 US Sieve		90	%
Calcium3	20	21.26	%
Magnesium3	10	12.36	
Moisture3		4.90	%
Total Neutralizing Power	97	102.1	%

Site: Erie Materials, Inc., Sandus

Collected: 8/30/2005

<u>Test</u>	<u>Claim</u>	<u>Result</u>	<u>Units</u>
#100 US Sieve		90	%
#20 US Sieve		100	%
#60 US Sieve		98	%
#8 US Sieve		100	%
Calcium3	28	20.98	%
Magnesium3	5	7.04	%
Moisture3		11.05	%
Total Neutralizing Power	94	98.5	%



Consumer Analytical Laboratory

Ohio Department of Agriculture
Consumer Analytical Laboratory
8995 East Main St. Bldg 3
Reynoldsburg, OH 43068
Phone: (614) 728-6230

ODA Plant Industry/Fertilizer-Lime APPROVED RESULTS sorted by Site LIME SAMPLES COLLECTED 1/1/2005 - 12/31/2005

Site: Fremont Water Treatment

Collected: 11/21/2005

<u>Test</u>	<u>Claim</u>	<u>Result</u>	<u>Units</u>
Calcium3	3	23.4	
Magnesium3	0.47	5.70	
Moisture3		94.98	%
Total Neutralizing Power	8.9	96.6	%

Site: Granville WTP

Collected: 4/20/2005

<u>Test</u>	<u>Claim</u>	<u>Result</u>	<u>Units</u>
Calcium3	35	43.2	%
Magnesium3	1.8	1.45	%
Moisture3		31.19	%
Total Neutralizing Power	99.0	93.2	%

Site: Graymont Dolime

Collected: 5/5/2005

<u>Test</u>	<u>Claim</u>	<u>Result</u>	<u>Units</u>
#100 US Sieve		86	%
#20 US Sieve		100	%
#60 US Sieve		88	%
#8 US Sieve		100	%
Calcium3	30	30.5	%
Magnesium3	16	19.32	
Moisture3		0	%
Total Neutralizing Power	140	177.0	%

Site: Graymont Dolime

Collected: 11/30/2005

<u>Test</u>	<u>Claim</u>	<u>Result</u>	<u>Units</u>
#100 US Sieve		96	%
#20 US Sieve		100	%
#60 US Sieve		99	%
#8 US Sieve		100	%
Calcium3	30	31.3	
Magnesium3	16	15.3	
Moisture3		0.0	%
Total Neutralizing Power	140	150.0	%



Consumer Analytical Laboratory

Ohio Department of Agriculture
Consumer Analytical Laboratory
8995 East Main St. Bldg 3
Reynoldsburg, OH 43068
Phone: (614) 728-6230

ODA Plant Industry/Fertilizer-Lime APPROVED RESULTS sorted by Site LIME SAMPLES COLLECTED 1/1/2005 - 12/31/2005

Site: Great Lakes Calcium Corp,

Collected: 9/1/2005

<u>Test</u>	<u>Claim</u>	<u>Result</u>	<u>Units</u>
#100 US Sieve		81	%
#20 US Sieve		100	%
#60 US Sieve		92	%
#8 US Sieve		100	%
Calcium3	21	15.55	%
Magnesium3	12	12.99	%
Moisture3		*9.34	%
Total Neutralizing Power	96	103.7	%

Site: Growmark, Inc., E. Liverpo

Collected: 9/9/2005

<u>Test</u>	<u>Claim</u>	<u>Result</u>	<u>Units</u>
#100 US Sieve		NA	%
#20 US Sieve		NA	%
#60 US Sieve		NA	%
#8 US Sieve		NA	%
Calcium3		31.9	
Magnesium3		2.69	
Moisture3		1.69	%
Total Neutralizing Power		96.9	%

Site: Hanson Aggregates

Collected: 3/22/2005

<u>Test</u>	<u>Claim</u>	<u>Result</u>	<u>Units</u>
#100 US Sieve		36	%
#20 US Sieve		71	%
#60 US Sieve		44	%
#8 US Sieve		91	%
Calcium3	31	28.84	%
Magnesium3	1	1.38	
Moisture3		2.78	%
Total Neutralizing Power	85	80.6	%



Consumer Analytical Laboratory

Ohio Department of Agriculture
Consumer Analytical Laboratory
8995 East Main St. Bldg 3
Reynoldsburg, OH 43068
Phone: (614) 728-6230

ODA Plant Industry/Fertilizer-Lime APPROVED RESULTS sorted by Site LIME SAMPLES COLLECTED 1/1/2005 - 12/31/2005

Site: Hanson Aggregates

Collected: 4/7/2005

<u>Test</u>	<u>Claim</u>	<u>Result</u>	<u>Units</u>
#100 US Sieve		37	%
#20 US Sieve		59	%
#60 US Sieve		43	%
#8 US Sieve		85	%
Calcium3	17	28.2	%
Magnesium3	8	10.6	%
Moisture3		5.51	%
Total Neutralizing Power	93	94.5	%

Site: Hanson Aggregates

Collected: 4/11/2005

<u>Test</u>	<u>Claim</u>	<u>Result</u>	<u>Units</u>
#100 US Sieve		34	%
#20 US Sieve		52	%
#60 US Sieve		40	%
#8 US Sieve		82	%
Calcium3	18	31.7	%
Magnesium3	6	8.60	%
Moisture3		5.97	%
Total Neutralizing Power	85	90.0	%

Site: Hanson Aggregates

Collected: 4/11/2005

<u>Test</u>	<u>Claim</u>	<u>Result</u>	<u>Units</u>
#100 US Sieve	Check	49	%
#20 US Sieve	Check	73	%
#60 US Sieve	Check	57	%
#8 US Sieve	Check	93	%
Calcium3	31	31.1	%
Magnesium3	1	1.28	%
Moisture3		10.89	%
Total Neutralizing Power	85	101.9	%



Consumer Analytical Laboratory

Ohio Department of Agriculture
Consumer Analytical Laboratory
8995 East Main St. Bldg 3
Reynoldsburg, OH 43068
Phone: (614) 728-6230

ODA Plant Industry/Fertilizer-Lime APPROVED RESULTS sorted by Site LIME SAMPLES COLLECTED 1/1/2005 - 12/31/2005

Site: Hanson Aggregates

Collected: 4/12/2005

<u>Test</u>	<u>Claim</u>	<u>Result</u>	<u>Units</u>
#100 US Sieve		76	%
#20 US Sieve		100	%
#60 US Sieve		95	%
#8 US Sieve		100	%
Calcium3	20	21.0	%
Magnesium3	12	12.1	%
Moisture3		7.12	%
Total Neutralizing Power	100	104.0	%

Site: Hanson Aggregates

Collected: 4/12/2005

<u>Test</u>	<u>Claim</u>	<u>Result</u>	<u>Units</u>
#100 US Sieve		91	%
#20 US Sieve		100	%
#60 US Sieve		100	%
#8 US Sieve		100	%
Calcium3	21	21.6	%
Magnesium3	12	12.1	%
Moisture3		6.94	%
Total Neutralizing Power	100	101.7	%

Site: Hanson Aggregates

Collected: 5/9/2005

<u>Test</u>	<u>Claim</u>	<u>Result</u>	<u>Units</u>
#100 US Sieve		60	%
#20 US Sieve		76	%
#60 US Sieve		71	%
#8 US Sieve		98	%
Calcium3	30	28.56	%
Magnesium3	5	6.68	%
Moisture3		4.37	%
Total Neutralizing Power	95	97.5	%



Consumer Analytical Laboratory

Ohio Department of Agriculture
Consumer Analytical Laboratory
8995 East Main St. Bldg 3
Reynoldsburg, OH 43068
Phone: (614) 728-6230

ODA Plant Industry/Fertilizer-Lime APPROVED RESULTS sorted by Site LIME SAMPLES COLLECTED 1/1/2005 - 12/31/2005

Site: Hanson Aggregates

Collected: 5/4/2005

<u>Test</u>	<u>Claim</u>	<u>Result</u>	<u>Units</u>
#100 US Sieve		34	%
#20 US Sieve		67	%
#60 US Sieve		43	%
#8 US Sieve		98	%
Calcium3	26	26.6	%
Magnesium3	8	8.29	%
Moisture3		7.71	%
Total Neutralizing Power	98	101.7	%

Site: Hanson Aggregates

Collected: 9/13/2005

<u>Test</u>	<u>Claim</u>	<u>Result</u>	<u>Units</u>
#100 US Sieve		34	%
#20 US Sieve		66	%
#60 US Sieve		50	%
#8 US Sieve		91	%
Calcium3		19.25	%
Magnesium3		7.17	%
Moisture3		5.54	%
Total Neutralizing Power		97.9	%

Site: Hanson Aggregates

Collected: 9/28/2005

<u>Test</u>	<u>Claim</u>	<u>Result</u>	<u>Units</u>
#100 US Sieve		89	%
#20 US Sieve		96	%
#60 US Sieve		93	%
#8 US Sieve		99	%
Calcium3	18	21.0	%
Magnesium3	6	9.62	%
Moisture3		9.05	%
Total Neutralizing Power	85	92.6	%



Consumer Analytical Laboratory

Ohio Department of Agriculture
Consumer Analytical Laboratory
8995 East Main St. Bldg 3
Reynoldsburg, OH 43068
Phone: (614) 728-6230

ODA Plant Industry/Fertilizer-Lime APPROVED RESULTS sorted by Site LIME SAMPLES COLLECTED 1/1/2005 - 12/31/2005

Site: Hanson Aggregates

Collected: 10/3/2005

<u>Test</u>	<u>Claim</u>	<u>Result</u>	<u>Units</u>
#100 US Sieve		39	%
#20 US Sieve		71	%
#60 US Sieve		50	%
#8 US Sieve		89	%
Calcium3	31	30.16	
Magnesium3	1	1.64	
Moisture3		6.73	%
Total Neutralizing Power	85	94.4	%

Site: Hanson Aggregates

Collected: 10/3/2005

<u>Test</u>	<u>Claim</u>	<u>Result</u>	<u>Units</u>
#100 US Sieve		44	%
#20 US Sieve		69	%
#60 US Sieve		51	%
#8 US Sieve		90	%
Calcium3	20	20.34	
Magnesium3	12	12.0	
Moisture3		8.15	%
Total Neutralizing Power	100	103.3	%

Site: Hanson Aggregates

Collected: 10/3/2005

<u>Test</u>	<u>Claim</u>	<u>Result</u>	<u>Units</u>
#100 US Sieve		94	%
#20 US Sieve		100	%
#60 US Sieve		100	%
#8 US Sieve		100	%
Calcium3	21	20.32	
Magnesium3	12	12.1	
Moisture3		.28	%
Total Neutralizing Power	100	106.4	%



Consumer Analytical Laboratory

Ohio Department of Agriculture
Consumer Analytical Laboratory
8995 East Main St. Bldg 3
Reynoldsburg, OH 43068
Phone: (614) 728-6230

ODA Plant Industry/Fertilizer-Lime APPROVED RESULTS sorted by Site LIME SAMPLES COLLECTED 1/1/2005 - 12/31/2005

Site: Hanson Aggregates

Collected: 11/23/2005

<u>Test</u>	<u>Claim</u>	<u>Result</u>	<u>Units</u>
#100 US Sieve		36	%
#20 US Sieve		66	%
#60 US Sieve		44	%
#8 US Sieve		94	%
Calcium3	26	24.6	
Magnesium3	8	8.17	
Moisture3		5.87	%
Total Neutralizing Power	98	102.2	%

Site: Hanson Aggregates

Collected: 11/23/2005

<u>Test</u>	<u>Claim</u>	<u>Result</u>	<u>Units</u>
#100 US Sieve		38	%
#20 US Sieve		64	%
#60 US Sieve		46	%
#8 US Sieve		94	%
Calcium3	30	30.2	
Magnesium3	5	5.55	
Moisture3		2.91	%
Total Neutralizing Power	95	100.9	%

Site: Hanson Aggregates

Collected: 12/6/2005

<u>Test</u>	<u>Claim</u>	<u>Result</u>	<u>Units</u>
#100 US Sieve		33	%
#20 US Sieve		60	%
#60 US Sieve		39	%
#8 US Sieve		93	%
Calcium3	23	28.9	%
Magnesium3	10	10.6	%
Moisture3		5.06	%
Total Neutralizing Power	93	92.9	%



Consumer Analytical Laboratory

Ohio Department of Agriculture
Consumer Analytical Laboratory
8995 East Main St. Bldg 3
Reynoldsburg, OH 43068
Phone: (614) 728-6230

ODA Plant Industry/Fertilizer-Lime APPROVED RESULTS sorted by Site LIME SAMPLES COLLECTED 1/1/2005 - 12/31/2005

Site: Highland Stone Div.

Collected: 10/5/2005

<u>Test</u>	<u>Claim</u>	<u>Result</u>	<u>Units</u>
#100 US Sieve		29	%
#20 US Sieve		66	%
#60 US Sieve		42	%
#8 US Sieve		91	%
Calcium3	31	31.60	
Magnesium3	1	0.87	%
Moisture3		1.63	%
Total Neutralizing Power	85	82.8	%

Site: Honda of America

Collected: 4/13/2005

<u>Test</u>	<u>Claim</u>	<u>Result</u>	<u>Units</u>
Calcium3	20	34.1	%
Magnesium3	2.5	2.95	%
Moisture3		67.01	%
Total Neutralizing Power	65	92.7	%

Site: Honda of America

Collected: 7/12/2005

<u>Test</u>	<u>Claim</u>	<u>Result</u>	<u>Units</u>
Calcium3	28.0	34.9	%
Magnesium3	3.0	3.78	%
Moisture3		67.14	%
Total Neutralizing Power	96.6	104.8	%

Site: Honda of America

Collected: 10/18/2005

<u>Test</u>	<u>Claim</u>	<u>Result</u>	<u>Units</u>
Calcium3		32.5	
Magnesium3		3.07	
Moisture3		71.28	%
Total Neutralizing Power		102.5	%



Consumer Analytical Laboratory

Ohio Department of Agriculture
Consumer Analytical Laboratory
8995 East Main St. Bldg 3
Reynoldsburg, OH 43068
Phone: (614) 728-6230

ODA Plant Industry/Fertilizer-Lime APPROVED RESULTS sorted by Site LIME SAMPLES COLLECTED 1/1/2005 - 12/31/2005

Site: Hoopes Fertilizer

Collected: 9/6/2005

<u>Test</u>	<u>Claim</u>	<u>Result</u>	<u>Units</u>
#100 US Sieve		39	%
#20 US Sieve		77	%
#60 US Sieve		51	%
#8 US Sieve		96	%
Calcium3		16.19	%
Magnesium3		12.3	%
Moisture3		6.03	%
Total Neutralizing Power		107.4	%

Site: Huron Line, Kinc., Huron,

Collected: 8/25/2005

<u>Test</u>	<u>Claim</u>	<u>Result</u>	<u>Units</u>
#100 US Sieve		90	%
#20 US Sieve		97	%
#60 US Sieve		94	%
#8 US Sieve		99	%
Calcium3	25	21.79	%
Magnesium3	1	0.82	%
Moisture3		45.95	%
Total Neutralizing Power	60	79.4	%

Site: Joseph Lime Co.

Collected: 3/24/2005

<u>Test</u>	<u>Claim</u>	<u>Result</u>	<u>Units</u>
Calcium3	30	31.26	%
Magnesium3	2	3.78	%
Moisture3		44.04	%
Total Neutralizing Power	90	90.4	%

Site: Joseph Lime Co.

Collected: 10/20/2005

<u>Test</u>	<u>Claim</u>	<u>Result</u>	<u>Units</u>
Calcium3	30	30.07	%
Magnesium3	2	3.81	%
Moisture3		41.00	%
Total Neutralizing Power	90	94.3	%



Consumer Analytical Laboratory

Ohio Department of Agriculture
Consumer Analytical Laboratory
8995 East Main St. Bldg 3
Reynoldsburg, OH 43068
Phone: (614) 728-6230

ODA Plant Industry/Fertilizer-Lime APPROVED RESULTS sorted by Site LIME SAMPLES COLLECTED 1/1/2005 - 12/31/2005

Site: K & W Egg Products, Inc.

Collected: 11/3/2005

<u>Test</u>	<u>Claim</u>	<u>Result</u>	<u>Units</u>
#100 US Sieve		99	%
#20 US Sieve		100	%
#60 US Sieve		100	%
#8 US Sieve		100	%
Calcium3	42.98	29.3	%
Magnesium3	10.14	15.12	
Moisture3		46.33	%
Total Neutralizing Power	79.87	100.1	%

Site: L & W Egg Products, Inc.

Collected: 6/22/2005

<u>Test</u>	<u>Claim</u>	<u>Result</u>	<u>Units</u>
#100 US Sieve		11	%
#20 US Sieve		19	%
#60 US Sieve		14	%
#8 US Sieve		26	%
Calcium3	42.98	30.1	
Magnesium3	10.14	15.9	
Moisture3		58.31	%
Total Neutralizing Power	79.87	81.8	%

Site: L & W Egg Products, Inc.

Collected: 6/22/2005

<u>Test</u>	<u>Claim</u>	<u>Result</u>	<u>Units</u>
#100 US Sieve		4	%
#20 US Sieve		20	%
#60 US Sieve		6	%
#8 US Sieve		79	%
Calcium3	37.3	38.1	
Magnesium3	0.49	0.48	
Moisture3		20.38	%
Total Neutralizing Power	89	98.0	%



Consumer Analytical Laboratory

Ohio Department of Agriculture
Consumer Analytical Laboratory
8995 East Main St. Bldg 3
Reynoldsburg, OH 43068
Phone: (614) 728-6230

ODA Plant Industry/Fertilizer-Lime APPROVED RESULTS sorted by Site LIME SAMPLES COLLECTED 1/1/2005 - 12/31/2005

Site: L & W Egg Products, Inc.

Collected: 11/3/2005

<u>Test</u>	<u>Claim</u>	<u>Result</u>	<u>Units</u>
#100 US Sieve		0	%
#20 US Sieve		12	%
#60 US Sieve		5	%
#8 US Sieve		61	%
Calcium3	37.3	38.9	
Magnesium3	0.45	0.54	
Moisture3		17.20	%
Total Neutralizing Power	89	59.4	%

Site: LaFarge Construction Mate

Collected: 11/7/2005

<u>Test</u>	<u>Claim</u>	<u>Result</u>	<u>Units</u>
#100 US Sieve		16	%
#20 US Sieve		51	%
#60 US Sieve		22	%
#8 US Sieve		86	%
Calcium3	25	28.4	
Magnesium3	7	7.78	
Moisture3		5.45	%
Total Neutralizing Power	92	102.0	%

Site: LaFarge North America, W

Collected: 5/3/2005

<u>Test</u>	<u>Claim</u>	<u>Result</u>	<u>Units</u>
#100 US Sieve		17	%
#20 US Sieve		48	%
#60 US Sieve		24	%
#8 US Sieve		80	%
Calcium3	25	27.6	%
Magnesium3	7	6.82	%
Moisture3		7.75	%
Total Neutralizing Power	92-98	100.9	%



Consumer Analytical Laboratory

Ohio Department of Agriculture
Consumer Analytical Laboratory
8995 East Main St. Bldg 3
Reynoldsburg, OH 43068
Phone: (614) 728-6230

ODA Plant Industry/Fertilizer-Lime APPROVED RESULTS sorted by Site LIME SAMPLES COLLECTED 1/1/2005 - 12/31/2005

Site: Mahoning Valley Sanitary

Collected: 4/26/2005

<u>Test</u>	<u>Claim</u>	<u>Result</u>	<u>Units</u>
#100 US Sieve		96	%
#20 US Sieve		100	%
#60 US Sieve		98	%
#8 US Sieve		100	%
Calcium3	30	32.58	%
Magnesium3	2	1.04	%
Moisture3		42.56	%
Total Neutralizing Power	90	89.4	%

Site: Mahoning Valley Sanitary

Collected: 4/26/2005

<u>Test</u>	<u>Claim</u>	<u>Result</u>	<u>Units</u>
#100 US Sieve		86	%
#20 US Sieve		100	%
#60 US Sieve		95	%
#8 US Sieve		100	%
Calcium3	30	30.4	%
Magnesium3	2	2.57	%
Moisture3		39.48	%
Total Neutralizing Power	90	95.6	%

Site: Mahoning Valley Sanitary

Collected: 11/7/2005

<u>Test</u>	<u>Claim</u>	<u>Result</u>	<u>Units</u>
#100 US Sieve		97	%
#20 US Sieve		100	%
#60 US Sieve		98	%
#8 US Sieve		100	%
Calcium3	30	41.4	
Magnesium3	2	3.52	
Moisture3		48.38	%
Total Neutralizing Power	90	94.3	%



Consumer Analytical Laboratory

Ohio Department of Agriculture
Consumer Analytical Laboratory
8995 East Main St. Bldg 3
Reynoldsburg, OH 43068
Phone: (614) 728-6230

ODA Plant Industry/Fertilizer-Lime APPROVED RESULTS sorted by Site LIME SAMPLES COLLECTED 1/1/2005 - 12/31/2005

Site: Martin Marietta Magnesia

Collected: 8/4/2005 3:46:

<u>Test</u>	<u>Claim</u>	<u>Result</u>	<u>Units</u>
#100 US Sieve		26	%
#20 US Sieve		46	%
#60 US Sieve		30	%
#8 US Sieve		77	%
Calcium3	22	21.5	%
Magnesium3	13	11.7	%
Moisture3		4.33	%
Total Neutralizing Power	105	108.5	%

Site: Melvin Stone Co.

Collected: 3/29/2005

<u>Test</u>	<u>Claim</u>	<u>Result</u>	<u>Units</u>
Calcium3	20	38.18	%
Magnesium3	2	2.71	%
Moisture3		41.37	%
Total Neutralizing Power	65	89.6	%

Site: Melvin Stone Co.

Collected: 10/24/2005

<u>Test</u>	<u>Claim</u>	<u>Result</u>	<u>Units</u>
#100 US Sieve		48	%
#20 US Sieve		83	%
#60 US Sieve		66	%
#8 US Sieve		98	%
Calcium3	21	20.9	
Magnesium3	12	11.9	
Moisture3		9.35	%
Total Neutralizing Power	103	105.1	%

Site: Miller Brewing Co.

Collected: 5/3/2005

<u>Test</u>	<u>Claim</u>	<u>Result</u>	<u>Units</u>
Calcium3	4	6.95	%
Magnesium3	0.35	0.5	%
Moisture3		77.27	%
Total Neutralizing Power	11	18.5	%



Consumer Analytical Laboratory

Ohio Department of Agriculture
Consumer Analytical Laboratory
8995 East Main St. Bldg 3
Reynoldsburg, OH 43068
Phone: (614) 728-6230

ODA Plant Industry/Fertilizer-Lime APPROVED RESULTS sorted by Site LIME SAMPLES COLLECTED 1/1/2005 - 12/31/2005

Site: Miller Brewing Co.

Collected: 11/9/2005

<u>Test</u>	<u>Claim</u>	<u>Result</u>	<u>Units</u>
Calcium3	4	11.7	
Magnesium3	0.35	0.83	
Moisture3		68.69	%
Total Neutralizing Power	11	35.8	%

Site: Millersville Lime, Inc.

Collected: 11/21/2005

<u>Test</u>	<u>Claim</u>	<u>Result</u>	<u>Units</u>
#100 US Sieve		40	%
#20 US Sieve		91	%
#60 US Sieve		64	%
#8 US Sieve		98	%
Calcium3	21	20.7	
Magnesium3	12	11.4	
Moisture3		4.81	%
Total Neutralizing Power	103	108.5	%

Site: Mineral Processing

Collected: 5/11/2005

<u>Test</u>	<u>Claim</u>	<u>Result</u>	<u>Units</u>
Calcium3	20	20.1	%
Magnesium3	12	12.2	
Moisture3		1.05	%
Total Neutralizing Power	97	100.9	%

Site: Mineral Processing

Collected: 5/11/2005

<u>Test</u>	<u>Claim</u>	<u>Result</u>	<u>Units</u>
Calcium3	30	30.1	%
Magnesium3	4	4.36	
Moisture3		.84	%
Total Neutralizing Power	93	99.3	%



Consumer Analytical Laboratory

Ohio Department of Agriculture
Consumer Analytical Laboratory
8995 East Main St. Bldg 3
Reynoldsburg, OH 43068
Phone: (614) 728-6230

ODA Plant Industry/Fertilizer-Lime APPROVED RESULTS sorted by Site LIME SAMPLES COLLECTED 1/1/2005 - 12/31/2005

Site: Mineral Processing

Collected: 10/19/2005

<u>Test</u>	<u>Claim</u>	<u>Result</u>	<u>Units</u>
#100 US Sieve		n/a	%
#20 US Sieve		n/a	%
#60 US Sieve		n/a	%
#8 US Sieve		n/a	%
Calcium3	20	21.6	
Magnesium3	12	11.8	
Moisture3		1.68	%
Total Neutralizing Power	97	102.8	%

Site: Mineral Processing

Collected: 10/19/2005

<u>Test</u>	<u>Claim</u>	<u>Result</u>	<u>Units</u>
#100 US Sieve		79	%
#20 US Sieve		100	%
#60 US Sieve		86	%
#8 US Sieve		100	%
Calcium3	30	29.45	
Magnesium3	4	5.25	
Moisture3		2.30	%
Total Neutralizing Power	93	93.8	%

Site: Napoleon WTP

Collected: 5/12/2005

<u>Test</u>	<u>Claim</u>	<u>Result</u>	<u>Units</u>
Calcium3	8.9	28.1	%
Magnesium3	1.5	4.06	
Moisture3		90.87	%
Total Neutralizing Power	44.5	42.7	%



Consumer Analytical Laboratory

Ohio Department of Agriculture
Consumer Analytical Laboratory
8995 East Main St. Bldg 3
Reynoldsburg, OH 43068
Phone: (614) 728-6230

ODA Plant Industry/Fertilizer-Lime APPROVED RESULTS sorted by Site LIME SAMPLES COLLECTED 1/1/2005 - 12/31/2005

Site: National Lime & Stone Co.

Collected: 2/7/2005

<u>Test</u>	<u>Claim</u>	<u>Result</u>	<u>Units</u>
#100 US Sieve		49	%
#20 US Sieve		81	%
#60 US Sieve		59	%
#8 US Sieve		96	
Calcium3	30	28.95	%
Magnesium3	4	4.33	%
Moisture3		5.16	%
Total Neutralizing Power	97	95.9	%

Site: National Lime & Stone Co.

Collected: 5/2/2005

<u>Test</u>	<u>Claim</u>	<u>Result</u>	<u>Units</u>
#100 US Sieve		79	%
#20 US Sieve		91	%
#60 US Sieve		87	%
#8 US Sieve		99	%
Calcium3	20	19.9	%
Magnesium3	11	12.5	%
Moisture3		15.09	%
Total Neutralizing Power	98	106.4	%

Site: National Lime & Stone Co.

Collected: 5/11/2005

<u>Test</u>	<u>Claim</u>	<u>Result</u>	<u>Units</u>
Calcium3	12	14.9	%
Magnesium3	7	8.47	%
Moisture3		1.86	%
Total Neutralizing Power	60	73.9	%



Consumer Analytical Laboratory

Ohio Department of Agriculture
Consumer Analytical Laboratory
8995 East Main St. Bldg 3
Reynoldsburg, OH 43068
Phone: (614) 728-6230

ODA Plant Industry/Fertilizer-Lime APPROVED RESULTS sorted by Site LIME SAMPLES COLLECTED 1/1/2005 - 12/31/2005

Site: National Lime & Stone Co.

Collected: 5/11/2005

<u>Test</u>	<u>Claim</u>	<u>Result</u>	<u>Units</u>
#100 US Sieve		88	%
#20 US Sieve		100	%
#60 US Sieve		97	%
#8 US Sieve		100	%
Calcium3	21	21.4	%
Magnesium3	12	12.1	
Moisture3		1.53	%
Total Neutralizing Power	105	108.2	%

Site: National Lime & Stone Co.

Collected: 6/16/2005

<u>Test</u>	<u>Claim</u>	<u>Result</u>	<u>Units</u>
#100 US Sieve		84	%
#20 US Sieve		97	%
#60 US Sieve		91	%
#8 US Sieve		99	%
Calcium3	28	23.2	%
Magnesium3	6	9.70	%
Moisture3		9.56	%
Total Neutralizing Power	100	100.2	%

Site: National Lime & Stone Co.

Collected: 6/20/2005

<u>Test</u>	<u>Claim</u>	<u>Result</u>	<u>Units</u>
#100 US Sieve		50	%
#20 US Sieve		84	%
#60 US Sieve		58	%
#8 US Sieve		97	%
Calcium3	30	33.5	
Magnesium3	4	4.77	
Moisture3		3.82	%
Total Neutralizing Power	97	104.1	%



Consumer Analytical Laboratory

Ohio Department of Agriculture
Consumer Analytical Laboratory
8995 East Main St. Bldg 3
Reynoldsburg, OH 43068
Phone: (614) 728-6230

ODA Plant Industry/Fertilizer-Lime APPROVED RESULTS sorted by Site LIME SAMPLES COLLECTED 1/1/2005 - 12/31/2005

Site: National Lime & Stone Co.

Collected: 8/11/2005 9:2

<u>Test</u>	<u>Claim</u>	<u>Result</u>	<u>Units</u>
#100 US Sieve		36	%
#20 US Sieve		60	%
#60 US Sieve		41	%
#8 US Sieve		84	%
Calcium3	21.6	31.9	%
Magnesium3	6.12	3.25	%
Moisture3		4.28	%
Total Neutralizing Power	104.4	109.3	%

Site: National Lime & Stone Co.

Collected: 10/3/2005

<u>Test</u>	<u>Claim</u>	<u>Result</u>	<u>Units</u>
#100 US Sieve		41	%
#20 US Sieve		87	%
#60 US Sieve		55	%
#8 US Sieve		98	%
Calcium3	30	32.3	
Magnesium3	4	4.80	
Moisture3		5.07	%
Total Neutralizing Power	97	96.6	%

Site: National Lime & Stone Co.

Collected: 10/19/2005

<u>Test</u>	<u>Claim</u>	<u>Result</u>	<u>Units</u>
Calcium3	12	19.4	
Magnesium3	7	9.68	
Moisture3		7.25	%
Total Neutralizing Power	60	78.4	%



Consumer Analytical Laboratory

Ohio Department of Agriculture
Consumer Analytical Laboratory
8995 East Main St. Bldg 3
Reynoldsburg, OH 43068
Phone: (614) 728-6230

ODA Plant Industry/Fertilizer-Lime APPROVED RESULTS sorted by Site LIME SAMPLES COLLECTED 1/1/2005 - 12/31/2005

Site: National Lime & Stone Co.

Collected: 10/19/2005

<u>Test</u>	<u>Claim</u>	<u>Result</u>	<u>Units</u>
#100 US Sieve		60	%
#20 US Sieve		91	%
#60 US Sieve		66	%
#8 US Sieve		99	%
Calcium3	21	21.9	
Magnesium3	12	12.2	
Moisture3		3.81	%
Total Neutralizing Power	105	107.8	%

Site: National Lime & Stone Co.

Collected: 10/20/2005

<u>Test</u>	<u>Claim</u>	<u>Result</u>	<u>Units</u>
#100 US Sieve		40	%
#20 US Sieve		81	%
#60 US Sieve		61	%
#8 US Sieve		99	%
Calcium3	28	24.5	%
Magnesium3	6	9.88	
Moisture3		11.84	%
Total Neutralizing Power	100	101.8	%

Site: National Lime & Stone Co.

Collected: 10/19/2005

<u>Test</u>	<u>Claim</u>	<u>Result</u>	<u>Units</u>
#100 US Sieve		36	%
#20 US Sieve		78	%
#60 US Sieve		51	%
#8 US Sieve		98	%
Calcium3	20	20.45	
Magnesium3	11	12.5	
Moisture3		9.70	%
Total Neutralizing Power	98	102.8	%



Consumer Analytical Laboratory

Ohio Department of Agriculture
Consumer Analytical Laboratory
8995 East Main St. Bldg 3
Reynoldsburg, OH 43068
Phone: (614) 728-6230

ODA Plant Industry/Fertilizer-Lime APPROVED RESULTS sorted by Site LIME SAMPLES COLLECTED 1/1/2005 - 12/31/2005

Site: Newark Water Treatment P

Collected: 7/18/2005

<u>Test</u>	<u>Claim</u>	<u>Result</u>	<u>Units</u>
#100 US Sieve		62	%
#20 US Sieve		75	%
#60 US Sieve		65	%
#8 US Sieve		92	%

Site: Nofziger Farm Service

Collected: 8/8/2005

<u>Test</u>	<u>Claim</u>	<u>Result</u>	<u>Units</u>
#100 US Sieve		25	%
#20 US Sieve		55	%
#60 US Sieve		31	%
#8 US Sieve		82	%
Calcium3	30	36.1	
Magnesium3	4	5.03	
Moisture3		20.92	%
Total Neutralizing Power	90	92.4	%

Site: Oberlin Water Plant

Collected: 6/13/2005

<u>Test</u>	<u>Claim</u>	<u>Result</u>	<u>Units</u>
Calcium3	25	34.4	
Magnesium3	1	5.05	
Moisture3		93.17	%
Total Neutralizing Power	80	96.5	%

Site: Oberlin Water Plant

Collected: 10/31/2005

<u>Test</u>	<u>Claim</u>	<u>Result</u>	<u>Units</u>
Calcium3	29.16	33.2	
Magnesium3	4.35	5.46	
Moisture3		93.42	%
Total Neutralizing Power	88.4	104.4	%



Consumer Analytical Laboratory

Ohio Department of Agriculture
Consumer Analytical Laboratory
8995 East Main St. Bldg 3
Reynoldsburg, OH 43068
Phone: (614) 728-6230

ODA Plant Industry/Fertilizer-Lime APPROVED RESULTS sorted by Site LIME SAMPLES COLLECTED 1/1/2005 - 12/31/2005

Site: Ohio Asphaltic Limestone

Collected: 4/4/2005

<u>Test</u>	<u>Claim</u>	<u>Result</u>	<u>Units</u>
#100 US Sieve		57	%
#20 US Sieve		87	%
#60 US Sieve		73	%
#8 US Sieve		96	%
Calcium3	20	19.8	%
Magnesium3	11	11.8	
Moisture3		9.56	%
Total Neutralizing Power	100	102.8	%

Site: Ohio Asphaltic Limestone

Collected: 10/12/2005

<u>Test</u>	<u>Claim</u>	<u>Result</u>	<u>Units</u>
#100 US Sieve		48	%
#20 US Sieve		81	%
#60 US Sieve		62	%
#8 US Sieve		98	%
Calcium3	20	19.39	
Magnesium3	11	12.25	%
Moisture3		9.34	%
Total Neutralizing Power	100	99.3	%

Site: Oregon Water Treatment P

Collected: 7/5/2005

<u>Test</u>	<u>Claim</u>	<u>Result</u>	<u>Units</u>
Calcium3	22	31.9	
Magnesium3	2	3.31	
Moisture3		85.78	%
Total Neutralizing Power	55	75.3	%



Consumer Analytical Laboratory

Ohio Department of Agriculture
Consumer Analytical Laboratory
8995 East Main St. Bldg 3
Reynoldsburg, OH 43068
Phone: (614) 728-6230

ODA Plant Industry/Fertilizer-Lime APPROVED RESULTS sorted by Site LIME SAMPLES COLLECTED 1/1/2005 - 12/31/2005

Site: Piqua Mineral

Collected: 4/26/2005

<u>Test</u>	<u>Claim</u>	<u>Result</u>	<u>Units</u>
#100 US Sieve		85	%
#20 US Sieve		100	%
#60 US Sieve		95	%
#8 US Sieve		100	%
Calcium3	34	32.4	%
Magnesium3	4	4.05	%
Moisture3		0	%
Total Neutralizing Power	100	103.4	%

Site: Piqua Mineral

Collected: 10/18/2005

<u>Test</u>	<u>Claim</u>	<u>Result</u>	<u>Units</u>
#100 US Sieve		62	%
#20 US Sieve		99	%
#60 US Sieve		77	%
#8 US Sieve		100	%
Calcium3	34	35.1	
Magnesium3	4	4.04	%
Moisture3		.30	%
Total Neutralizing Power	100	100.0	%

Site: Pro Source One

Collected: 11/1/2005

<u>Test</u>	<u>Claim</u>	<u>Result</u>	<u>Units</u>
#100 US Sieve		n/a	%
#20 US Sieve		n/a	%
#60 US Sieve		n/a	%
#8 US Sieve		n/a	%
Calcium3	18	20.3	
Magnesium3	10.1	10.93	
Moisture3		.37	%
Total Neutralizing Power	86	90.8	%



Consumer Analytical Laboratory

Ohio Department of Agriculture
Consumer Analytical Laboratory
8995 East Main St. Bldg 3
Reynoldsburg, OH 43068
Phone: (614) 728-6230

ODA Plant Industry/Fertilizer-Lime APPROVED RESULTS sorted by Site LIME SAMPLES COLLECTED 1/1/2005 - 12/31/2005

Site: Pro Source One

Collected: 11/4/2005

<u>Test</u>	<u>Claim</u>	<u>Result</u>	<u>Units</u>
#100 US Sieve		n/a	%
#20 US Sieve		n/a	%
#60 US Sieve		n/a	%
#8 US Sieve		n/a	%
Calcium3	30	38.5	
Magnesium3	1	1.09	
Moisture3		.68	%
Total Neutralizing Power	93	94.7	%

Site: Pro Source One

Collected: 11/1/2005

<u>Test</u>	<u>Claim</u>	<u>Result</u>	<u>Units</u>
#100 US Sieve		n/a	%
#20 US Sieve		n/a	%
#60 US Sieve		n/a	%
#8 US Sieve		n/a	%
Calcium3	30	32.0	
Magnesium3	4	5.22	
Moisture3		.74	%
Total Neutralizing Power	95	97.0	%

Site: Pro Source One

Collected: 11/1/2005

<u>Test</u>	<u>Claim</u>	<u>Result</u>	<u>Units</u>
#100 US Sieve		n/a	%
#20 US Sieve		n/a	%
#60 US Sieve		n/a	%
#8 US Sieve		n/a	%
Calcium3	21	26.8	
Magnesium3	12	12.15	
Moisture3		.76	%
Total Neutralizing Power	97	102.9	%



Consumer Analytical Laboratory

Ohio Department of Agriculture
Consumer Analytical Laboratory
8995 East Main St. Bldg 3
Reynoldsburg, OH 43068
Phone: (614) 728-6230

ODA Plant Industry/Fertilizer-Lime APPROVED RESULTS sorted by Site LIME SAMPLES COLLECTED 1/1/2005 - 12/31/2005

Site: Pro Source One

Collected: 11/1/2005

<u>Test</u>	<u>Claim</u>	<u>Result</u>	<u>Units</u>
#100 US Sieve		97	%
#20 US Sieve		100	%
#60 US Sieve		99	%
#8 US Sieve		100	%
Calcium3	21	22.9	
Magnesium3	12	12.56	
Moisture3		.19	%
Total Neutralizing Power	105	105.0	%

Site: Roseville Water Dept.

Collected: 8/17/2005

<u>Test</u>	<u>Claim</u>	<u>Result</u>	<u>Units</u>
Calcium3	27.03	26.20	%
Magnesium3	4.29	5.31	%
Moisture3	80.7	92.53	%
Total Neutralizing Power	86.4	92.2	%

Site: Royster Clark, Inc.

Collected: 12/5/2005

<u>Test</u>	<u>Claim</u>	<u>Result</u>	<u>Units</u>
Calcium3	30	30.8	
Magnesium3	4	4.67	
Moisture3		2.12	%
Total Neutralizing Power	95	99.0	%

Site: S & L Fertilizer Co.

Collected: 9/7/2005

<u>Test</u>	<u>Claim</u>	<u>Result</u>	<u>Units</u>
#100 US Sieve		29	%
#20 US Sieve		48	%
#60 US Sieve		33	%
#8 US Sieve		69	%
Calcium3	28	21.95	%
Magnesium3	2	3.51	%
Moisture3		22.66	%
Total Neutralizing Power	80	87.4	%



Consumer Analytical Laboratory

Ohio Department of Agriculture
Consumer Analytical Laboratory
8995 East Main St. Bldg 3
Reynoldsburg, OH 43068
Phone: (614) 728-6230

ODA Plant Industry/Fertilizer-Lime APPROVED RESULTS sorted by Site LIME SAMPLES COLLECTED 1/1/2005 - 12/31/2005

Site: Scioto County Regional Wa

Collected: 4/19/2005

<u>Test</u>	<u>Claim</u>	<u>Result</u>	<u>Units</u>
Calcium3	20	32.1	%
Magnesium3	1	2.33	
Moisture3		60.79	%
Total Neutralizing Power	90	93.1	%

Site: Scioto County Regional Wa

Collected: 10/4/2005

<u>Test</u>	<u>Claim</u>	<u>Result</u>	<u>Units</u>
Calcium3	20	31.2	
Magnesium3	1	2.11	
Moisture3		63.93	%
Total Neutralizing Power	90	96.7	%

Site: Shade River Ag Service

Collected: 9/8/2005

<u>Test</u>	<u>Claim</u>	<u>Result</u>	<u>Units</u>
Calcium3	20	16.68	%
Magnesium3	12	12.47	%
Moisture3		6.11	%
Total Neutralizing Power	100	99.8	%

Site: Shelly Materials, Inc.

Collected: 4/7/2005

<u>Test</u>	<u>Claim</u>	<u>Result</u>	<u>Units</u>
#100 US Sieve		49	%
#20 US Sieve		76	%
#60 US Sieve		58	%
#8 US Sieve		97	%
Calcium3	19	19.25	%
Magnesium3	10	11.56	
Moisture3		6.16	%
Total Neutralizing Power	98	96.6	%



Consumer Analytical Laboratory

Ohio Department of Agriculture
Consumer Analytical Laboratory
8995 East Main St. Bldg 3
Reynoldsburg, OH 43068
Phone: (614) 728-6230

ODA Plant Industry/Fertilizer-Lime APPROVED RESULTS sorted by Site LIME SAMPLES COLLECTED 1/1/2005 - 12/31/2005

Site: Shelly Materials, Inc.

Collected: 4/18/2005

<u>Test</u>	<u>Claim</u>	<u>Result</u>	<u>Units</u>
#100 US Sieve		29	%
#20 US Sieve		69	%
#60 US Sieve		36	%
#8 US Sieve		100	%
Calcium3	20	20.6	%
Magnesium3	10	11.8	%
Moisture3		5.62	%
Total Neutralizing Power	100	97.8	%

Site: Shelly Materials, Inc.

Collected: 6/16/2005

<u>Test</u>	<u>Claim</u>	<u>Result</u>	<u>Units</u>
#100 US Sieve		30	%
#20 US Sieve		68	%
#60 US Sieve		39	%
#8 US Sieve		97	%
Calcium3	20	20.5	%
Magnesium3	10	11.7	%
Moisture3		4.02	%
Total Neutralizing Power	102	107.2	%

Site: Shelly Materials, Inc.

Collected: 8/11/2005 9:2

<u>Test</u>	<u>Claim</u>	<u>Result</u>	<u>Units</u>
#100 US Sieve		44	%
#20 US Sieve		81	%
#60 US Sieve		60	%
#8 US Sieve		92	%
Calcium3	20	21.6	%
Magnesium3	10	11.6	%
Moisture3		6.91	%
Total Neutralizing Power	98	100.3	%



Consumer Analytical Laboratory

Ohio Department of Agriculture
Consumer Analytical Laboratory
8995 East Main St. Bldg 3
Reynoldsburg, OH 43068
Phone: (614) 728-6230

ODA Plant Industry/Fertilizer-Lime APPROVED RESULTS sorted by Site LIME SAMPLES COLLECTED 1/1/2005 - 12/31/2005

Site: Shelly Materials, Inc.

Collected: 8/11/2005 9:2

<u>Test</u>	<u>Claim</u>	<u>Result</u>	<u>Units</u>
#100 US Sieve		46	%
#20 US Sieve		84	%
#60 US Sieve		62	%
#8 US Sieve		94	%
Calcium3	28	28.7	%
Magnesium3	3	7.75	%
Moisture3		17.08	%
Total Neutralizing Power	95	103.4	%

Site: Shelly Materials, Inc.

Collected: 8/17/2005

<u>Test</u>	<u>Claim</u>	<u>Result</u>	<u>Units</u>
#100 US Sieve		48	%
#20 US Sieve		81	%
#60 US Sieve		54	%
#8 US Sieve		97	%
Calcium3	28	31.2	%
Magnesium3	3	2.96	%
Moisture3		4.18	%
Total Neutralizing Power	90	92.4	%

Site: Shelly Materials, Inc.

Collected: 10/20/2005

<u>Test</u>	<u>Claim</u>	<u>Result</u>	<u>Units</u>
#100 US Sieve		22	%
#20 US Sieve		59	%
#60 US Sieve		34	%
#8 US Sieve		89	%
Calcium3	20	22.6	
Magnesium3	10	12.3	
Moisture3		4.20	%
Total Neutralizing Power	102	108.1	%



Consumer Analytical Laboratory

Ohio Department of Agriculture
Consumer Analytical Laboratory
8995 East Main St. Bldg 3
Reynoldsburg, OH 43068
Phone: (614) 728-6230

ODA Plant Industry/Fertilizer-Lime APPROVED RESULTS sorted by Site LIME SAMPLES COLLECTED 1/1/2005 - 12/31/2005

Site: Shelly Materials, Inc.

Collected: 10/17/2005

<u>Test</u>	<u>Claim</u>	<u>Result</u>	<u>Units</u>
#100 US Sieve		12	%
#20 US Sieve		47	%
#60 US Sieve		32	%
#8 US Sieve		79	%
Calcium3	20	20.24	
Magnesium3	10	12.3	
Moisture3		4.19	%
Total Neutralizing Power	97	98.9	%

Site: Shelly Materials, Inc.

Collected: 10/18/2005

<u>Test</u>	<u>Claim</u>	<u>Result</u>	<u>Units</u>
#100 US Sieve		32	%
#20 US Sieve		59	%
#60 US Sieve		42	%
#8 US Sieve		90	%
Calcium3	20	19.98	
Magnesium3	10	12.0	
Moisture3		6.43	%
Total Neutralizing Power	100	105.0	%

Site: Shelly Materials, Inc.

Collected: 10/17/2005

<u>Test</u>	<u>Claim</u>	<u>Result</u>	<u>Units</u>
#100 US Sieve		14	%
#20 US Sieve		62	%
#60 US Sieve		38	%
#8 US Sieve		86	%
Calcium3	20	20.32	
Magnesium3	10	12.3	
Moisture3		2.62	%
Total Neutralizing Power	97	103.4	%



Consumer Analytical Laboratory

Ohio Department of Agriculture
Consumer Analytical Laboratory
8995 East Main St. Bldg 3
Reynoldsburg, OH 43068
Phone: (614) 728-6230

ODA Plant Industry/Fertilizer-Lime APPROVED RESULTS sorted by Site LIME SAMPLES COLLECTED 1/1/2005 - 12/31/2005

Site: Shelly Materials, Inc.

Collected: 10/17/2005

<u>Test</u>	<u>Claim</u>	<u>Result</u>	<u>Units</u>
#100 US Sieve		48	%
#20 US Sieve		74	%
#60 US Sieve		52	%
#8 US Sieve		96	%
Calcium3	19	19.38	
Magnesium3	10	11.4	
Moisture3		2.62	%
Total Neutralizing Power	98	106.8	%

Site: Specialty Mineral

Collected: 4/5/2005

<u>Test</u>	<u>Claim</u>	<u>Result</u>	<u>Units</u>
#100 US Sieve		44	%
#20 US Sieve		76	%
#60 US Sieve		50	%
#8 US Sieve		98	%
Calcium3	21	21.65	%
Magnesium3	12	11.81	
Moisture3		4.73	%
Total Neutralizing Power	103	102.3	%

Site: Specialty Mineral

Collected: 10/20/2005

<u>Test</u>	<u>Claim</u>	<u>Result</u>	<u>Units</u>
Calcium3	20	31.78	%
Magnesium3	2	4.67	%
Total Neutralizing Power	65	96.4	%

Site: Stansley Mineral Resource

Collected: 8/1/2005

<u>Test</u>	<u>Claim</u>	<u>Result</u>	<u>Units</u>
#100 US Sieve		60	%
#20 US Sieve		83	%
#60 US Sieve		74	%
#8 US Sieve		87	%
Calcium3	23	22.9	%
Magnesium3	12	12.5	%
Moisture3		8.93	%
Total Neutralizing Power	101.96	103.5	%



Consumer Analytical Laboratory

Ohio Department of Agriculture
Consumer Analytical Laboratory
8995 East Main St. Bldg 3
Reynoldsburg, OH 43068
Phone: (614) 728-6230

ODA Plant Industry/Fertilizer-Lime APPROVED RESULTS sorted by Site LIME SAMPLES COLLECTED 1/1/2005 - 12/31/2005

Site: Stone Co.

Collected: 5/2/2005

<u>Test</u>	<u>Claim</u>	<u>Result</u>	<u>Units</u>
#100 US Sieve		23	%
#20 US Sieve		71	%
#60 US Sieve		46	%
#8 US Sieve		88	%
Calcium3	20	20.8	%
Magnesium3	12	12.5	
Moisture3		4.13	%
Total Neutralizing Power	103	108.5	%

Site: Stone Co.

Collected: 9/21/2005

<u>Test</u>	<u>Claim</u>	<u>Result</u>	<u>Units</u>
#100 US Sieve		46	%
#20 US Sieve		68	%
#60 US Sieve		50	%
#8 US Sieve		90	%
Calcium3	28	26.1	%
Magnesium3	7	8.73	%
Moisture3		11.26	%
Total Neutralizing Power	100	105.7	%

Site: Stone Co.

Collected: 10/24/2005

<u>Test</u>	<u>Claim</u>	<u>Result</u>	<u>Units</u>
#100 US Sieve		78	%
#20 US Sieve		91	%
#60 US Sieve		84	%
#8 US Sieve		98	%
Calcium3	19	18.7	
Magnesium3	11	12.2	
Moisture3		9.22	%
Total Neutralizing Power	101	109.4	%



Consumer Analytical Laboratory

Ohio Department of Agriculture
Consumer Analytical Laboratory
8995 East Main St. Bldg 3
Reynoldsburg, OH 43068
Phone: (614) 728-6230

ODA Plant Industry/Fertilizer-Lime APPROVED RESULTS sorted by Site LIME SAMPLES COLLECTED 1/1/2005 - 12/31/2005

Site: Stone Co.

Collected: 10/27/2005

<u>Test</u>	<u>Claim</u>	<u>Result</u>	<u>Units</u>
#100 US Sieve		33	%
#20 US Sieve		78	%
#60 US Sieve		40	%
#8 US Sieve		100	%
Calcium3	20	20.81	
Magnesium3	12	12.66%	%
Moisture3		4.85	%
Total Neutralizing Power	103	104.4	%

Site: Stone Co.

Collected: 11/17/2005

<u>Test</u>	<u>Claim</u>	<u>Result</u>	<u>Units</u>
#100 US Sieve		84	%
#20 US Sieve		94	%
#60 US Sieve		90	%
#8 US Sieve		99	%
Calcium3	20	19.2	
Magnesium3	10	10.5	
Moisture3		6.86	%
Total Neutralizing Power	102	103.3	%

Site: Stoneco

Collected: 4/4/2005

<u>Test</u>	<u>Claim</u>	<u>Result</u>	<u>Units</u>
#100 US Sieve		83	%
#20 US Sieve		93	%
#60 US Sieve		89	%
#8 US Sieve		98	%
Calcium3	19	27.0	%
Magnesium3	11	13.0	%
Moisture3		10.45	%
Total Neutralizing Power	102	102.7	%



Consumer Analytical Laboratory

Ohio Department of Agriculture
Consumer Analytical Laboratory
8995 East Main St. Bldg 3
Reynoldsburg, OH 43068
Phone: (614) 728-6230

ODA Plant Industry/Fertilizer-Lime APPROVED RESULTS sorted by Site LIME SAMPLES COLLECTED 1/1/2005 - 12/31/2005

Site: Stoneco

Collected: 4/4/2005

<u>Test</u>	<u>Claim</u>	<u>Result</u>	<u>Units</u>
#100 US Sieve		82	%
#20 US Sieve		93	%
#60 US Sieve		89	%
#8 US Sieve		97	%
Calcium3	21	28.0	%
Magnesium3	11	13.5	%
Moisture3		10.35	%
Total Neutralizing Power	101	103.9	%

Site: Stoneco

Collected: 4/18/2005

<u>Test</u>	<u>Claim</u>	<u>Result</u>	<u>Units</u>
#100 US Sieve		31	%
#20 US Sieve		83	%
#60 US Sieve		39	%
#8 US Sieve		99	%
Calcium3	28	36.5	%
Magnesium3	7	7.41	%
Moisture3		5.95	%
Total Neutralizing Power	100	98.2	%

Site: Stoneco

Collected: 4/15/2005

<u>Test</u>	<u>Claim</u>	<u>Result</u>	<u>Units</u>
#100 US Sieve		91	%
#20 US Sieve		99	%
#60 US Sieve		97	%
#8 US Sieve		100	%
Calcium3	19	20.4	%
Magnesium3	11	12.5	%
Moisture3		8.17	%
Total Neutralizing Power	101	100.4	%



Consumer Analytical Laboratory

Ohio Department of Agriculture
Consumer Analytical Laboratory
8995 East Main St. Bldg 3
Reynoldsburg, OH 43068
Phone: (614) 728-6230

ODA Plant Industry/Fertilizer-Lime APPROVED RESULTS sorted by Site LIME SAMPLES COLLECTED 1/1/2005 - 12/31/2005

Site: Stoneco

Collected: 9/14/2005

<u>Test</u>	<u>Claim</u>	<u>Result</u>	<u>Units</u>
#100 US Sieve		78	%
#20 US Sieve		89	%
#60 US Sieve		85	%
#8 US Sieve		98	%
Calcium3	19	21.9	%
Magnesium3	11	12.48	%
Moisture3		8.64	%
Total Neutralizing Power	102	106.2	%

Site: Stoneco

Collected: 9/26/2005

<u>Test</u>	<u>Claim</u>	<u>Result</u>	<u>Units</u>
#100 US Sieve		87	%
#20 US Sieve		94	%
#60 US Sieve		90	%
#8 US Sieve		96	%
Calcium3	21	18.5	%
Magnesium3	11	13.0	%
Moisture3		9.76	%
Total Neutralizing Power	101	101.6	%

Site: Stoneco Inc, Maumee

Collected: 8/12/2005

<u>Test</u>	<u>Claim</u>	<u>Result</u>	<u>Units</u>
#100 US Sieve		82	%
#20 US Sieve		91	%
#60 US Sieve		87	%
#8 US Sieve		98	%
Calcium3	21	21.6	%
Magnesium3	11	11.89	%
Moisture3		2.95	%
Total Neutralizing Power	101	104.2	%



Consumer Analytical Laboratory

Ohio Department of Agriculture
Consumer Analytical Laboratory
8995 East Main St. Bldg 3
Reynoldsburg, OH 43068
Phone: (614) 728-6230

ODA Plant Industry/Fertilizer-Lime APPROVED RESULTS sorted by Site LIME SAMPLES COLLECTED 1/1/2005 - 12/31/2005

Site: Swanton Water Plant

Collected: 4/6/2005

<u>Test</u>	<u>Claim</u>	<u>Result</u>	<u>Units</u>
Calcium3	33.97	32.01	%
Magnesium3	2.99	4.08	
Moisture3		87.39	%
Total Neutralizing Power	93.4	93.6	%

Site: Synagro Midwest, Inc.

Collected: 4/13/2005

<u>Test</u>	<u>Claim</u>	<u>Result</u>	<u>Units</u>
Calcium3	29	50.4	%
Magnesium3		0.78	%
Moisture3		43.00	%
Total Neutralizing Power	76	90.3	%

Site: Synagro Midwest, Inc.

Collected: 4/21/2005

<u>Test</u>	<u>Claim</u>	<u>Result</u>	<u>Units</u>
Calcium3	30	33.3	%
Magnesium3	2	2.51	%
Moisture3		62.45	%
Total Neutralizing Power	90	95.6	%

Site: Synagro Midwest, Inc.

Collected: 10/19/2005

<u>Test</u>	<u>Claim</u>	<u>Result</u>	<u>Units</u>
Calcium3		33.65	%
Magnesium3		1.44	%
Moisture3		44.29	%
Total Neutralizing Power		87.1	%

Site: Synagro Midwest, Inc.

Collected: 10/20/2005

<u>Test</u>	<u>Claim</u>	<u>Result</u>	<u>Units</u>
Calcium3	30	34.91	%
Magnesium3	2	6.37	%
Moisture3	check	63.34	%
Total Neutralizing Power	90	97.8	%



Consumer Analytical Laboratory

Ohio Department of Agriculture
Consumer Analytical Laboratory
8995 East Main St. Bldg 3
Reynoldsburg, OH 43068
Phone: (614) 728-6230

ODA Plant Industry/Fertilizer-Lime APPROVED RESULTS sorted by Site LIME SAMPLES COLLECTED 1/1/2005 - 12/31/2005

Site: TMK Farm Service, Bakers

Collected: 9/14/2005

<u>Test</u>	<u>Claim</u>	<u>Result</u>	<u>Units</u>
#100 US Sieve		72	%
#20 US Sieve		94	%
#60 US Sieve		78	%
#8 US Sieve		100	%
Calcium3	21	15.94	%
Magnesium3	12	12.78	%
Moisture3		1.69	%
Total Neutralizing Power	105	108.8	%

Site: TMK Farm Service, Bakers

Collected: 9/14/2005

<u>Test</u>	<u>Claim</u>	<u>Result</u>	<u>Units</u>
#100 US Sieve		58	%
#20 US Sieve		86	%
#60 US Sieve		66	%
#8 US Sieve		96	%
Calcium3	30	22.25	%
Magnesium3	4	5.44	%
Moisture3		10.80	%
Total Neutralizing Power	97	100.2	%

Site: Tyler Grain & Fertilizer

Collected: 6/14/2005

<u>Test</u>	<u>Claim</u>	<u>Result</u>	<u>Units</u>
#100 US Sieve		39	%
#20 US Sieve		69	%
#60 US Sieve		46	%
#8 US Sieve		98	%
Calcium3	26	25.4	%
Magnesium3	8	8.21	%
Moisture3		4.79	%
Total Neutralizing Power	98	100.2	%



Consumer Analytical Laboratory

Ohio Department of Agriculture
Consumer Analytical Laboratory
8995 East Main St. Bldg 3
Reynoldsburg, OH 43068
Phone: (614) 728-6230

ODA Plant Industry/Fertilizer-Lime APPROVED RESULTS sorted by Site LIME SAMPLES COLLECTED 1/1/2005 - 12/31/2005

Site: Tyler Grain & Fertilizer

Collected: 6/14/2005

<u>Test</u>	<u>Claim</u>	<u>Result</u>	<u>Units</u>
#100 US Sieve		na	%
#20 US Sieve		na	%
#60 US Sieve		na	%
#8 US Sieve		na	%
Calcium3	20	20.3	%
Magnesium3	12	11.7	%
Moisture3		1.01	%
Total Neutralizing Power	97	103.2	%

Site: Tyler Grain & Fertilizer

Collected: 10/18/2005

<u>Test</u>	<u>Claim</u>	<u>Result</u>	<u>Units</u>
#100 US Sieve		29	%
#20 US Sieve		64	%
#60 US Sieve		43	%
#8 US Sieve		98	%
Calcium3	26	25.2	
Magnesium3	8	9.77	
Moisture3		7.73	%
Total Neutralizing Power	98	102.8	%

Site: Village of Ada

Collected: 4/18/2005

<u>Test</u>	<u>Claim</u>	<u>Result</u>	<u>Units</u>
Calcium3	27	33.4	%
Magnesium3	3	1.33	
Moisture3		53.10	%
Total Neutralizing Power	90	98.5	%

Site: Village of Ada

Collected: 10/20/2005

<u>Test</u>	<u>Claim</u>	<u>Result</u>	<u>Units</u>
Calcium3	33.49	32.1	
Magnesium3	1.53	2.71	
Moisture3		59.34	%
Total Neutralizing Power	88.9	101.8	%



Consumer Analytical Laboratory

Ohio Department of Agriculture
Consumer Analytical Laboratory
8995 East Main St. Bldg 3
Reynoldsburg, OH 43068
Phone: (614) 728-6230

ODA Plant Industry/Fertilizer-Lime APPROVED RESULTS sorted by Site LIME SAMPLES COLLECTED 1/1/2005 - 12/31/2005

Site: Village of Cadiz Water Dep

Collected: 9/7/2005

<u>Test</u>	<u>Claim</u>	<u>Result</u>	<u>Units</u>
Calcium3		26.41	%
Magnesium3		0.82	%
Moisture3		5.85	%
Total Neutralizing Power		100.2	%

Site: Village of Granville

Collected: 11/3/2005

<u>Test</u>	<u>Claim</u>	<u>Result</u>	<u>Units</u>
Calcium3	35	37.1	
Magnesium3	1.3	2.06	
Moisture3		44.29	%
Total Neutralizing Power	92.0	92.9	%

Site: Village of Johnstown

Collected: 6/15/2005

<u>Test</u>	<u>Claim</u>	<u>Result</u>	<u>Units</u>
Calcium3	32.5	31.9	%
Magnesium3	3.55	3.41	%
Moisture3		81.71	%
Total Neutralizing Power	100.2	103.3	%

Site: Village of Johnstown

Collected: 11/22/2005

<u>Test</u>	<u>Claim</u>	<u>Result</u>	<u>Units</u>
Calcium3	32.5	32.2	
Magnesium3	3.55	3.06	
Moisture3		71.51	%
Total Neutralizing Power	100.2	103.4	%

Site: Village of Loudonville

Collected: 4/12/2005

<u>Test</u>	<u>Claim</u>	<u>Result</u>	<u>Units</u>
Calcium3	36.255	47.3	%
Magnesium3	2.068	1.30	%
Moisture3		54.76	%
Total Neutralizing Power	88.24	90.4	%



Consumer Analytical Laboratory

Ohio Department of Agriculture
Consumer Analytical Laboratory
8995 East Main St. Bldg 3
Reynoldsburg, OH 43068
Phone: (614) 728-6230

ODA Plant Industry/Fertilizer-Lime APPROVED RESULTS sorted by Site LIME SAMPLES COLLECTED 1/1/2005 - 12/31/2005

Site: Village of Loudonville

Collected: 10/11/2005

<u>Test</u>	<u>Claim</u>	<u>Result</u>	<u>Units</u>
Calcium3	25	31.23	
Magnesium3	1	1.36	
Moisture3		66.19	%
Total Neutralizing Power	85	97.9	%

Site: Village of Metamora

Collected: 3/15/2005

<u>Test</u>	<u>Claim</u>	<u>Result</u>	<u>Units</u>
Calcium3	32.52	22.37	%
Magnesium3	3.44	5.79	
Moisture3		69.19	%
Total Neutralizing Power	90.5	82.1	%

Site: Village of Metamora

Collected: 10/6/2005

<u>Test</u>	<u>Claim</u>	<u>Result</u>	<u>Units</u>
Calcium3	32.52	30.1	%
Magnesium3	3.44	5.70	
Moisture3		90.53	%
Total Neutralizing Power	90.5	100.4	%

Site: Village of Mingo Junction

Collected: 6/29/2005

<u>Test</u>	<u>Claim</u>	<u>Result</u>	<u>Units</u>
#100 US Sieve		94	%
#20 US Sieve		95	%
#60 US Sieve		95	%
#8 US Sieve		95	%
Calcium3	34	41.0	
Magnesium3	2	1.70	
Moisture3		30.30	%
Total Neutralizing Power	97	106.4	%

Site: Village of North Baltimore

Collected: 4/28/2005

<u>Test</u>	<u>Claim</u>	<u>Result</u>	<u>Units</u>
Calcium3	30	30.0	%
Magnesium3	3	3.79	
Moisture3		83.83	%
Total Neutralizing Power	97	101.9	%



Consumer Analytical Laboratory

Ohio Department of Agriculture
Consumer Analytical Laboratory
8995 East Main St. Bldg 3
Reynoldsburg, OH 43068
Phone: (614) 728-6230

ODA Plant Industry/Fertilizer-Lime APPROVED RESULTS sorted by Site LIME SAMPLES COLLECTED 1/1/2005 - 12/31/2005

Site: Village of North Baltimore

Collected: 11/14/2005

<u>Test</u>	<u>Claim</u>	<u>Result</u>	<u>Units</u>
Calcium3	30	31.1	
Magnesium3	3	5.41	
Moisture3		90.68	%
Total Neutralizing Power	97	97.6	%

Site: Village of Ottawa Water PI

Collected: 6/3/2005

<u>Test</u>	<u>Claim</u>	<u>Result</u>	<u>Units</u>
Calcium3	30	29.2	%
Magnesium3	4	3.58	%
Moisture3		80.88	%
Total Neutralizing Power	85	94.4	%

Site: Village of Ottawa Water PI

Collected: 10/14/2005

<u>Test</u>	<u>Claim</u>	<u>Result</u>	<u>Units</u>
Calcium3	30	31.5	
Magnesium3	4	4.83	
Moisture3		79.50	%
Total Neutralizing Power	85	96.9	%

Site: Village of Swanton

Collected: 9/29/2005

<u>Test</u>	<u>Claim</u>	<u>Result</u>	<u>Units</u>
Calcium3	33.97	24.0	%
Magnesium3	4.08	6.19	%
Moisture3		93.76	%
Total Neutralizing Power	87.39	93.9	%

Site: Village of West Liberty

Collected: 5/3/2005

<u>Test</u>	<u>Claim</u>	<u>Result</u>	<u>Units</u>
Calcium3	30	32.0	%
Magnesium3	2	3.30	
Moisture3		86.29	%
Total Neutralizing Power	100	102.2	%



Consumer Analytical Laboratory

Ohio Department of Agriculture
Consumer Analytical Laboratory
8995 East Main St. Bldg 3
Reynoldsburg, OH 43068
Phone: (614) 728-6230

ODA Plant Industry/Fertilizer-Lime APPROVED RESULTS sorted by Site LIME SAMPLES COLLECTED 1/1/2005 - 12/31/2005

Site: Village of West Liberty

Collected: 10/18/2005

<u>Test</u>	<u>Claim</u>	<u>Result</u>	<u>Units</u>
Calcium3	30	29.1	
Magnesium3	2	3.14	
Moisture3		71.28	%
Total Neutralizing Power	100	105.9	%

Site: Wagner Transport

Collected: 6/27/2005

<u>Test</u>	<u>Claim</u>	<u>Result</u>	<u>Units</u>
Calcium3	23	32.8	
Magnesium3	2.12	2.74	
Moisture3		16.83	%
Total Neutralizing Power	62	83.8	%

Site: Wagner Transport

Collected: 11/10/2005

<u>Test</u>	<u>Claim</u>	<u>Result</u>	<u>Units</u>
Calcium3	23.75	32.9	
Magnesium3	2.12	3.13	
Moisture3		30.09	%
Total Neutralizing Power	62	95.8	%

Site: Westerville Water Plant

Collected: 11/3/2005

<u>Test</u>	<u>Claim</u>	<u>Result</u>	<u>Units</u>
#100 US Sieve		100	%
#20 US Sieve		100	%
#60 US Sieve		100	%
#8 US Sieve		100	%
Calcium3	31.7	30.6	
Magnesium3	2.74	2.91	
Moisture3		79.42	%
Total Neutralizing Power	81.4	82.8	%



Consumer Analytical Laboratory

Ohio Department of Agriculture
Consumer Analytical Laboratory
8995 East Main St. Bldg 3
Reynoldsburg, OH 43068
Phone: (614) 728-6230

ODA Plant Industry/Fertilizer-Lime APPROVED RESULTS sorted by Site LIME SAMPLES COLLECTED 1/1/2005 - 12/31/2005

Site: White Rock Quarry LP

Collected: 5/19/2005

<u>Test</u>	<u>Claim</u>	<u>Result</u>	<u>Units</u>
#100 US Sieve		80	%
#20 US Sieve		92	%
#60 US Sieve		84	%
#8 US Sieve		98	%
Calcium3	20	20.7	%
Magnesium3	10	11.7	%
Moisture3		9.41	%
Total Neutralizing Power	102	102.7	%

Site: Wilmington Water Dept.

Collected: 3/29/2005

<u>Test</u>	<u>Claim</u>	<u>Result</u>	<u>Units</u>
Calcium3	29	33.06	%
Magnesium3	2	3.19	
Moisture3		69.86	%
Total Neutralizing Power	90	94.3	%

Site: Wilmington Water Plant

Collected: 10/24/2005

<u>Test</u>	<u>Claim</u>	<u>Result</u>	<u>Units</u>
Calcium3	29.0	33.0	
Magnesium3	2.0	3.10	
Moisture3		81.20	%
Total Neutralizing Power	90	98.9	%

Site: Wyandot Dolomite, Inc.

Collected: 6/15/2005

<u>Test</u>	<u>Claim</u>	<u>Result</u>	<u>Units</u>
#100 US Sieve		81	%
#20 US Sieve		99	%
#60 US Sieve		90	%
#8 US Sieve		100	%
Calcium3	21	20.8	%
Magnesium3	12	11.9	%
Moisture3		10.36	%
Total Neutralizing Power	105	106.6	%



Consumer Analytical Laboratory

Ohio Department of Agriculture
Consumer Analytical Laboratory
8995 East Main St. Bldg 3
Reynoldsburg, OH 43068
Phone: (614) 728-6230

ODA Plant Industry/Fertilizer-Lime APPROVED RESULTS sorted by Site LIME SAMPLES COLLECTED 1/1/2005 - 12/31/2005

Site: Wyandot Dolomite, Inc.

Collected: 6/15/2005

<u>Test</u>	<u>Claim</u>	<u>Result</u>	<u>Units</u>
#100 US Sieve		80	%
#20 US Sieve		98	%
#60 US Sieve		91	%
#8 US Sieve		100	%
Calcium3	21	18.2	%
Magnesium3	12	10.24	%
Moisture3		9.57	%
Total Neutralizing Power	105	108.4	%

Site: Wyandot Dolomite, Inc.

Collected: 10/19/2005

<u>Test</u>	<u>Claim</u>	<u>Result</u>	<u>Units</u>
#100 US Sieve		52	%
#20 US Sieve		96	%
#60 US Sieve		59	%
#8 US Sieve		98	%
Calcium3	21	23.5	
Magnesium3	12	12.5	
Moisture3		9.84	%
Total Neutralizing Power	105	108.6	%

Site: Wyandot Dolomite, Inc.

Collected: 10/19/2005

<u>Test</u>	<u>Claim</u>	<u>Result</u>	<u>Units</u>
#100 US Sieve		69	%
#20 US Sieve		98	%
#60 US Sieve		78	%
#8 US Sieve		100	%
Calcium3	21	23.6	
Magnesium3	12	12.5	
Moisture3		10.59	%
Total Neutralizing Power	105	110.9	%
