



Consumer Analytical Laboratory

Ohio Department of Agriculture
Consumer Analytical Laboratory
8995 East Main St. Bldg 3
Reynoldsburg, OH 43068
Phone: (614) 728-6230

ODA Plant Industry/Fertilizer-Lime APPROVED RESULTS sorted by Site LIME SAMPLES COLLECTED 1/1/2006 - 12/31/2006

Site: Airgas Great Lakes Miami, OH 45177 **Collected:** 4/13/2006

<u>Test</u>	<u>Claim</u>	<u>Result</u>	<u>Units</u>
Calcium3	25	49.4	%
Magnesium3		0.12	%
Moisture3		43.54	%
Total Neutralizing Power	100	126.9	%

Site: Airgas Great Lakes miamiville, OH 45147 **Collected:** 10/17/2006

<u>Test</u>	<u>Claim</u>	<u>Result</u>	<u>Units</u>
Calcium3	25	50.7	%
Magnesium3		0.09	%
Moisture3		49.38	%
Total Neutralizing Power	100	116.1	%

Site: Andreanos D & J, Inc. Thompson, OH 44086 **Collected:** 5/11/2006

<u>Test</u>	<u>Claim</u>	<u>Result</u>	<u>Units</u>
#100 US Sieve		56	%
#20 US Sieve		72	%
#60 US Sieve		63	%
#8 US Sieve		92	%
Calcium3	32	40.4	
Magnesium3	6	9.20	
Moisture3		27.65	%
Total Neutralizing Power	100	113.9	%

Site: Andreanos D & J, Inc. Thompson, OH 44086 **Collected:** 9/12/2006

<u>Test</u>	<u>Claim</u>	<u>Result</u>	<u>Units</u>
#100 US Sieve		58	%
#20 US Sieve		78	%
#60 US Sieve		62	%
#8 US Sieve		94	%
Calcium3	32.0	33.8	%
Magnesium3	6.0	10.2	%
Moisture3		31.23	%
Total Neutralizing Power	100	100.6	%



Consumer Analytical Laboratory

Ohio Department of Agriculture
Consumer Analytical Laboratory
8995 East Main St. Bldg 3
Reynoldsburg, OH 43068
Phone: (614) 728-6230

ODA Plant Industry/Fertilizer-Lime APPROVED RESULTS sorted by Site LIME SAMPLES COLLECTED 1/1/2006 - 12/31/2006

Site: Bellaire Village WTP Bellaire, OH 43906

Collected: 4/27/2006

<u>Test</u>	<u>Claim</u>	<u>Result</u>	<u>Units</u>
Calcium3	42.9	39.3	
Magnesium3	1.1	1.01	
Moisture3		73.12	%
Total Neutralizing Power	96.6	95.4	%

Site: Bluffton Stone Co. Bluffton, OH 45817

Collected: 5/25/2006

<u>Test</u>	<u>Claim</u>	<u>Result</u>	<u>Units</u>
#100 US Sieve		54	%
#20 US Sieve		86	%
#60 US Sieve		70	%
#8 US Sieve		97	%
Calcium3	20	21.1	
Magnesium3	12	11.1	%
Moisture3		4.59	%
Total Neutralizing Power	96	99.3	%

Site: Bluffton Stone Co. Bluffton, OH 45817

Collected: 10/4/2006

<u>Test</u>	<u>Claim</u>	<u>Result</u>	<u>Units</u>
#100 US Sieve		59	%
#20 US Sieve		90	%
#60 US Sieve		74	%
#8 US Sieve		97	%
Calcium3	20	22.1	%
Magnesium3	12	12.7	%
Moisture3		7.07	%
Total Neutralizing Power	96	100.9	%



Consumer Analytical Laboratory

Ohio Department of Agriculture
Consumer Analytical Laboratory
8995 East Main St. Bldg 3
Reynoldsburg, OH 43068
Phone: (614) 728-6230

ODA Plant Industry/Fertilizer-Lime APPROVED RESULTS sorted by Site LIME SAMPLES COLLECTED 1/1/2006 - 12/31/2006

Site: C.F. Poeppelman, Inc. Bradford, OH 45308

Collected: 4/24/2006

<u>Test</u>	<u>Claim</u>	<u>Result</u>	<u>Units</u>
#100 US Sieve		66	%
#20 US Sieve		98	%
#60 US Sieve		81	%
#8 US Sieve		100	%
Calcium3	20	24.1	
Magnesium3	11	12.60	%
Moisture3		3.74	%
Total Neutralizing Power	100	98.7	%

Site: C.F. Poeppelman, Inc. Bradford, OH 45308

Collected: 9/28/2006

<u>Test</u>	<u>Claim</u>	<u>Result</u>	<u>Units</u>
#100 US Sieve		72	%
#20 US Sieve		97	%
#60 US Sieve		81	%
#8 US Sieve		100	%
Calcium3	20	25.3	%
Magnesium3	11	12.5	%
Moisture3	check	1.60	%
Total Neutralizing Power	100	102.4	%

Site: Cadiz Water Dept. Cadiz, OH 43407

Collected: 11/8/2006

<u>Test</u>	<u>Claim</u>	<u>Result</u>	<u>Units</u>
Calcium3	8.80 mg/Kg Dr	37.3	%
ENP		780	lb/ton
Magnesium3	.292 mg/KS Dr	1.01	%
Moisture3		62.98	%
Total Neutralizing Power		105.3	%



Consumer Analytical Laboratory

Ohio Department of Agriculture
Consumer Analytical Laboratory
8995 East Main St. Bldg 3
Reynoldsburg, OH 43068
Phone: (614) 728-6230

ODA Plant Industry/Fertilizer-Lime APPROVED RESULTS sorted by Site LIME SAMPLES COLLECTED 1/1/2006 - 12/31/2006

Site: Campbell Soup Supply Napoleon, OH 43545

Collected: 10/17/2006

<u>Test</u>	<u>Claim</u>	<u>Result</u>	<u>Units</u>
#100 US Sieve		91	%
#20 US Sieve		99	%
#60 US Sieve		95	%
#8 US Sieve		99	%
Calcium3	10.5	33.5	%
Magnesium3	1.28	3.65	%
Moisture3		67.39	%
Total Neutralizing Power	34.20	93.8	%

Site: Carmeuse Lime Millersville, OH 43435

Collected: 7/25/2006

<u>Test</u>	<u>Claim</u>	<u>Result</u>	<u>Units</u>
#100 US Sieve		40	%
#20 US Sieve		90	%
#60 US Sieve		66	%
#8 US Sieve		98	%
Calcium3	20.7	23.3	%
Magnesium3	11.4	11.9	%
Moisture3		3.26	%
Total Neutralizing Power	108.5	109.4	%

Site: Carmeuse Lime Millersville, OH 43435

Collected: 10/11/2006

<u>Test</u>	<u>Claim</u>	<u>Result</u>	<u>Units</u>
#100 US Sieve		39	%
#20 US Sieve		72	%
#60 US Sieve		56	%
#8 US Sieve		99	%
Calcium3	21	23.5	%
Magnesium3	12	12.8	%
Moisture3		7.17	%
Total Neutralizing Power	103	107.2	%



Consumer Analytical Laboratory

Ohio Department of Agriculture
Consumer Analytical Laboratory
8995 East Main St. Bldg 3
Reynoldsburg, OH 43068
Phone: (614) 728-6230

ODA Plant Industry/Fertilizer-Lime APPROVED RESULTS sorted by Site LIME SAMPLES COLLECTED 1/1/2006 - 12/31/2006

Site: Central Ohio Farmers Coo Waldo, Oh 43356

Collected: 4/10/2006

<u>Test</u>	<u>Claim</u>	<u>Result</u>	<u>Units</u>
Calcium3	30	20.60	%
Magnesium3	4	9.63	%
Moisture3		1.65	%
Total Neutralizing Power	93	100.4	%

Site: City of Bellevue Bellevue, OH 44811

Collected: 7/10/2006

<u>Test</u>	<u>Claim</u>	<u>Result</u>	<u>Units</u>
Calcium3		29.3	%
Magnesium3		4.58	%
Moisture3		87.80	%
Total Neutralizing Power		89.9	%

Site: City of Berea Water Treat Berea, OH 44017

Collected: 6/15/2006

<u>Test</u>	<u>Claim</u>	<u>Result</u>	<u>Units</u>
#100 US Sieve		100	%
#20 US Sieve		100	%
#60 US Sieve		100	%
#8 US Sieve		100	%
Calcium3	30.1	32.82	%
Magnesium3	2.15	1.71	%
Moisture3		66.18	%
Total Neutralizing Power	83.4	90.4	%

Site: City of Bowling Green Bowling Green, OH 43402

Collected: 5/18/2006

<u>Test</u>	<u>Claim</u>	<u>Result</u>	<u>Units</u>
#100 US Sieve		41	%
#20 US Sieve		78	%
#60 US Sieve		49	%
#8 US Sieve		98	%
Calcium3	25	23.40	%
Magnesium3	2	11.3	%
Moisture3		7.12	%
Total Neutralizing Power	75	72.4	%



Consumer Analytical Laboratory

Ohio Department of Agriculture
Consumer Analytical Laboratory
8995 East Main St. Bldg 3
Reynoldsburg, OH 43068
Phone: (614) 728-6230

ODA Plant Industry/Fertilizer-Lime APPROVED RESULTS sorted by Site LIME SAMPLES COLLECTED 1/1/2006 - 12/31/2006

Site: City of Chillicothe	Chillicothe, OH 45601	Collected: 3/1/2006
<u>Test</u>	<u>Claim</u>	<u>Result</u> <u>Units</u>
Calcium3	32	38.6
Magnesium3	2	5.32 %
Moisture3		67.78 %
Total Neutralizing Power	92	92.6 %

Site: City of Chillicothe	Chillicothe, OH 45601	Collected: 10/24/2006
<u>Test</u>	<u>Claim</u>	<u>Result</u> <u>Units</u>
Calcium3	32	37.2 %
Magnesium3	2	1.93 %
Moisture3		72.90 %
Total Neutralizing Power	92	99.9 %

Site: City of Clyde WTP	Clyde, OH 43410	Collected: 9/21/2006
<u>Test</u>	<u>Claim</u>	<u>Result</u> <u>Units</u>
Calcium3	34.4	34.9 %
Magnesium3	3.38	3.46 %
Moisture3		90.40 %
Total Neutralizing Power	92.4	96.1 %

Site: City of Columbiana	Columbiana, OH 44408	Collected: 5/8/2006
<u>Test</u>	<u>Claim</u>	<u>Result</u> <u>Units</u>
Calcium3	11	39.2
Magnesium3	0.6	2.10
Moisture3		85.81 %
Total Neutralizing Power		99.9 %

Site: City of Columbiana	Columbiana, OH 44408	Collected: 9/27/2006
<u>Test</u>	<u>Claim</u>	<u>Result</u> <u>Units</u>
Calcium3	11	38.1 %
Magnesium3	0.6	2.36 %
Moisture3		84.59 %
Total Neutralizing Power	28	118.4 %



Consumer Analytical Laboratory

Ohio Department of Agriculture
Consumer Analytical Laboratory
8995 East Main St. Bldg 3
Reynoldsburg, OH 43068
Phone: (614) 728-6230

ODA Plant Industry/Fertilizer-Lime APPROVED RESULTS sorted by Site LIME SAMPLES COLLECTED 1/1/2006 - 12/31/2006

Site: City of Coshocton, WTP Coshocton, OH 43812

Collected: 5/9/2006

<u>Test</u>	<u>Claim</u>	<u>Result</u>	<u>Units</u>
#100 US Sieve		99	%
#20 US Sieve		100	%
#60 US Sieve		100	%
#8 US Sieve		100	%
Calcium3	10.4	39.0	
Magnesium3	0.56	1.99	
Moisture3		81.76	%
Total Neutralizing Power		101.9	%

Site: City of Coshocton, WTP Coshocton, OH 43812

Collected: 10/4/2006

<u>Test</u>	<u>Claim</u>	<u>Result</u>	<u>Units</u>
#100 US Sieve		99	%
#20 US Sieve		100	%
#60 US Sieve		100	%
#8 US Sieve		100	%
Calcium3	36.3	38.8	%
Magnesium3	1.97	2.03	%
Moisture3		76.15	%
Total Neutralizing Power		118.8	%

Site: City of Delaware Water Div Delaware, OH 43015

Collected: 5/1/2006 12:5

<u>Test</u>	<u>Claim</u>	<u>Result</u>	<u>Units</u>
Calcium3		35.4	%
Magnesium3		2.69	
Moisture3		37.14	%
Total Neutralizing Power		92.8	%

Site: City of Fairfield WP Fairfield, OH 45014

Collected: 5/11/2006

<u>Test</u>	<u>Claim</u>	<u>Result</u>	<u>Units</u>
Calcium3	30	40.2	
Magnesium3	2	2.54	
Moisture3		52.65	%
Total Neutralizing Power	90	98.9	%



Consumer Analytical Laboratory

Ohio Department of Agriculture
Consumer Analytical Laboratory
8995 East Main St. Bldg 3
Reynoldsburg, OH 43068
Phone: (614) 728-6230

ODA Plant Industry/Fertilizer-Lime APPROVED RESULTS sorted by Site LIME SAMPLES COLLECTED 1/1/2006 - 12/31/2006

Site: City of Fairfield WP fairfield, OH 45014

Collected: 11/26/2006

<u>Test</u>	<u>Claim</u>	<u>Result</u>	<u>Units</u>
Calcium3	30	36.9	%
ENP	540	726	lb/ton
Magnesium3	2	3.47	%
Moisture3		65.99	%
Total Neutralizing Power	90	106.7	%

Site: City of Findlay WTP Findlay, OH 45840

Collected: 5/23/2006

<u>Test</u>	<u>Claim</u>	<u>Result</u>	<u>Units</u>
Calcium3	30.7	36.5	
Magnesium3	3.56	3.15	
Moisture3		90.93	%
Total Neutralizing Power	100.9	97.4	%

Site: City of Findlay WTP Findlay, OH

Collected: 9/7/2006

<u>Test</u>	<u>Claim</u>	<u>Result</u>	<u>Units</u>
Calcium3	36.5	33.6	%
Magnesium3	3.15	4.14	%
Moisture3		90.19	%
Total Neutralizing Power	97.4	100.1	%

Site: City of Fostoria Water Plan

Collected: 8/2/2006

<u>Test</u>	<u>Claim</u>	<u>Result</u>	<u>Units</u>
Calcium3	32.7	37.4	
Magnesium3	4.56	4.41	
Moisture3		81.62	%
Total Neutralizing Power	67.9	102.9	%

Site: City of Fremont WTP Fremont, OH 43420

Collected: 9/21/2006

<u>Test</u>	<u>Claim</u>	<u>Result</u>	<u>Units</u>
Calcium3	3	28.0	%
Magnesium3	0.47	4.18	%
Moisture3		92.63	%
Total Neutralizing Power	8.9	78.6	%



Consumer Analytical Laboratory

Ohio Department of Agriculture
Consumer Analytical Laboratory
8995 East Main St. Bldg 3
Reynoldsburg, OH 43068
Phone: (614) 728-6230

ODA Plant Industry/Fertilizer-Lime APPROVED RESULTS sorted by Site LIME SAMPLES COLLECTED 1/1/2006 - 12/31/2006

Site: City of Gallipolis WP	Gallipolis, OH 45631	Collected: 3/29/2006
Test	Claim	Result Units
Calcium3	29	38.4 %
Magnesium3		0.95 %
Moisture3		39.69 %
Total Neutralizing Power	89	98.9 %

Site: City of Gallipolis WP	Gallipolis, OH 45631	Collected: 10/12/2006
Test	Claim	Result Units
Calcium3	29	38.0 %
Magnesium3		1.05 %
Moisture3		54.97 %
Total Neutralizing Power		105.8 %

Site: City of Glendale - Utilities	Glendale, OH 45245	Collected: 5/10/2006
Test	Claim	Result Units
Calcium3	30	41.5
Magnesium3	2	1.66
Moisture3		51.90 %
Total Neutralizing Power	90	88.6 %

Site: City of Glendale - Utilities	Glendale, OH 45246	Collected: 10/19/2006
Test	Claim	Result Units
Calcium3	30	38.6 %
Magnesium3	2	1.80 %
Moisture3		52.71 %
Total Neutralizing Power	90	109.8 %

Site: City of Greenville	Greenville, OH 45331	Collected: 5/15/2006
Test	Claim	Result Units
Calcium3	30	32.6
Magnesium3	3	3.76 %
Moisture3		56.28 %
Total Neutralizing Power	95	96.2 %



Consumer Analytical Laboratory

Ohio Department of Agriculture
Consumer Analytical Laboratory
8995 East Main St. Bldg 3
Reynoldsburg, OH 43068
Phone: (614) 728-6230

ODA Plant Industry/Fertilizer-Lime APPROVED RESULTS sorted by Site LIME SAMPLES COLLECTED 1/1/2006 - 12/31/2006

Site: City of Greenville Greenville, OH 45331

Collected: 10/12/2006

<u>Test</u>	<u>Claim</u>	<u>Result</u>	<u>Units</u>
Calcium3	30	34.3	%
Magnesium3	3	4.49	%
Moisture3		61.20	%
Total Neutralizing Power	95	104.9	%

Site: City of Hamilton Hamilton, OH 45011

Collected: 5/12/2006

<u>Test</u>	<u>Claim</u>	<u>Result</u>	<u>Units</u>
Calcium3	30	41.1	
Magnesium3	2	2.23	
Moisture3		56.81	%
Total Neutralizing Power	90	97.4	%

Site: City of Hamilton Fairfield, OH 45014

Collected: 5/4/2006

<u>Test</u>	<u>Claim</u>	<u>Result</u>	<u>Units</u>
Calcium3	30	40.6	
Magnesium3	2	2.44	
Moisture3		53.63	%
Total Neutralizing Power	90	93.5	%

Site: City of Hamilton Fairfield, OH 45014

Collected: 9/17/2006

<u>Test</u>	<u>Claim</u>	<u>Result</u>	<u>Units</u>
Calcium3	30	39.4	%
Magnesium3	2	2.16	%
Moisture3		44.82	%
Total Neutralizing Power	90	103.9	%

Site: City of Hamilton Hamilton, OH 45011

Collected: 9/17/2006

<u>Test</u>	<u>Claim</u>	<u>Result</u>	<u>Units</u>
Calcium3	30	38.7	%
Magnesium3	2	2.36	%
Moisture3		53.22	%
Total Neutralizing Power	90	103.8	%



Consumer Analytical Laboratory

Ohio Department of Agriculture
Consumer Analytical Laboratory
8995 East Main St. Bldg 3
Reynoldsburg, OH 43068
Phone: (614) 728-6230

ODA Plant Industry/Fertilizer-Lime APPROVED RESULTS sorted by Site LIME SAMPLES COLLECTED 1/1/2006 - 12/31/2006

Site: City of Kent	Kent, OH 44240	Collected: 5/16/2006
Test	Claim	Result Units
#100 US Sieve		94 %
#20 US Sieve		99 %
#60 US Sieve		97 %
#8 US Sieve		100 %
Calcium3	25	40.4
Magnesium3	1	1.60
Moisture3		37.00 %
Total Neutralizing Power	90	95.2 %

Site: City of Kent	Kent, OH 44240	Collected: 10/3/2006
Test	Claim	Result Units
#100 US Sieve		96 %
#20 US Sieve		100 %
#60 US Sieve		98 %
#8 US Sieve		100 %
Calcium3	25	39.7 %
Magnesium3	1	1.42 %
Moisture3		.34 %
Total Neutralizing Power	90	108.3 %

Site: City of Kenton	Kenton, OH 43326	Collected: 6/12/2006
Test	Claim	Result Units
Calcium3	29.0	35.8 %
Magnesium3	1.0	2.84 %
Moisture3		43.87 %
Total Neutralizing Power	75.0	89.4 %

Site: City of Kenton	Kenton, OH 43326	Collected: 9/26/2006
Test	Claim	Result Units
Calcium3	29	38.6 %
Magnesium3	1	2.06 %
Moisture3		42.11 %
Total Neutralizing Power	75	99.5 %



Consumer Analytical Laboratory

Ohio Department of Agriculture
Consumer Analytical Laboratory
8995 East Main St. Bldg 3
Reynoldsburg, OH 43068
Phone: (614) 728-6230

ODA Plant Industry/Fertilizer-Lime APPROVED RESULTS sorted by Site LIME SAMPLES COLLECTED 1/1/2006 - 12/31/2006

Site: City of London London, OH 43140

Collected: 1/9/2006

<u>Test</u>	<u>Claim</u>	<u>Result</u>	<u>Units</u>
Calcium3	20	35.1	
Magnesium3	1.5	2.68	
Moisture3		81.29	%
Total Neutralizing Power	90	103.2	%

Site: City of London London, OH 43140

Collected: 4/27/2006 12:

<u>Test</u>	<u>Claim</u>	<u>Result</u>	<u>Units</u>
Calcium3	20	36.5	
Magnesium3	1.5	2.47	
Moisture3		74.17	%
Total Neutralizing Power	90	105.5	%

Site: City of London London, OH 43140

Collected: 10/23/2006

<u>Test</u>	<u>Claim</u>	<u>Result</u>	<u>Units</u>
Calcium3	20	34.6	%
ENP	300	583	lbs/ton
Magnesium3	1.5	2.71	%
Moisture3		70.18	%
Total Neutralizing Power	90	97.8	%

Site: City of Marietta Marietta, OH 45750

Collected: 5/2/2006

<u>Test</u>	<u>Claim</u>	<u>Result</u>	<u>Units</u>
Calcium3	30.0	40.9	
Magnesium3	1.0	1.73	
Moisture3		33.13	%
Total Neutralizing Power	83.1	91.4	%

Site: City of Napoleon, H20 Plan Napoleon, OH 43545

Collected: 5/10/2006

<u>Test</u>	<u>Claim</u>	<u>Result</u>	<u>Units</u>
Calcium3	8.9	31.1	
Magnesium3	1.5	4.32	
Moisture3		89.72	%
Total Neutralizing Power	44.5	47.9	%



Consumer Analytical Laboratory

Ohio Department of Agriculture
Consumer Analytical Laboratory
8995 East Main St. Bldg 3
Reynoldsburg, OH 43068
Phone: (614) 728-6230

ODA Plant Industry/Fertilizer-Lime APPROVED RESULTS sorted by Site LIME SAMPLES COLLECTED 1/1/2006 - 12/31/2006

Site: City of Napoleon, H2O Plan Napoleon, OH 43545

Collected: 11/27/2006

<u>Test</u>	<u>Claim</u>	<u>Result</u>	<u>Units</u>
Calcium3	8.9	31.3	%
ENP	150	296	lb/ton
Magnesium3	1.5	3.68	%
Moisture3		84.78	%
Total Neutralizing Power	44.5	97.3	%

Site: City of North Canton N. Canton, OH 44720

Collected: 10/2/2006

<u>Test</u>	<u>Claim</u>	<u>Result</u>	<u>Units</u>
Calcium3		37.6	%
Magnesium3		2.58	%
Moisture3		68.47	%
Total Neutralizing Power		122.3	%

Site: City of North Canton N. Canton, OH 44720

Collected: 10/2/2006

<u>Test</u>	<u>Claim</u>	<u>Result</u>	<u>Units</u>
Calcium3		37.9	%
Magnesium3		2.41	%
Moisture3		22.22	%
Total Neutralizing Power		115.4	%

Site: City of Sidney Sidney, OH 45365

Collected: 5/3/2006

<u>Test</u>	<u>Claim</u>	<u>Result</u>	<u>Units</u>
Calcium3	30	32.8	
Magnesium3	3	3.50	%
Moisture3		29.84	%
Total Neutralizing Power	80	94.9	%

Site: City of Sidney Sidney, OH 45365

Collected: 5/3/2006

<u>Test</u>	<u>Claim</u>	<u>Result</u>	<u>Units</u>
Calcium3	30	35.5	
Magnesium3	3	3.19	%
Moisture3		72.27	%
Total Neutralizing Power	80	94.9	%



Consumer Analytical Laboratory

Ohio Department of Agriculture
Consumer Analytical Laboratory
8995 East Main St. Bldg 3
Reynoldsburg, OH 43068
Phone: (614) 728-6230

ODA Plant Industry/Fertilizer-Lime APPROVED RESULTS sorted by Site LIME SAMPLES COLLECTED 1/1/2006 - 12/31/2006

Site: City of Sidney	Sidney, OH 45365	Collected: 10/6/2006
Test	Claim	Result Units
#100 US Sieve		55 %
#20 US Sieve		82 %
#60 US Sieve		62 %
#8 US Sieve		97 %
Calcium3	30	33.2 %
Magnesium3	3	3.54 %
Moisture3		38.98 %
Total Neutralizing Power	80	88.4 %

Site: City of Troy	Troy, OH 45373	Collected: 3/31/2006
Test	Claim	Result Units
Calcium3	30	35.7 %
Magnesium3	2	2.33 %
Moisture3	Check	51.05 %
Total Neutralizing Power	90	91.9 %

Site: City of Troy	Troy, OH 45373	Collected: 9/27/2006
Test	Claim	Result Units
Calcium3	30	39.0 %
Magnesium3	2	3.19 %
Moisture3	check	76.77 %
Total Neutralizing Power	90	99.5 %

Site: City of Upper Sandusky W	Upper Sandusky, OH 43351	Collected: 5/22/2006
Test	Claim	Result Units
Calcium3	7	28.7 %
Magnesium3	1	3.93 %
Moisture3		89.85 %
Total Neutralizing Power	75	77.0 %



Consumer Analytical Laboratory

Ohio Department of Agriculture
Consumer Analytical Laboratory
8995 East Main St. Bldg 3
Reynoldsburg, OH 43068
Phone: (614) 728-6230

ODA Plant Industry/Fertilizer-Lime APPROVED RESULTS sorted by Site LIME SAMPLES COLLECTED 1/1/2006 - 12/31/2006

Site: City of Upper Sandusky W Upper Sandusky, OH 43351

Collected: 10/30/2006

<u>Test</u>	<u>Claim</u>	<u>Result</u>	<u>Units</u>
Calcium3	7	30.1	%
ENP	146	139	lb/ton
Magnesium3	1	4.31	%
Moisture3		92.70	%
Total Neutralizing Power	75	94.9	%

Site: City of Van Wert Van Wert, OH 45891

Collected: 5/2/2006

<u>Test</u>	<u>Claim</u>	<u>Result</u>	<u>Units</u>
Calcium3	22	32.0	
Magnesium3	2.5	3.66	%
Moisture3		42.09	%
Total Neutralizing Power	75	99.3	%

Site: City of Van Wert Van Wert, OH 45891

Collected: 9/28/2006

<u>Test</u>	<u>Claim</u>	<u>Result</u>	<u>Units</u>
Calcium3	22	38.4	%
Magnesium3	2.5	3.30	%
Moisture3		59.45	%
Total Neutralizing Power	75	112.2	%

Site: City of Washington Court H Washington CH, OH 43160

Collected: 3/30/2006

<u>Test</u>	<u>Claim</u>	<u>Result</u>	<u>Units</u>
Calcium3	30	32.3	%
Magnesium3	0.5	5.01	%
Moisture3		72.74	%
Total Neutralizing Power	90	110.7	%

Site: City of Washington Court H Wash. CH, OH 43150

Collected: 10/23/2006

<u>Test</u>	<u>Claim</u>	<u>Result</u>	<u>Units</u>
Calcium3	30	32.9	%
Magnesium3	.5	6.57	%
Moisture3	check	80.81	%
Total Neutralizing Power	90	102.4	%



Consumer Analytical Laboratory

Ohio Department of Agriculture
Consumer Analytical Laboratory
8995 East Main St. Bldg 3
Reynoldsburg, OH 43068
Phone: (614) 728-6230

ODA Plant Industry/Fertilizer-Lime APPROVED RESULTS sorted by Site LIME SAMPLES COLLECTED 1/1/2006 - 12/31/2006

Site: City of Wooster	Wooster, OH 44691	Collected: 11/1/2006
<u>Test</u>	<u>Claim</u>	<u>Result</u> <u>Units</u>
Calcium3	23.1	37.6 %
ENP	1207	904 lbs/ton
Magnesium3	.83	1.82 %
Moisture3		43.02 %
Total Neutralizing Power	60.4	79.4 %
<hr/>		
Site: City of Wyoming	Wyoming, OH 45215	Collected: 5/10/2006
<u>Test</u>	<u>Claim</u>	<u>Result</u> <u>Units</u>
Calcium3	30	39.6
Magnesium3	2	2.35
Moisture3		66.49 %
Total Neutralizing Power	90	101.4 %
<hr/>		
Site: City of Wyoming	Wyoming, OH 45215	Collected: 10/25/2006
<u>Test</u>	<u>Claim</u>	<u>Result</u> <u>Units</u>
Calcium3	30	36.1 %
Magnesium3	2	2.72 %
Moisture3		76.59 %
Total Neutralizing Power	90	103.2 %
<hr/>		
Site: CN/P & C Dock	Conneaut, OH 44030	Collected: 5/2/2006
<u>Test</u>	<u>Claim</u>	<u>Result</u> <u>Units</u>
#100 US Sieve		34 %
#20 US Sieve		66 %
#60 US Sieve		42 %
#8 US Sieve		86 %
Calcium3	36	38.9
Magnesium3	0.3	0.85 %
Moisture3		0.06 %
Total Neutralizing Power	97	99.9 %



Consumer Analytical Laboratory

Ohio Department of Agriculture
Consumer Analytical Laboratory
8995 East Main St. Bldg 3
Reynoldsburg, OH 43068
Phone: (614) 728-6230

ODA Plant Industry/Fertilizer-Lime APPROVED RESULTS sorted by Site LIME SAMPLES COLLECTED 1/1/2006 - 12/31/2006

Site: CN/P & C Dock

Conneaut, OH 44030

Collected: 5/2/2006

<u>Test</u>	<u>Claim</u>	<u>Result</u>	<u>Units</u>
#100 US Sieve		33	%
#20 US Sieve		63	%
#60 US Sieve		46	%
#8 US Sieve		92	%
Calcium3	20	22.2	
Magnesium3	9	11.6	%
Moisture3		5.71	%
Total Neutralizing Power	103	111.4	%

Site: Cochran Transportation

Athens, OH 45701

Collected: 2/16/2006

<u>Test</u>	<u>Claim</u>	<u>Result</u>	<u>Units</u>
#100 US Sieve		61	%
#20 US Sieve		91	%
#60 US Sieve		78	%
#8 US Sieve		98	%
Calcium3	21	23.1	
Magnesium3	12	13.41	%
Moisture3		1.88	%
Total Neutralizing Power	105	104.1	%

Site: Con-Ag Inc.

St. Marys, OH 45885

Collected: 5/17/2006

<u>Test</u>	<u>Claim</u>	<u>Result</u>	<u>Units</u>
#100 US Sieve		69	%
#20 US Sieve		94	%
#60 US Sieve		88	%
#8 US Sieve		100	%
Calcium3	20	22.4	
Magnesium3	12	11.9	%
Moisture3		11.08	%
Total Neutralizing Power	100	101.1	%



Consumer Analytical Laboratory

Ohio Department of Agriculture
Consumer Analytical Laboratory
8995 East Main St. Bldg 3
Reynoldsburg, OH 43068
Phone: (614) 728-6230

ODA Plant Industry/Fertilizer-Lime APPROVED RESULTS sorted by Site LIME SAMPLES COLLECTED 1/1/2006 - 12/31/2006

Site: Con-Ag Inc. St. Marys, OH 45885 **Collected:** 9/20/2006

<u>Test</u>	<u>Claim</u>	<u>Result</u>	<u>Units</u>
#100 US Sieve		79	%
#20 US Sieve		98	%
#60 US Sieve		92	%
#8 US Sieve		100	%
Calcium3	20	24.2	%
Magnesium3	12	12.6	%
Moisture3		17.21	%
Total Neutralizing Power	100	108.9	%

Site: Crop Production Services Eaton, OH 45320 **Collected:** 11/6/2006

<u>Test</u>	<u>Claim</u>	<u>Result</u>	<u>Units</u>
Calcium3	30	32.9	%
Magnesium3	5	5.23	%
Moisture3		2.91	%
Total Neutralizing Power		104.6	%

Site: Crop Production Services Urbana, OH 43078 **Collected:** 12/5/2006

<u>Test</u>	<u>Claim</u>	<u>Result</u>	<u>Units</u>
Calcium3	30	31.8	%
ENP	1860 lb/Tn	1397	lb/ton
Magnesium3	4	5.21	%
Moisture3	Check	32.10	%
Total Neutralizing Power	93	102.9	%

Site: Custar Stone Co. Custar, OH 43511 **Collected:** 5/18/2006

<u>Test</u>	<u>Claim</u>	<u>Result</u>	<u>Units</u>
#100 US Sieve		41	%
#20 US Sieve		84	%
#60 US Sieve		51	%
#8 US Sieve		99	%
Calcium3	18.92	41.4	
Magnesium3	10.93	0.92	
Moisture3		48.73	%
Total Neutralizing Power	102.8	103.0	%



Consumer Analytical Laboratory

Ohio Department of Agriculture
Consumer Analytical Laboratory
8995 East Main St. Bldg 3
Reynoldsburg, OH 43068
Phone: (614) 728-6230

ODA Plant Industry/Fertilizer-Lime APPROVED RESULTS sorted by Site LIME SAMPLES COLLECTED 1/1/2006 - 12/31/2006

Site: Custar Stone Co. Custar, OH 43511

Collected: 9/28/2006

<u>Test</u>	<u>Claim</u>	<u>Result</u>	<u>Units</u>
#100 US Sieve		41	%
#20 US Sieve		77	%
#60 US Sieve		46	%
#8 US Sieve		98	%
Calcium3	18.92	23.1	%
Magnesium3	10.93	12.0	%
Moisture3		6.02	%
Total Neutralizing Power	102.8	111.9	%

Site: CWS Warehouse/Wholesa Fairfield, OH 45014

Collected: 10/26/2006

<u>Test</u>	<u>Claim</u>	<u>Result</u>	<u>Units</u>
Calcium3	5.65	38.9	%
ENP	1100	1416	lb/ton
Magnesium3		0.74	%
Moisture3		28.57	%
Total Neutralizing Power	73	99.1	%

Site: Defiance H2O Plant Defiance, OH 43512

Collected: 5/25/2006

<u>Test</u>	<u>Claim</u>	<u>Result</u>	<u>Units</u>
Calcium3	8	25.9	
Magnesium3	1	2.73	
Moisture3		89.81	%
Total Neutralizing Power	60	64.7	%

Site: Defiance H2O Plant Defiance, OH

Collected: 10/19/2006

<u>Test</u>	<u>Claim</u>	<u>Result</u>	<u>Units</u>
Calcium3	8	24.9	%
Magnesium3	1	3.37	%
Moisture3		90.79	%
Total Neutralizing Power	60	82.8	%



Consumer Analytical Laboratory

Ohio Department of Agriculture
Consumer Analytical Laboratory
8995 East Main St. Bldg 3
Reynoldsburg, OH 43068
Phone: (614) 728-6230

ODA Plant Industry/Fertilizer-Lime APPROVED RESULTS sorted by Site LIME SAMPLES COLLECTED 1/1/2006 - 12/31/2006

Site: Del-Co Water Delaware, OH 43015 **Collected:** 5/1/2006 12:5

<u>Test</u>	<u>Claim</u>	<u>Result</u>	<u>Units</u>
Calcium3	20.0	34.8	
Magnesium3	1.0	3.85	
Moisture3		37.14	%
Total Neutralizing Power	50.00	92.3	%

Site: Del-Co Water Lewis Center, OH 43035 **Collected:** 5/1/2006 12:5

<u>Test</u>	<u>Claim</u>	<u>Result</u>	<u>Units</u>
Calcium3	20.0	36.5	
Magnesium3	1.0	3.76	
Moisture3		89.73	%
Total Neutralizing Power	50.00	92.6	%

Site: Del-Co Water Fredericktown, OH **Collected:** 5/3/2006

<u>Test</u>	<u>Claim</u>	<u>Result</u>	<u>Units</u>
Calcium3		38.1	
Magnesium3		1.82	
Moisture3		55.59	%
Total Neutralizing Power		93.8	%

Site: Erie Materials, Inc., Sandus Sandusky, OH 44870 **Collected:** 9/14/2006

<u>Test</u>	<u>Claim</u>	<u>Result</u>	<u>Units</u>
#100 US Sieve		87	%
#20 US Sieve		100	%
#60 US Sieve		97	%
#8 US Sieve		100	%
Calcium3	28	33.0	%
Magnesium3	5	7.19	%
Moisture3		12.06	%
Total Neutralizing Power	94	98.7	%

Site: Fremont Water Treatment Fremont, OH 43420 **Collected:** 9/21/2006

<u>Test</u>	<u>Claim</u>	<u>Result</u>	<u>Units</u>
Calcium3	3	28.2	%
Magnesium3	0.47	6.48	%
Moisture3		45.45	%
Total Neutralizing Power	8.9	87.7	%



Consumer Analytical Laboratory

Ohio Department of Agriculture
Consumer Analytical Laboratory
8995 East Main St. Bldg 3
Reynoldsburg, OH 43068
Phone: (614) 728-6230

ODA Plant Industry/Fertilizer-Lime APPROVED RESULTS sorted by Site LIME SAMPLES COLLECTED 1/1/2006 - 12/31/2006

Site: GE Aircraft Engines Cincinnati, OH 45215

Collected: 10/25/2006

<u>Test</u>	<u>Claim</u>	<u>Result</u>	<u>Units</u>
Calcium3	20	36.9	%
Magnesium3	1	2.83	%
Moisture3		62.42	%
Total Neutralizing Power	90	105.1	%

Site: Graymont Do-Lime Inc. Genoa, OH 43430

Collected: 9/19/2006

<u>Test</u>	<u>Claim</u>	<u>Result</u>	<u>Units</u>
#100 US Sieve		96	%
#20 US Sieve		100	%
#60 US Sieve		98	%
#8 US Sieve		100	%
Calcium3	30	37.1	%
Magnesium3	16	18.2	%
Moisture3		.82	%
Total Neutralizing Power	140	179.8	%

Site: Gro-Mark, Inc. E. Liverpool, OH 43920

Collected: 10/17/2006

<u>Test</u>	<u>Claim</u>	<u>Result</u>	<u>Units</u>
#100 US Sieve		0	%
#20 US Sieve		0	%
#60 US Sieve		0	%
#8 US Sieve		0	%
Calcium3	30	37.5	%
Magnesium3	4	0.50	%
Moisture3		1.43	%
Total Neutralizing Power		112.8	%



Consumer Analytical Laboratory

Ohio Department of Agriculture
Consumer Analytical Laboratory
8995 East Main St. Bldg 3
Reynoldsburg, OH 43068
Phone: (614) 728-6230

ODA Plant Industry/Fertilizer-Lime APPROVED RESULTS sorted by Site LIME SAMPLES COLLECTED 1/1/2006 - 12/31/2006

Site: Ground Level Development Woodville, OH 43469

Collected: 6/1/2006

<u>Test</u>	<u>Claim</u>	<u>Result</u>	<u>Units</u>
#100 US Sieve		83	%
#20 US Sieve		99	%
#60 US Sieve		95	%
#8 US Sieve		100	%
Calcium3	15.55	23.6	
Magnesium3	12.99	12.5	
Moisture3		7.82	%
Total Neutralizing Power	103.7	103.7	%

Site: Ground Level Development Woodville, OH 43469

Collected: 9/28/2006

<u>Test</u>	<u>Claim</u>	<u>Result</u>	<u>Units</u>
#100 US Sieve		88	%
#20 US Sieve		100	%
#60 US Sieve		98	%
#8 US Sieve		100	%
Calcium3	23.6	25.4	%
Magnesium3	12.5	13.4	%
Moisture3		9.25	%
Total Neutralizing Power	103.7	106.2	%

Site: Growmark, Inc., E. Liverpo

Collected: 5/25/2006

<u>Test</u>	<u>Claim</u>	<u>Result</u>	<u>Units</u>
#100 US Sieve		0	%
#20 US Sieve		0	%
#60 US Sieve		0	%
#8 US Sieve		0	%
Calcium3	37	36.9	
Magnesium3	.1	3.18	
Moisture3		1.43	%
Total Neutralizing Power		88.9	%



Consumer Analytical Laboratory

Ohio Department of Agriculture
Consumer Analytical Laboratory
8995 East Main St. Bldg 3
Reynoldsburg, OH 43068
Phone: (614) 728-6230

ODA Plant Industry/Fertilizer-Lime APPROVED RESULTS sorted by Site LIME SAMPLES COLLECTED 1/1/2006 - 12/31/2006

Site: Hanson Aggregates Bloomville, OH 44828

Collected: 2/7/2006

<u>Test</u>	<u>Claim</u>	<u>Result</u>	<u>Units</u>
#100 US Sieve		41	%
#20 US Sieve		71	%
#60 US Sieve		46	%
#8 US Sieve		91	%
Calcium3	26.5	29.5	
Magnesium3	6	6.68	
Moisture3		11.03	%
Total Neutralizing Power	99	100.4	%

Site: Hanson Aggregates Winchester, OH 45697

Collected: 4/17/2006

<u>Test</u>	<u>Claim</u>	<u>Result</u>	<u>Units</u>
#100 US Sieve		36	%
#20 US Sieve		64	%
#60 US Sieve		44	%
#8 US Sieve		91	%
Calcium3	31	31.0	
Magnesium3	1	1.26	%
Moisture3		10.17	%
Total Neutralizing Power	85	81.1	%

Site: Hanson Aggregates

Collected: 6/1/2006

<u>Test</u>	<u>Claim</u>	<u>Result</u>	<u>Units</u>
#100 US Sieve		41	%
#20 US Sieve		64	%
#60 US Sieve		46	%
#8 US Sieve		88	%
Calcium3	18	29.3	
Magnesium3	6	8.02	
Moisture3		11.58	%
Total Neutralizing Power	85	96.4	%



Consumer Analytical Laboratory

Ohio Department of Agriculture
Consumer Analytical Laboratory
8995 East Main St. Bldg 3
Reynoldsburg, OH 43068
Phone: (614) 728-6230

ODA Plant Industry/Fertilizer-Lime APPROVED RESULTS sorted by Site LIME SAMPLES COLLECTED 1/1/2006 - 12/31/2006

Site: Hanson Aggregates Castalia, OH 44824

Collected: 9/14/2006

<u>Test</u>	<u>Claim</u>	<u>Result</u>	<u>Units</u>
#100 US Sieve		31	%
#20 US Sieve		71	%
#60 US Sieve		47	%
#8 US Sieve		99	%
Calcium3	30	30.9	%
Magnesium3	5	6.37	%
Moisture3		5.85	%
Total Neutralizing Power	95	101.1	%

Site: Hanson Aggregates Flatrock, OH 44828

Collected: 9/27/2006

<u>Test</u>	<u>Claim</u>	<u>Result</u>	<u>Units</u>
#100 US Sieve		36	%
#20 US Sieve		71	%
#60 US Sieve		50	%
#8 US Sieve		96	%
Calcium3	26	29.4	%
Magnesium3	8	9.26	%
Moisture3		5.60	%
Total Neutralizing Power	98	100.4	%

Site: Hanson Aggregates Bloomville, OH 44828

Collected: 9/27/2006

<u>Test</u>	<u>Claim</u>	<u>Result</u>	<u>Units</u>
#100 US Sieve		41	%
#20 US Sieve		66	%
#60 US Sieve		48	%
#8 US Sieve		85	%
Calcium3	26.5	31.3	%
Magnesium3	6	8.72	%
Moisture3		3.83	%
Total Neutralizing Power	99	106.2	%



Consumer Analytical Laboratory

Ohio Department of Agriculture
Consumer Analytical Laboratory
8995 East Main St. Bldg 3
Reynoldsburg, OH 43068
Phone: (614) 728-6230

ODA Plant Industry/Fertilizer-Lime APPROVED RESULTS sorted by Site LIME SAMPLES COLLECTED 1/1/2006 - 12/31/2006

Site: Hanson Aggregates	Paulding, OH 45879	Collected: 10/5/2006
Test	Claim	Result Units
#100 US Sieve		19 %
#20 US Sieve		61 %
#60 US Sieve		30 %
#8 US Sieve		87 %
Calcium3	18	27.9 %
Magnesium3	6	7.84 %
Moisture3		13.70 %
Total Neutralizing Power		107.1 %

Site: Hanson Aggregates	Sylvania, OH 43560	Collected: 10/24/2006
Test	Claim	Result Units
#100 US Sieve		32 %
#20 US Sieve		64 %
#60 US Sieve		41 %
#8 US Sieve		90 %
Calcium3	23	23.2 %
Magnesium3	10	10.7 %
Moisture3		8.70 %
Total Neutralizing Power	93	110.4 %

Site: Hanson Aggregates	Winchester, OH 45697	Collected: 10/16/2006
Test	Claim	Result Units
#100 US Sieve		34 %
#20 US Sieve		71 %
#60 US Sieve		42 %
#8 US Sieve		88 %
Calcium3	31	35.3 %
Magnesium3	1	1.20 %
Moisture3		2.93 %
Total Neutralizing Power	85	92.6 %



Consumer Analytical Laboratory

Ohio Department of Agriculture
Consumer Analytical Laboratory
8995 East Main St. Bldg 3
Reynoldsburg, OH 43068
Phone: (614) 728-6230

ODA Plant Industry/Fertilizer-Lime APPROVED RESULTS sorted by Site LIME SAMPLES COLLECTED 1/1/2006 - 12/31/2006

Site: Hanson Aggregates Peebles, OH 45660

Collected: 10/16/2006

<u>Test</u>	<u>Claim</u>	<u>Result</u>	<u>Units</u>
#100 US Sieve		40	%
#20 US Sieve		76	%
#60 US Sieve		56	%
#8 US Sieve		98	%
Calcium3	20	20.8	%
Magnesium3	12	12.3	%
Moisture3		9.48	%
Total Neutralizing Power	100	106.4	%

Site: Hanson Aggregates Peebles, OH 45660

Collected: 10/16/2006

<u>Test</u>	<u>Claim</u>	<u>Result</u>	<u>Units</u>
#100 US Sieve		19	%
#20 US Sieve		56	%
#60 US Sieve		30	%
#8 US Sieve		86	%
Calcium3	20	21.3	%
ENP	1088 lb/TN	1019	lbs/ton
Magnesium3	12	12.7	%
Moisture3		5.44	%
Total Neutralizing Power	100	104.4	%

Site: Hanson Aggregates Peebles, OH 45660

Collected: 10/16/2006

<u>Test</u>	<u>Claim</u>	<u>Result</u>	<u>Units</u>
#100 US Sieve		91	%
#20 US Sieve		100	%
#60 US Sieve		100	%
#8 US Sieve		100	%
Calcium3	21	22.7	%
ENP	2000 lb/Tn	2201	lbs/ton
Magnesium3	12	12.9	%
Moisture3		.67	%
Total Neutralizing Power	100	110.8	%



Consumer Analytical Laboratory

Ohio Department of Agriculture
Consumer Analytical Laboratory
8995 East Main St. Bldg 3
Reynoldsburg, OH 43068
Phone: (614) 728-6230

ODA Plant Industry/Fertilizer-Lime APPROVED RESULTS sorted by Site LIME SAMPLES COLLECTED 1/1/2006 - 12/31/2006

Site: Heath WTP	Heath, OH 43056	Collected: 5/15/2006	
Test	Claim	Result Units	
Calcium3	34.0	41.4	
Magnesium3	1.53	1.88	
Moisture3		50.61	%
Total Neutralizing Power	100.2	98.3	%

Site: Highland Stone Div.	Hillsboro, OH 45153	Collected: 10/19/2006
Test	Claim	Result Units
#100 US Sieve		38 %
#20 US Sieve		70 %
#60 US Sieve		46 %
#8 US Sieve		91 %
Calcium3	31	30.7 %
Magnesium3	1	1.41 %
Moisture3		2.76 %
Total Neutralizing Power	85	89.9 %

Site: Highland Stone Division	Hillsboro, OH 45133	Collected: 4/10/2006
Test	Claim	Result Units
#100 US Sieve		30 %
#20 US Sieve		71 %
#60 US Sieve		44 %
#8 US Sieve		90 %
Calcium3	31	35.8 %
Magnesium3	1	0.96 %
Moisture3		2.33 %
Total Neutralizing Power	85	98.1 %

Site: Honda of America	East Liberty, OH 43319	Collected: 4/27/2006	
Test	Claim	Result Units	
Calcium3		38.2	
Magnesium3		2.30	
Moisture3		61.14	%
Total Neutralizing Power		67.5	%



Consumer Analytical Laboratory

Ohio Department of Agriculture
Consumer Analytical Laboratory
8995 East Main St. Bldg 3
Reynoldsburg, OH 43068
Phone: (614) 728-6230

ODA Plant Industry/Fertilizer-Lime APPROVED RESULTS sorted by Site LIME SAMPLES COLLECTED 1/1/2006 - 12/31/2006

Site: Honda of America Anna, OH 45302

Collected: 5/3/2006

<u>Test</u>	<u>Claim</u>	<u>Result</u>	<u>Units</u>
Calcium3	20	34.9	
Magnesium3	2.5	2.93	%
Moisture3		65.69	%
Total Neutralizing Power	65	78.9	%

Site: Honda of America Marysville, OH 43040

Collected: 5/8/2006

<u>Test</u>	<u>Claim</u>	<u>Result</u>	<u>Units</u>
Calcium3	28	36.2	
Magnesium3	3.0	4.13	
Moisture3		66.03	%
Total Neutralizing Power	96.6	95.1	%

Site: Honda of America E. Liberty, OH 43319

Collected: 9/27/2006

<u>Test</u>	<u>Claim</u>	<u>Result</u>	<u>Units</u>
Calcium3	28	38.6	%
Magnesium3	3	3.06	%
Moisture3		63.93	%
Total Neutralizing Power	96.6	110.8	%

Site: Honda of America Anna, OH 45302

Collected: 10/10/2006 12

<u>Test</u>	<u>Claim</u>	<u>Result</u>	<u>Units</u>
Calcium3	20	35.2	%
Magnesium3	2.5	3.50	%
Moisture3		73.76	%
Total Neutralizing Power	65	82.3	%

Site: Hoopes Fertilizer E. Rochester, OH 49625

Collected: 5/17/2006

<u>Test</u>	<u>Claim</u>	<u>Result</u>	<u>Units</u>
#100 US Sieve		0	%
#20 US Sieve		0	%
#60 US Sieve		0	%
#8 US Sieve		0	%
Calcium3	20	23.7	
Magnesium3	12	11.7	
Moisture3		2.02	%
Total Neutralizing Power	97	97.4	%



Consumer Analytical Laboratory

Ohio Department of Agriculture
Consumer Analytical Laboratory
8995 East Main St. Bldg 3
Reynoldsburg, OH 43068
Phone: (614) 728-6230

ODA Plant Industry/Fertilizer-Lime APPROVED RESULTS sorted by Site LIME SAMPLES COLLECTED 1/1/2006 - 12/31/2006

Site: Huron Lime, Inc. Huron, OH 44839

Collected: 5/31/2006

<u>Test</u>	<u>Claim</u>	<u>Result</u>	<u>Units</u>
#100 US Sieve		91	%
#20 US Sieve		95	%
#60 US Sieve		94	%
#8 US Sieve		98	%
Calcium3	25	35.8	
Magnesium3	1	0.97	
Moisture3		44.06	%
Total Neutralizing Power	60	79.4	%

Site: Jackson County Water Co. Ray, OH 45672

Collected: 3/28/2006

<u>Test</u>	<u>Claim</u>	<u>Result</u>	<u>Units</u>
Calcium3	25	31.6	%
Magnesium3		0.15	%
Moisture3		7.01	%
Total Neutralizing Power	60	83.9	%

Site: Joseph Lime Co. Lima, OH 45804

Collected: 5/25/2006

<u>Test</u>	<u>Claim</u>	<u>Result</u>	<u>Units</u>
Calcium3	30	31.4	
Magnesium3	2	3.87	%
Moisture3		32.22	%
Total Neutralizing Power	90	88.4	%

Site: Joseph Lime Co. Lima, OH 45804

Collected: 5/25/2006

<u>Test</u>	<u>Claim</u>	<u>Result</u>	<u>Units</u>
Calcium3	30	31.5	
Magnesium3	2	3.62	%
Moisture3		41.09	%
Total Neutralizing Power	90	92.3	%



Consumer Analytical Laboratory

Ohio Department of Agriculture
Consumer Analytical Laboratory
8995 East Main St. Bldg 3
Reynoldsburg, OH 43068
Phone: (614) 728-6230

ODA Plant Industry/Fertilizer-Lime APPROVED RESULTS sorted by Site LIME SAMPLES COLLECTED 1/1/2006 - 12/31/2006

Site: Joseph Lime Co.

Lima, OH 45804

Collected: 10/4/2006

<u>Test</u>	<u>Claim</u>	<u>Result</u>	<u>Units</u>
#100 US Sieve		50	%
#20 US Sieve		62	%
#60 US Sieve		54	%
#8 US Sieve		77	%
Calcium3	30	34.1	%
Magnesium3	2	3.91	%
Moisture3		40.80	%
Total Neutralizing Power	90	94.9	%

Site: L & W Egg Products, Inc.

Millersburg, Oh 44654

Collected: 4/12/2006

<u>Test</u>	<u>Claim</u>	<u>Result</u>	<u>Units</u>
#100 US Sieve		100	%
#20 US Sieve		100	%
#60 US Sieve		100	%
#8 US Sieve		100	%
Calcium3	29	23.38	%
Magnesium3	10	11.31	%
Moisture3		41.04	%
Total Neutralizing Power	79.87	80.4	%

Site: L & W Egg Products, Inc.

Millersburg, Oh 44654

Collected: 4/12/2006

<u>Test</u>	<u>Claim</u>	<u>Result</u>	<u>Units</u>
#100 US Sieve		2	%
#20 US Sieve		10	%
#60 US Sieve		4	%
#8 US Sieve		58	%
Calcium3	37	35.74	%
Magnesium3	0.45	0.46	%
Moisture3	check	15.02	%
Total Neutralizing Power	59	80.4	%



Consumer Analytical Laboratory

Ohio Department of Agriculture
Consumer Analytical Laboratory
8995 East Main St. Bldg 3
Reynoldsburg, OH 43068
Phone: (614) 728-6230

ODA Plant Industry/Fertilizer-Lime APPROVED RESULTS sorted by Site LIME SAMPLES COLLECTED 1/1/2006 - 12/31/2006

Site: L & W Egg Products, Inc. Millersburg, OH 44654

Collected: 10/17/2006

<u>Test</u>	<u>Claim</u>	<u>Result</u>	<u>Units</u>
#100 US Sieve		99	%
#20 US Sieve		100	%
#60 US Sieve		100	%
#8 US Sieve		100	%
Calcium3	22	31.5	%
Magnesium3	10	16.6	%
Moisture3		47.62	%
Total Neutralizing Power	79.87	96.7	%

Site: L & W Egg Products, Inc. Millersburg, OH 44654

Collected: 10/17/2006

<u>Test</u>	<u>Claim</u>	<u>Result</u>	<u>Units</u>
#100 US Sieve		4	%
#20 US Sieve		17	%
#60 US Sieve		11	%
#8 US Sieve		53	%
Calcium3	33	38.1	%
Magnesium3	.44	0.56	%
Moisture3		11.41	%
Total Neutralizing Power	59	78.8	%

Site: LaFarge Construction Mate Warren, OH 44485

Collected: 5/15/2006

<u>Test</u>	<u>Claim</u>	<u>Result</u>	<u>Units</u>
#100 US Sieve		8	%
#20 US Sieve		50	%
#60 US Sieve		17	%
#8 US Sieve		82	%
Calcium3	25	31.2	
Magnesium3	7	6.76	
Moisture3		7.94	%
Total Neutralizing Power	92	92.1	%



Consumer Analytical Laboratory

Ohio Department of Agriculture
Consumer Analytical Laboratory
8995 East Main St. Bldg 3
Reynoldsburg, OH 43068
Phone: (614) 728-6230

ODA Plant Industry/Fertilizer-Lime APPROVED RESULTS sorted by Site LIME SAMPLES COLLECTED 1/1/2006 - 12/31/2006

Site: LaFarge North America, W Warren, OH 44481

Collected: 10/12/2006

<u>Test</u>	<u>Claim</u>	<u>Result</u>	<u>Units</u>
#100 US Sieve		8	%
#20 US Sieve		44	%
#60 US Sieve		21	%
#8 US Sieve		76	%
Calcium3	25	28.9	%
Magnesium3	7	7.41	%
Moisture3		10.03	%
Total Neutralizing Power	92	105.7	%

Site: Mahoning Valley Sanitary Mineral Ridge, OH 44440

Collected: 5/22/2006

<u>Test</u>	<u>Claim</u>	<u>Result</u>	<u>Units</u>
#100 US Sieve		98	%
#20 US Sieve		100	%
#60 US Sieve		100	%
#8 US Sieve		100	%
Calcium3	32.6	32.4	
Magnesium3	2.85	2.95	%
Moisture3		56.57	%
Total Neutralizing Power	92.5	90.7	%

Site: Mahoning Valley Sanitary Mineral Ridge, OH 44440

Collected: 5/22/2006

<u>Test</u>	<u>Claim</u>	<u>Result</u>	<u>Units</u>
#100 US Sieve		99	%
#20 US Sieve		100	%
#60 US Sieve		100	%
#8 US Sieve		100	%
Calcium3	32.6	33.0	
Magnesium3	2.85	3.15	%
Moisture3		49.45	%
Total Neutralizing Power	92.5	90.6	%



Consumer Analytical Laboratory

Ohio Department of Agriculture
Consumer Analytical Laboratory
8995 East Main St. Bldg 3
Reynoldsburg, OH 43068
Phone: (614) 728-6230

ODA Plant Industry/Fertilizer-Lime APPROVED RESULTS sorted by Site LIME SAMPLES COLLECTED 1/1/2006 - 12/31/2006

Site: Mahoning Valley Sanitary Mineral Ridge, OH 44440

Collected: 10/12/2006

<u>Test</u>	<u>Claim</u>	<u>Result</u>	<u>Units</u>
#100 US Sieve		100	%
#20 US Sieve		100	%
#60 US Sieve		100	%
#8 US Sieve		100	%
Calcium3	32.4	33.8	%
Magnesium3	2.95	3.35	%
Moisture3		44.93	%
Total Neutralizing Power	90.7	109.9	%

Site: Martin Marietta Magnesia Woodville, OH 34369

Collected: 9/28/2006

<u>Test</u>	<u>Claim</u>	<u>Result</u>	<u>Units</u>
#100 US Sieve		58	%
#20 US Sieve		73	%
#60 US Sieve		61	%
#8 US Sieve		94	%
Calcium3	22	25.2	%
Magnesium3	13	13.1	%
Moisture3		24.78	%
Total Neutralizing Power	105	106.9	%

Site: Melvin Stone Co. Wilmington, OH 45177

Collected: 5/24/2006

<u>Test</u>	<u>Claim</u>	<u>Result</u>	<u>Units</u>
#100 US Sieve		71	%
#20 US Sieve		84	%
#60 US Sieve		81	%
#8 US Sieve		95	%
Calcium3	21	22.0	
Magnesium3	12	11.3	%
Moisture3		4.44	%
Total Neutralizing Power	103	102.3	%



Consumer Analytical Laboratory

Ohio Department of Agriculture
Consumer Analytical Laboratory
8995 East Main St. Bldg 3
Reynoldsburg, OH 43068
Phone: (614) 728-6230

ODA Plant Industry/Fertilizer-Lime APPROVED RESULTS sorted by Site LIME SAMPLES COLLECTED 1/1/2006 - 12/31/2006

Site: Miami Valley Fertilizer & Se New Carlisle, OH 45344

Collected: 10/25/2006

<u>Test</u>	<u>Claim</u>	<u>Result</u>	<u>Units</u>
Calcium3	30	32.1	%
Magnesium3	4	5.24	%
Moisture3	Check	1.47	%
Total Neutralizing Power	95	110.2	%

Site: Miller Breweries East Trenton, OH 45067

Collected: 11/8/2006

<u>Test</u>	<u>Claim</u>	<u>Result</u>	<u>Units</u>
Calcium3	5.5	7.57	%
ENP	226	127	lb/ton
Magnesium3	.47	0.81	%
Moisture3		76.30	%
Total Neutralizing Power	11	26.8	%

Site: Miller Breweries East Trenton, OH 45067

Collected: 11/8/2006

<u>Test</u>	<u>Claim</u>	<u>Result</u>	<u>Units</u>
Calcium3	4	36.4	%
ENP	66	1169	lb/ton
Magnesium3	35	3.76	%
Moisture3		45.79	%
Total Neutralizing Power	11	107.8	%

Site: Miller Brewing Co. Trenton, OH 45067

Collected: 5/3/2006

<u>Test</u>	<u>Claim</u>	<u>Result</u>	<u>Units</u>
Calcium3	4	10.2	
Magnesium3	0.35	0.54	
Moisture3		70.00	%
Total Neutralizing Power	11	11.7	%



Consumer Analytical Laboratory

Ohio Department of Agriculture
Consumer Analytical Laboratory
8995 East Main St. Bldg 3
Reynoldsburg, OH 43068
Phone: (614) 728-6230

ODA Plant Industry/Fertilizer-Lime APPROVED RESULTS sorted by Site LIME SAMPLES COLLECTED 1/1/2006 - 12/31/2006

Site: Mineral Processing Carey, OH 43316

Collected: 5/2/2006

<u>Test</u>	<u>Claim</u>	<u>Result</u>	<u>Units</u>
#100 US Sieve		0	%
#20 US Sieve		0	%
#60 US Sieve		0	%
#8 US Sieve		0	%
Calcium3	20	22.1	
Magnesium3	12	11.3	%
Moisture3		1.54	%
Total Neutralizing Power	97	98.1	%

Site: Mineral Processing Carey, OH 43316

Collected: 5/3/2006

<u>Test</u>	<u>Claim</u>	<u>Result</u>	<u>Units</u>
#100 US Sieve		0	%
#20 US Sieve		0	%
#60 US Sieve		0	%
#8 US Sieve		0	%
Calcium3	30	30.1	
Magnesium3	4	4.72	%
Moisture3		2.19	%
Total Neutralizing Power	93	97.4	%

Site: Mineral Processing Carey, OH 43316

Collected: 10/25/2006

<u>Test</u>	<u>Claim</u>	<u>Result</u>	<u>Units</u>
#100 US Sieve		0	%
#20 US Sieve		0	%
#60 US Sieve		0	%
#8 US Sieve		0	%
Calcium3	20	21.6	%
Magnesium3	12	13.0	%
Moisture3		1.91	%
Total Neutralizing Power	97	103.9	%



Consumer Analytical Laboratory

Ohio Department of Agriculture
Consumer Analytical Laboratory
8995 East Main St. Bldg 3
Reynoldsburg, OH 43068
Phone: (614) 728-6230

ODA Plant Industry/Fertilizer-Lime APPROVED RESULTS sorted by Site LIME SAMPLES COLLECTED 1/1/2006 - 12/31/2006

Site: Mineral Processing

Carey, OH 43316

Collected: 10/25/2006

<u>Test</u>	<u>Claim</u>	<u>Result</u>	<u>Units</u>
#100 US Sieve		0	%
#20 US Sieve		0	%
#60 US Sieve		0	%
#8 US Sieve		0	%
Calcium3	30	31.1	%
Magnesium3	4	5.54	%
Moisture3		2.16	%
Total Neutralizing Power	93	107.9	%

Site: National Lime & Stone Co. Marion, OH 43302

Collected: 4/25/2006

<u>Test</u>	<u>Claim</u>	<u>Result</u>	<u>Units</u>
#100 US Sieve		40	%
#20 US Sieve		75	%
#60 US Sieve		49	%
#8 US Sieve		96	%
Calcium3	24	28.3	
Magnesium3	8	7.98	
Moisture3		11.33	%
Total Neutralizing Power	100	101.8	%

Site: National Lime & Stone Co. Delaware, OH 43015

Collected: 5/1/2006

<u>Test</u>	<u>Claim</u>	<u>Result</u>	<u>Units</u>
#100 US Sieve		12	%
#20 US Sieve		39	%
#60 US Sieve		22	%
#8 US Sieve		69	%
Calcium3	21.6	29.3	
Magnesium3	6.12	6.59	
Moisture3		5.43	%
Total Neutralizing Power	104.4	95.0	%



Consumer Analytical Laboratory

Ohio Department of Agriculture
Consumer Analytical Laboratory
8995 East Main St. Bldg 3
Reynoldsburg, OH 43068
Phone: (614) 728-6230

ODA Plant Industry/Fertilizer-Lime APPROVED RESULTS sorted by Site LIME SAMPLES COLLECTED 1/1/2006 - 12/31/2006

Site: National Lime & Stone Co. Carey, OH 43316

Collected: 5/3/2006

<u>Test</u>	<u>Claim</u>	<u>Result</u>	<u>Units</u>
Calcium3	12	16.0	
Magnesium3	7	8.36	%
Moisture3		1.38	%
Total Neutralizing Power	60	71.4	%

Site: National Lime & Stone Co. Carey, OH 43316

Collected: 5/3/2006

<u>Test</u>	<u>Claim</u>	<u>Result</u>	<u>Units</u>
#100 US Sieve		71	%
#20 US Sieve		91	%
#60 US Sieve		78	%
#8 US Sieve		98	%
Calcium3	21	22.9	
Magnesium3	12	11.8	%
Moisture3		5.92	%
Total Neutralizing Power	105	111.9	%

Site: National Lime & Stone Co. Bucyrus, OH 44820

Collected: 5/16/2006

<u>Test</u>	<u>Claim</u>	<u>Result</u>	<u>Units</u>
#100 US Sieve		51	%
#20 US Sieve		66	%
#60 US Sieve		64	%
#8 US Sieve		87	%
Calcium3	30	34.4	
Magnesium3	4	5.16	
Moisture3		6.02	%
Total Neutralizing Power	97	93.2	%



Consumer Analytical Laboratory

Ohio Department of Agriculture
Consumer Analytical Laboratory
8995 East Main St. Bldg 3
Reynoldsburg, OH 43068
Phone: (614) 728-6230

ODA Plant Industry/Fertilizer-Lime APPROVED RESULTS sorted by Site LIME SAMPLES COLLECTED 1/1/2006 - 12/31/2006

Site: National Lime & Stone Co. Buckland, OH 45819

Collected: 5/17/2006

<u>Test</u>	<u>Claim</u>	<u>Result</u>	<u>Units</u>
#100 US Sieve		38	%
#20 US Sieve		72	%
#60 US Sieve		46	%
#8 US Sieve		92	%
Calcium3	20	24.8	
Magnesium3	11	11.6	%
Moisture3		12.06	%
Total Neutralizing Power	98	100.8	%

Site: National Lime & Stone Co. Upper Sandusky, OH 43351

Collected: 5/22/2006

<u>Test</u>	<u>Claim</u>	<u>Result</u>	<u>Units</u>
#100 US Sieve		94	%
#20 US Sieve		100	%
#60 US Sieve		99	%
#8 US Sieve		100	%
Calcium3	30	31.6	
Magnesium3	4	5.47	%
Moisture3		.32	%
Total Neutralizing Power	97	97.5	%

Site: National Lime & Stone Co. Upper Sandusky, OH 43351

Collected: 5/22/2006

<u>Test</u>	<u>Claim</u>	<u>Result</u>	<u>Units</u>
#100 US Sieve		94	%
#20 US Sieve		100	%
#60 US Sieve		99	%
#8 US Sieve		100	%
Calcium3	21	22.9	
Magnesium3	12	11.8	%
Moisture3		.28	%
Total Neutralizing Power	105	105.6	%



Consumer Analytical Laboratory

Ohio Department of Agriculture
Consumer Analytical Laboratory
8995 East Main St. Bldg 3
Reynoldsburg, OH 43068
Phone: (614) 728-6230

ODA Plant Industry/Fertilizer-Lime APPROVED RESULTS sorted by Site LIME SAMPLES COLLECTED 1/1/2006 - 12/31/2006

Site: National Lime & Stone Co. Buckland, OH 45819

Collected: 9/20/2006

<u>Test</u>	<u>Claim</u>	<u>Result</u>	<u>Units</u>
#100 US Sieve		29	%
#20 US Sieve		66	%
#60 US Sieve		40	%
#8 US Sieve		96	%
Calcium3	20	24.2	%
Magnesium3	11	12.7	%
Moisture3		11.33	%
Total Neutralizing Power	98	100.4	%

Site: National Lime & Stone Co. Bucyrus, OH 44820

Collected: 10/18/2006

<u>Test</u>	<u>Claim</u>	<u>Result</u>	<u>Units</u>
#100 US Sieve		52	%
#20 US Sieve		90	%
#60 US Sieve		66	%
#8 US Sieve		98	%
Calcium3	30	34.0	%
Magnesium3	4	5.09	%
Moisture3		4.14	%
Total Neutralizing Power	97	103.9	%

Site: National Lime & Stone Co. Marion, OH 43302

Collected: 10/24/2006

<u>Test</u>	<u>Claim</u>	<u>Result</u>	<u>Units</u>
#100 US Sieve		44	%
#20 US Sieve		78	%
#60 US Sieve		56	%
#8 US Sieve		98	%
Calcium3	24	24.8	%
Magnesium3	8	10.8	%
Moisture3		12.90	%
Total Neutralizing Power	100	112.1	%



Consumer Analytical Laboratory

Ohio Department of Agriculture
Consumer Analytical Laboratory
8995 East Main St. Bldg 3
Reynoldsburg, OH 43068
Phone: (614) 728-6230

ODA Plant Industry/Fertilizer-Lime APPROVED RESULTS sorted by Site LIME SAMPLES COLLECTED 1/1/2006 - 12/31/2006

Site: National Lime & Stone Co. Carey, OH 43316

Collected: 10/25/2006

<u>Test</u>	<u>Claim</u>	<u>Result</u>	<u>Units</u>
#100 US Sieve		57	%
#20 US Sieve		91	%
#60 US Sieve		69	%
#8 US Sieve		98	%
Calcium3	21	22.0	%
Magnesium3	12	13.3	%
Moisture3		4.78	%
Total Neutralizing Power	105	105.6	%

Site: National Lime & Stone Co. Carey, OH 43316

Collected: 10/25/2006

<u>Test</u>	<u>Claim</u>	<u>Result</u>	<u>Units</u>
Calcium3	12	16.2	%
Magnesium3	7	10.2	%
Moisture3		3.68	%
Total Neutralizing Power	60	80.9	%

Site: National Lime & Stone Co. Upper Sandusky, OH 43351

Collected: 11/6/2006

<u>Test</u>	<u>Claim</u>	<u>Result</u>	<u>Units</u>
#100 US Sieve		94	%
#20 US Sieve		100	%
#60 US Sieve		99	%
#8 US Sieve		100	%
Calcium3	21	23.2	%
ENP	2060	2259	lb/ton
Magnesium3	12	12.7	%
Moisture3		0.35	%
Total Neutralizing Power	105	113.8	%

Site: Newark Water Treatment P Newark, OH 43055

Collected: 5/15/2006

<u>Test</u>	<u>Claim</u>	<u>Result</u>	<u>Units</u>
Calcium3		37.7	
Magnesium3		2.03	
Moisture3		44.02	%
Total Neutralizing Power		90.1	%



Consumer Analytical Laboratory

Ohio Department of Agriculture
Consumer Analytical Laboratory
8995 East Main St. Bldg 3
Reynoldsburg, OH 43068
Phone: (614) 728-6230

ODA Plant Industry/Fertilizer-Lime APPROVED RESULTS sorted by Site LIME SAMPLES COLLECTED 1/1/2006 - 12/31/2006

Site: Nofziger Farm Service Wauseon, OH 43567

Collected: 10/18/2006

<u>Test</u>	<u>Claim</u>	<u>Result</u>	<u>Units</u>
#100 US Sieve		46	%
#20 US Sieve		70	%
#60 US Sieve		52	%
#8 US Sieve		93	%
Calcium3	28.5	28.0	%
Magnesium3	3.5	7.47	%
Moisture3		13.18	%
Total Neutralizing Power	85	107.9	%

Site: Oberlin Water Plant Oberlin, OH 44047

Collected: 9/25/2006

<u>Test</u>	<u>Claim</u>	<u>Result</u>	<u>Units</u>
Calcium3	34.8	36.92	%
Magnesium3	3.95	3.73	%
Moisture3		83.84	%
Total Neutralizing Power	91.84	100.4	%

Site: Ohio Asphaltic Limestone Hillsboro, OH 45133

Collected: 3/30/2006

<u>Test</u>	<u>Claim</u>	<u>Result</u>	<u>Units</u>
Calcium3	20	21.0	%
Magnesium3	11	12.06	%
Moisture3		6.33	%
Total Neutralizing Power	100	107.3	%

Site: Ohio Asphaltic Limestone Hillsboro, OH 45133

Collected: 10/19/2006

<u>Test</u>	<u>Claim</u>	<u>Result</u>	<u>Units</u>
#100 US Sieve		44	%
#20 US Sieve		76	%
#60 US Sieve		52	%
#8 US Sieve		91	%
Calcium3	20	21.3	%
Magnesium3	11	12.5	%
Moisture3		11.87	%
Total Neutralizing Power	100	110.7	%



Consumer Analytical Laboratory

Ohio Department of Agriculture
Consumer Analytical Laboratory
8995 East Main St. Bldg 3
Reynoldsburg, OH 43068
Phone: (614) 728-6230

ODA Plant Industry/Fertilizer-Lime APPROVED RESULTS sorted by Site LIME SAMPLES COLLECTED 1/1/2006 - 12/31/2006

Site: Oregon Water Treatment P Oregon, OH 43618

Collected: 1/11/2006

<u>Test</u>	<u>Claim</u>	<u>Result</u>	<u>Units</u>
Calcium3	22	27.7	
Magnesium3	2	3.17	
Moisture3		92.58	%
Total Neutralizing Power	55	79.9	%

Site: Oregon Water Treatment P Oregon, OH 43618

Collected: 9/19/2006

<u>Test</u>	<u>Claim</u>	<u>Result</u>	<u>Units</u>
Calcium3	22	29.2	%
Magnesium3	2	4.06	%
Moisture3		91.91	%
Total Neutralizing Power	55	89.9	%

Site: Ottawa H2O Plant Ottawa, OH 45875

Collected: 5/12/2006

<u>Test</u>	<u>Claim</u>	<u>Result</u>	<u>Units</u>
Calcium3	30	35.8	
Magnesium3	4	3.53	
Moisture3		74.72	%
Total Neutralizing Power	85	86.4	%

Site: P & C Dock Co. Conneaut, OH 44030

Collected: 12/5/2006

<u>Test</u>	<u>Claim</u>	<u>Result</u>	<u>Units</u>
#100 US Sieve		30	%
#20 US Sieve		70	%
#60 US Sieve		40	%
#8 US Sieve		87	%
Calcium3	36	39.4	%
ENP	1000 lb/tn	1111	lb/ton
Magnesium3	.3	0.84	%
Moisture3		9.64	%
Total Neutralizing Power	97	100.1	%



Consumer Analytical Laboratory

Ohio Department of Agriculture
Consumer Analytical Laboratory
8995 East Main St. Bldg 3
Reynoldsburg, OH 43068
Phone: (614) 728-6230

ODA Plant Industry/Fertilizer-Lime APPROVED RESULTS sorted by Site LIME SAMPLES COLLECTED 1/1/2006 - 12/31/2006

Site: P & C Dock Co.

Conneaut, OH 44030

Collected: 12/5/2006

<u>Test</u>	<u>Claim</u>	<u>Result</u>	<u>Units</u>
#100 US Sieve		26	%
#20 US Sieve		62	%
#60 US Sieve		34	%
#8 US Sieve		92	%
Calcium3	20	21.9	%
ENP	1032	1150	lb/ton
Magnesium3	9	12.7	%
Moisture3		6.60	%
Total Neutralizing Power	103	108.4	%

Site: Piqua Mineral

Piqua, OH 45356

Collected: 3/27/2006

<u>Test</u>	<u>Claim</u>	<u>Result</u>	<u>Units</u>
#100 US Sieve		85	%
#20 US Sieve		100	%
#60 US Sieve		96	%
#8 US Sieve		100	%
Calcium3	34	33.3	%
Magnesium3	4	3.59	%
Moisture3	check	.26	%
Total Neutralizing Power	100	106.3	%

Site: Piqua Mineral

Collected: 9/28/2006

<u>Test</u>	<u>Claim</u>	<u>Result</u>	<u>Units</u>
#100 US Sieve		90	%
#20 US Sieve		100	%
#60 US Sieve		96	%
#8 US Sieve		100	%
Calcium3	24	40.0	%
Magnesium3	4	3.89	%
Moisture3	check	.27	%
Total Neutralizing Power	100	110.1	%



Consumer Analytical Laboratory

Ohio Department of Agriculture
Consumer Analytical Laboratory
8995 East Main St. Bldg 3
Reynoldsburg, OH 43068
Phone: (614) 728-6230

ODA Plant Industry/Fertilizer-Lime APPROVED RESULTS sorted by Site LIME SAMPLES COLLECTED 1/1/2006 - 12/31/2006

Site: Plum Run Stone Peebles, OH 45660 **Collected:** 4/11/2006

<u>Test</u>	<u>Claim</u>	<u>Result</u>	<u>Units</u>
#100 US Sieve		39	%
#20 US Sieve		72	%
#60 US Sieve		50	%
#8 US Sieve		92	%
Calcium3	20	21.5	%
Magnesium3	12	10.19	%
Moisture3		6.82	%
Total Neutralizing Power	100	110.7	%

Site: Plum Run Stone Peebles, OH 45660 **Collected:** 4/11/2006

<u>Test</u>	<u>Claim</u>	<u>Result</u>	<u>Units</u>
#100 US Sieve		30	%
#20 US Sieve		53	%
#60 US Sieve		36	%
#8 US Sieve		84	%
Calcium3	20	21.6	%
Magnesium3	12	13.07	%
Moisture3		6.26	%
Total Neutralizing Power	100	106.5	%

Site: Plum Run Stone Peebles, OH 45660 **Collected:** 4/11/2006

<u>Test</u>	<u>Claim</u>	<u>Result</u>	<u>Units</u>
#100 US Sieve		91	%
#20 US Sieve		100	%
#60 US Sieve		100	%
#8 US Sieve		100	%
Calcium3	21	23.3	%
Magnesium3	12	11.16	%
Moisture3		.25	%
Total Neutralizing Power	100	107.8	%



Consumer Analytical Laboratory

Ohio Department of Agriculture
Consumer Analytical Laboratory
8995 East Main St. Bldg 3
Reynoldsburg, OH 43068
Phone: (614) 728-6230

ODA Plant Industry/Fertilizer-Lime APPROVED RESULTS sorted by Site LIME SAMPLES COLLECTED 1/1/2006 - 12/31/2006

Site: Roseville Water Dept. Roseville, OH 43777

Collected: 5/2/2006

<u>Test</u>	<u>Claim</u>	<u>Result</u>	<u>Units</u>
Calcium3	26.20	35.6	
Magnesium3	5.31	5.38	%
Moisture3		88.66	%
Total Neutralizing Power	92.2	92.6	%

Site: Roseville Water Dept.

Collected: 10/23/2006

<u>Test</u>	<u>Claim</u>	<u>Result</u>	<u>Units</u>
Calcium3	26.2	32.9	%
ENP	210 lb/Tn	147	lb/ton
Magnesium3	5.31	5.47	%
Moisture3		92.67	%
Total Neutralizing Power	92.2	100.3	%

Site: S & L Fertilizer Co. Toledo, OH 43605

Collected: 10/4/2006

<u>Test</u>	<u>Claim</u>	<u>Result</u>	<u>Units</u>
Calcium3	28	33.1	%
Magnesium3	2	3.54	%
Moisture3		38.40	%
Total Neutralizing Power	80	102.2	%

Site: Scioto Co. Regional Water Lucasville, OH 45648

Collected: 4/11/2006

<u>Test</u>	<u>Claim</u>	<u>Result</u>	<u>Units</u>
Calcium3	19	35.7	%
Magnesium3	1	1.80	%
Moisture3		58.93	%
Total Neutralizing Power	90	104.3	%

Site: Scioto Co. Regional Water Lucasville, OH 45648

Collected: 10/18/2006

<u>Test</u>	<u>Claim</u>	<u>Result</u>	<u>Units</u>
Calcium3	19.5	35.1	%
Magnesium3	1.5	2.42	%
Moisture3		42.99	%
Total Neutralizing Power	96.3	103.6	%



Consumer Analytical Laboratory

Ohio Department of Agriculture
Consumer Analytical Laboratory
8995 East Main St. Bldg 3
Reynoldsburg, OH 43068
Phone: (614) 728-6230

ODA Plant Industry/Fertilizer-Lime APPROVED RESULTS sorted by Site LIME SAMPLES COLLECTED 1/1/2006 - 12/31/2006

Site: Shelly Materials, Inc. Kenton, OH 43326 **Collected:** 4/25/2006

<u>Test</u>	<u>Claim</u>	<u>Result</u>	<u>Units</u>
#100 US Sieve		26	%
#20 US Sieve		62	%
#60 US Sieve		41	%
#8 US Sieve		92	%
Calcium3	20	24.3	
Magnesium3	10	10.3	
Moisture3		4.16	%
Total Neutralizing Power	102	107.8	%

Site: Shelly Materials, Inc. E. Fultonham, Ohio 43735 **Collected:** 5/2/2006

<u>Test</u>	<u>Claim</u>	<u>Result</u>	<u>Units</u>
#100 US Sieve		46	%
#20 US Sieve		75	%
#60 US Sieve		53	%
#8 US Sieve		94	%
Calcium3	28	35.6	
Magnesium3	3	2.24	%
Moisture3		3.91	%
Total Neutralizing Power	90	92.9	%

Site: Shelly Materials, Inc. Forest, OH 45843 **Collected:** 4/25/2006

<u>Test</u>	<u>Claim</u>	<u>Result</u>	<u>Units</u>
#100 US Sieve		34	%
#20 US Sieve		78	%
#60 US Sieve		52	%
#8 US Sieve		98	%
Calcium3	20	24.3	
Magnesium3	11	10.5	
Moisture3		3.68	%
Total Neutralizing Power	95	99.8	%



Consumer Analytical Laboratory

Ohio Department of Agriculture
Consumer Analytical Laboratory
8995 East Main St. Bldg 3
Reynoldsburg, OH 43068
Phone: (614) 728-6230

ODA Plant Industry/Fertilizer-Lime APPROVED RESULTS sorted by Site LIME SAMPLES COLLECTED 1/1/2006 - 12/31/2006

Site: Shelly Materials, Inc.	W. Mansfield, OH 43358	Collected: 5/2/2006
<u>Test</u>	<u>Claim</u>	<u>Result</u> <u>Units</u>
Calcium3	20	23.0
Magnesium3	10	10.2
Moisture3		3.51 %
Total Neutralizing Power	98	99.4 %

Site: Shelly Materials, Inc.	Belle Center, OH 43310	Collected: 5/23/2006
<u>Test</u>	<u>Claim</u>	<u>Result</u> <u>Units</u>
#100 US Sieve		29 %
#20 US Sieve		68 %
#60 US Sieve		42 %
#8 US Sieve		94 %
Calcium3	20	21.8
Magnesium3	10	11.3 %
Moisture3		7.56 %
Total Neutralizing Power	100	95.6 %

Site: Shelly Materials, Inc.	Ostrander, OH 43061	Collected: 8/31/2006
<u>Test</u>	<u>Claim</u>	<u>Result</u> <u>Units</u>
#100 US Sieve		50 %
#20 US Sieve		74 %
#60 US Sieve		66 %
#8 US Sieve		94 %
Calcium3	28	31.8 %
Magnesium3	3	7.44 %
Moisture3		7.53 %
Total Neutralizing Power	95	107.0 %



Consumer Analytical Laboratory

Ohio Department of Agriculture
Consumer Analytical Laboratory
8995 East Main St. Bldg 3
Reynoldsburg, OH 43068
Phone: (614) 728-6230

ODA Plant Industry/Fertilizer-Lime APPROVED RESULTS sorted by Site LIME SAMPLES COLLECTED 1/1/2006 - 12/31/2006

Site: Shelly Materials, Inc. Belle Center, OH 43310 **Collected:** 9/25/2006

<u>Test</u>	<u>Claim</u>	<u>Result</u>	<u>Units</u>
#100 US Sieve		32	%
#20 US Sieve		62	%
#60 US Sieve		41	%
#8 US Sieve		91	%
Calcium3	20	23.8	%
Magnesium3	10	12.2	%
Moisture3		6.77	%
Total Neutralizing Power	100	106.9	%

Site: Shelly Materials, Inc. Forest, OH 45843 **Collected:** 9/26/2006

<u>Test</u>	<u>Claim</u>	<u>Result</u>	<u>Units</u>
#100 US Sieve		36	%
#20 US Sieve		78	%
#60 US Sieve		51	%
#8 US Sieve		98	%
Calcium3	20	24.6	%
Magnesium3	11	12.8	%
Moisture3		5.60	%
Total Neutralizing Power	95	107.4	%

Site: Shelly Materials, Inc. Kenton, OH 43326 **Collected:** 10/24/2006

<u>Test</u>	<u>Claim</u>	<u>Result</u>	<u>Units</u>
#100 US Sieve		19	%
#20 US Sieve		53	%
#60 US Sieve		36	%
#8 US Sieve		94	%
Calcium3	20	22.4	%
Magnesium3	10	13.3	%
Moisture3		4.32	%
Total Neutralizing Power	102	114.4	%



Consumer Analytical Laboratory

Ohio Department of Agriculture
Consumer Analytical Laboratory
8995 East Main St. Bldg 3
Reynoldsburg, OH 43068
Phone: (614) 728-6230

ODA Plant Industry/Fertilizer-Lime APPROVED RESULTS sorted by Site LIME SAMPLES COLLECTED 1/1/2006 - 12/31/2006

Site: Shelly Materials, Inc. E. Fultonham, OH 43733 **Collected:** 10/23/2006

<u>Test</u>	<u>Claim</u>	<u>Result</u>	<u>Units</u>
#100 US Sieve		39	%
#20 US Sieve		74	%
#60 US Sieve		54	%
#8 US Sieve		94	%
Calcium3	28	34.0	%
ENP	1200 lb/tn	1289	lb/ton
Magnesium3	3	3.04	%
Moisture3		4.41	%
Total Neutralizing Power	90	96.3	%

Site: Specialty Mineral W. Carrollton, OH 45449 **Collected:** 4/5/2006

<u>Test</u>	<u>Claim</u>	<u>Result</u>	<u>Units</u>
Calcium3	20	35.7	%
Magnesium3	2	2.54	%
Moisture3	check	26.12	%
Total Neutralizing Power	65	79.9	%

Site: Specialty Minerals W. Carrollton, OH 45449 **Collected:** 10/17/2006

<u>Test</u>	<u>Claim</u>	<u>Result</u>	<u>Units</u>
Calcium3	20	35.3	%
Magnesium3	2	3.94	%
Moisture3	check	38.55	%
Total Neutralizing Power	65	87.9	%

Site: Stansley Mineral Resource Genoa, OH 43430 **Collected:** 9/19/2006

<u>Test</u>	<u>Claim</u>	<u>Result</u>	<u>Units</u>
#100 US Sieve		23	%
#20 US Sieve		46	%
#60 US Sieve		29	%
#8 US Sieve		72	%
Calcium3	23.17	23.2	%
Magnesium3	12.26	12.2	%
Moisture3		6.25	%
Total Neutralizing Power	106	109.1	%



Consumer Analytical Laboratory

Ohio Department of Agriculture
Consumer Analytical Laboratory
8995 East Main St. Bldg 3
Reynoldsburg, OH 43068
Phone: (614) 728-6230

ODA Plant Industry/Fertilizer-Lime APPROVED RESULTS sorted by Site LIME SAMPLES COLLECTED 1/1/2006 - 12/31/2006

Site: Stansley Mineral Resource Genoa, OH 43430

Collected: 9/19/2006

<u>Test</u>	<u>Claim</u>	<u>Result</u>	<u>Units</u>
#100 US Sieve		22	%
#20 US Sieve		34	%
#60 US Sieve		25	%
#8 US Sieve		47	%
Calcium3	23	23.3	%
Magnesium3	12	12.8	%
Moisture3		5.10	%
Total Neutralizing Power	106	108.3	%

Site: Stone Co. Oakwood, OH 45873

Collected: 4/17/2006

<u>Test</u>	<u>Claim</u>	<u>Result</u>	<u>Units</u>
#100 US Sieve		26	%
#20 US Sieve		61	%
#60 US Sieve		36	%
#8 US Sieve		87	%
Calcium3	28	31.8	
Magnesium3	7	3.69	
Moisture3		5.95	%
Total Neutralizing Power	100	103.1	%

Site: Stone Co. Perrysburg, OH 43551

Collected: 4/25/2006

<u>Test</u>	<u>Claim</u>	<u>Result</u>	<u>Units</u>
#100 US Sieve		80	%
#20 US Sieve		93	%
#60 US Sieve		88	%
#8 US Sieve		97	%
Calcium3	21	24.3	
Magnesium3	11	10.4	
Moisture3		9.66	%
Total Neutralizing Power	101	105.5	%



Consumer Analytical Laboratory

Ohio Department of Agriculture
Consumer Analytical Laboratory
8995 East Main St. Bldg 3
Reynoldsburg, OH 43068
Phone: (614) 728-6230

ODA Plant Industry/Fertilizer-Lime APPROVED RESULTS sorted by Site LIME SAMPLES COLLECTED 1/1/2006 - 12/31/2006

Site: Stone Co.

Portage, OH 43451

Collected: 4/18/2006

<u>Test</u>	<u>Claim</u>	<u>Result</u>	<u>Units</u>
#100 US Sieve		82	%
#20 US Sieve		92	%
#60 US Sieve		87	%
#8 US Sieve		97	%
Calcium3	19	23.6	
Magnesium3	11	10.2	
Moisture3		9.45	%
Total Neutralizing Power	102	104.3	%

Site: Stone Co.

Carey, OH 43316

Collected: 5/3/2006

<u>Test</u>	<u>Claim</u>	<u>Result</u>	<u>Units</u>
#100 US Sieve		81	%
#20 US Sieve		97	%
#60 US Sieve		91	%
#8 US Sieve		100	%
Calcium3	21	23.1	
Magnesium3	12	12.0	%
Moisture3		10.51	%
Total Neutralizing Power	105	112.1	%

Site: Stone Co.

Convoy, OH 45832

Collected: 5/2/2006

<u>Test</u>	<u>Claim</u>	<u>Result</u>	<u>Units</u>
#100 US Sieve		76	%
#20 US Sieve		87	%
#60 US Sieve		80	%
#8 US Sieve		98	%
Calcium3	19	22.9	
Magnesium3	11	11.7	%
Moisture3		10.96	%
Total Neutralizing Power	101	104.3	%



Consumer Analytical Laboratory

Ohio Department of Agriculture
Consumer Analytical Laboratory
8995 East Main St. Bldg 3
Reynoldsburg, OH 43068
Phone: (614) 728-6230

ODA Plant Industry/Fertilizer-Lime APPROVED RESULTS sorted by Site LIME SAMPLES COLLECTED 1/1/2006 - 12/31/2006

Site: Stone Co.	Celina, OH 45822	Collected: 5/22/2006
<u>Test</u>	<u>Claim</u>	<u>Result</u> <u>Units</u>
#100 US Sieve		24 %
#20 US Sieve		62 %
#60 US Sieve		38 %
#8 US Sieve		92 %
Calcium3	20	22.1
Magnesium3	12	11.8 %
Moisture3		2.86 %
Total Neutralizing Power	103	104.6 %

Site: Stone Co.	Portage, OH 43451	Collected: 8/23/2006
<u>Test</u>	<u>Claim</u>	<u>Result</u> <u>Units</u>
#100 US Sieve		83 %
#20 US Sieve		92 %
#60 US Sieve		88 %
#8 US Sieve		98 %
Calcium3	19	21.2 %
Magnesium3	11	12.5 %
Moisture3		6.90 %
Total Neutralizing Power	102	106.1 %

Site: Stone Co.	Celina, OH 45822	Collected: 9/21/2006
<u>Test</u>	<u>Claim</u>	<u>Result</u> <u>Units</u>
#100 US Sieve		26 %
#20 US Sieve		80 %
#60 US Sieve		46 %
#8 US Sieve		91 %
Calcium3	20	24.9 %
Magnesium3	12	13.0 %
Moisture3		3.91 %
Total Neutralizing Power	103	106.2 %



Consumer Analytical Laboratory

Ohio Department of Agriculture
Consumer Analytical Laboratory
8995 East Main St. Bldg 3
Reynoldsburg, OH 43068
Phone: (614) 728-6230

ODA Plant Industry/Fertilizer-Lime APPROVED RESULTS sorted by Site LIME SAMPLES COLLECTED 1/1/2006 - 12/31/2006

Site: Stone Co. Convoy, OH 45832 Collected: 9/28/2006

<u>Test</u>	<u>Claim</u>	<u>Result</u>	<u>Units</u>
#100 US Sieve		79	%
#20 US Sieve		87	%
#60 US Sieve		83	%
#8 US Sieve		98	%
Calcium3	19	25.1	%
Magnesium3	11	13.2	%
Moisture3		8.78	%
Total Neutralizing Power	101	121.4	%

Site: Stone Co. Perrysburg, OH 43551 Collected: 9/21/2006

<u>Test</u>	<u>Claim</u>	<u>Result</u>	<u>Units</u>
#100 US Sieve		86	%
#20 US Sieve		93	%
#60 US Sieve		90	%
#8 US Sieve		98	%
Calcium3	21	23.5	%
Magnesium3	11	12.9	%
Moisture3		10.38	%
Total Neutralizing Power	101	116.9	%

Site: Stone Co. Oakwood, OH 45873 Collected: 10/24/2006

<u>Test</u>	<u>Claim</u>	<u>Result</u>	<u>Units</u>
#100 US Sieve		22	%
#20 US Sieve		61	%
#60 US Sieve		32	%
#8 US Sieve		89	%
Calcium3	28	30.8	%
ENP	970 lb/Tn	1065	lbs/ton
Magnesium3	7	7.62	%
Moisture3		6.57	%
Total Neutralizing Power	100	103.6	%



Consumer Analytical Laboratory

Ohio Department of Agriculture
Consumer Analytical Laboratory
8995 East Main St. Bldg 3
Reynoldsburg, OH 43068
Phone: (614) 728-6230

ODA Plant Industry/Fertilizer-Lime APPROVED RESULTS sorted by Site LIME SAMPLES COLLECTED 1/1/2006 - 12/31/2006

Site: Stoneco

Carey, OH 43316

Collected: 10/25/2006

<u>Test</u>	<u>Claim</u>	<u>Result</u>	<u>Units</u>
#100 US Sieve		82	%
#20 US Sieve		98	%
#60 US Sieve		92	%
#8 US Sieve		100	%
Calcium3	21	22.0	%
Magnesium3	12	13.3	%
Moisture3		11.34	%
Total Neutralizing Power	105	108.1	%

Site: Stoneco Inc, Maumee

Maumee, OH 43537

Collected: 6/28/2006

<u>Test</u>	<u>Claim</u>	<u>Result</u>	<u>Units</u>
#100 US Sieve		84	%
#20 US Sieve		92	%
#60 US Sieve		87	%
#8 US Sieve		98	%
Calcium3	21	22.2	%
Magnesium3	11	11.2	%
Moisture3		10.05	%
Total Neutralizing Power	101	107.8	%

Site: Stoneco Whiterock Quarry Clay Center, OH 43408

Collected: 9/19/2006

<u>Test</u>	<u>Claim</u>	<u>Result</u>	<u>Units</u>
#100 US Sieve		82	%
#20 US Sieve		93	%
#60 US Sieve		91	%
#8 US Sieve		98	%
Calcium3	20	22.3	%
Magnesium3	10	12.3	%
Moisture3		6.55	%
Total Neutralizing Power	102	101.6	%



Consumer Analytical Laboratory

Ohio Department of Agriculture
Consumer Analytical Laboratory
8995 East Main St. Bldg 3
Reynoldsburg, OH 43068
Phone: (614) 728-6230

ODA Plant Industry/Fertilizer-Lime APPROVED RESULTS sorted by Site LIME SAMPLES COLLECTED 1/1/2006 - 12/31/2006

Site: Swanton Water Plant Swanton, OH 43558

Collected: 9/19/2006

<u>Test</u>	<u>Claim</u>	<u>Result</u>	<u>Units</u>
Calcium3	24	29.9	%
Magnesium3	6.19	5.57	%
Moisture3		89.05	%
Total Neutralizing Power	93.9	104.4	%

Site: Synagro Midwest, Inc. Troy, OH 45373

Collected: 3/28/2006

<u>Test</u>	<u>Claim</u>	<u>Result</u>	<u>Units</u>
Calcium3	29	41.7	%
Magnesium3		0.84	%
Moisture3	check	48.52	%
Total Neutralizing Power	76	80.3	%

Site: Synagro Midwest, Inc. Dayton, OH 45404

Collected: 4/5/2006

<u>Test</u>	<u>Claim</u>	<u>Result</u>	<u>Units</u>
Calcium3	30	35.6	%
Magnesium3	2	2.13	%
Moisture3	check	60.77	%
Total Neutralizing Power	90	104.8	%

Site: Synagro Midwest, Inc. Troy, OH 45373

Collected: 9/27/2006

<u>Test</u>	<u>Claim</u>	<u>Result</u>	<u>Units</u>
Calcium3	29	48.4	%
Magnesium3		1.02	%
Moisture3	Check	50.15	%
Total Neutralizing Power	76	77.7	%

Site: Synagro Midwest, Inc. Dayton, OH 45405

Collected: 10/17/2006

<u>Test</u>	<u>Claim</u>	<u>Result</u>	<u>Units</u>
Calcium3	30	38.6	%
Magnesium3	2	2.30	%
Moisture3	check	57.71	%
Total Neutralizing Power	90	101.8	%



Consumer Analytical Laboratory

Ohio Department of Agriculture
Consumer Analytical Laboratory
8995 East Main St. Bldg 3
Reynoldsburg, OH 43068
Phone: (614) 728-6230

ODA Plant Industry/Fertilizer-Lime APPROVED RESULTS sorted by Site LIME SAMPLES COLLECTED 1/1/2006 - 12/31/2006

Site: The Melvin Stone Co. Wilmington, OH 45177

Collected: 10/19/2006

<u>Test</u>	<u>Claim</u>	<u>Result</u>	<u>Units</u>
#100 US Sieve		72	%
#20 US Sieve		98	%
#60 US Sieve		87	%
#8 US Sieve		100	%
Calcium3	21	23.1	%
Magnesium3	12	12.4	%
Moisture3	check	3.24	%
Total Neutralizing Power	103	105.9	%

Site: TMK Farm Service, Bakers Bakersville, OH 43803

Collected: 5/22/2006

<u>Test</u>	<u>Claim</u>	<u>Result</u>	<u>Units</u>
#100 US Sieve		68	%
#20 US Sieve		96	%
#60 US Sieve		74	%
#8 US Sieve		100	%
Calcium3	21	24.1	
Magnesium3	12	12.4	
Moisture3		12.06	%
Total Neutralizing Power	105	103.8	%

Site: TMK Farm Service, Bakers Bakersville, OH 43803

Collected: 5/22/2006

<u>Test</u>	<u>Claim</u>	<u>Result</u>	<u>Units</u>
#100 US Sieve		50	%
#20 US Sieve		87	%
#60 US Sieve		61	%
#8 US Sieve		98	%
Calcium3	30	33.0	
Magnesium3	4	5.31	
Moisture3		7.44	%
Total Neutralizing Power	97	94.3	%



Consumer Analytical Laboratory

Ohio Department of Agriculture
Consumer Analytical Laboratory
8995 East Main St. Bldg 3
Reynoldsburg, OH 43068
Phone: (614) 728-6230

ODA Plant Industry/Fertilizer-Lime APPROVED RESULTS sorted by Site LIME SAMPLES COLLECTED 1/1/2006 - 12/31/2006

Site: TMK Farm Service, Bakers Newcomerstown, OH 43832

Collected: 11/7/2006

<u>Test</u>	<u>Claim</u>	<u>Result</u>	<u>Units</u>
#100 US Sieve		77	%
#20 US Sieve		99	%
#60 US Sieve		84	%
#8 US Sieve		100	%
Calcium3	21	23.8	%
ENP		1818	lb/ton
Magnesium3	12	12.7	%
Moisture3		13.21	%
Total Neutralizing Power	105	112.4	%

Site: TMK Farm Service, Bakers Newcomerstown, OH 43832

Collected: 11/7/2006

<u>Test</u>	<u>Claim</u>	<u>Result</u>	<u>Units</u>
#100 US Sieve		52	%
#20 US Sieve		84	%
#60 US Sieve		62	%
#8 US Sieve		99	%
Calcium3	30	33.2	%
ENP	1355	1447	lb/ton
Magnesium3	4	5.22	%
Moisture3		9.13	%
Total Neutralizing Power	97	101.8	%

Site: Tyler Grain & Fertilizer Smithville, OH 44677

Collected: 5/2/2006

<u>Test</u>	<u>Claim</u>	<u>Result</u>	<u>Units</u>
#100 US Sieve		27	%
#20 US Sieve		62	%
#60 US Sieve		38	%
#8 US Sieve		87	%
Calcium3	26	32.7	
Magnesium3	8	5.03	
Moisture3		3.00	%
Total Neutralizing Power	98	100.4	%



Consumer Analytical Laboratory

Ohio Department of Agriculture
Consumer Analytical Laboratory
8995 East Main St. Bldg 3
Reynoldsburg, OH 43068
Phone: (614) 728-6230

ODA Plant Industry/Fertilizer-Lime APPROVED RESULTS sorted by Site LIME SAMPLES COLLECTED 1/1/2006 - 12/31/2006

Site: Tyler Grain & Fertilizer Smithville, OH 44677

Collected: 5/2/2006

<u>Test</u>	<u>Claim</u>	<u>Result</u>	<u>Units</u>
#100 US Sieve		0	%
#20 US Sieve		0	%
#60 US Sieve		0	%
#8 US Sieve		0	%
Calcium3	30	31.5	
Magnesium3	4	4.91	%
Moisture3		1.17	%
Total Neutralizing Power	93	98.3	%

Site: Tyler Grain & Fertilizer Smithville, OH 44677

Collected: 10/10/2006

<u>Test</u>	<u>Claim</u>	<u>Result</u>	<u>Units</u>
#100 US Sieve		78	%
#20 US Sieve		100	%
#60 US Sieve		88	%
#8 US Sieve		100	%
Calcium3	20	22.1	%
Magnesium3	12	12.3	%
Moisture3		1.85	%
Total Neutralizing Power	97	101.6	%

Site: Tyler Grain & Fertilizer Smithville, OH 44677

Collected: 10/10/2006

<u>Test</u>	<u>Claim</u>	<u>Result</u>	<u>Units</u>
#100 US Sieve		0	%
#20 US Sieve		0	%
#60 US Sieve		0	%
#8 US Sieve		0	%
Calcium3	30	32.9	%
Magnesium3	5	6.92	%
Moisture3		5.07	%
Total Neutralizing Power	95	97.3	%



Consumer Analytical Laboratory

Ohio Department of Agriculture
Consumer Analytical Laboratory
8995 East Main St. Bldg 3
Reynoldsburg, OH 43068
Phone: (614) 728-6230

ODA Plant Industry/Fertilizer-Lime APPROVED RESULTS sorted by Site LIME SAMPLES COLLECTED 1/1/2006 - 12/31/2006

Site: Village of Ada	ADA, OH 45810	Collected: 4/25/2006		
<u>Test</u>		<u>Claim</u>	<u>Result</u>	<u>Units</u>
Calcium3		32.1	37.5	
Magnesium3		2.71	2.75	
Moisture3			48.38	%
Total Neutralizing Power		101.8	97.4	%

Site: Village of Ada	Ada, OH 45810	Collected: 4/25/2006		
<u>Test</u>		<u>Claim</u>	<u>Result</u>	<u>Units</u>
Calcium3		32.1	36.7	
Magnesium3		2.71	2.50	
Moisture3			70.84	%
Total Neutralizing Power		101.8	95.1	%

Site: Village of Ada	Ada, OH 45810	Collected: 10/4/2006		
<u>Test</u>		<u>Claim</u>	<u>Result</u>	<u>Units</u>
Calcium3		37.5	35.4	%
Magnesium3		2.75	4.06	%
Moisture3			51.62	%
Total Neutralizing Power		97.4	101.2	%

Site: Village of Bellaire	Bellaire, OH 43906	Collected: 9/28/2006		
<u>Test</u>		<u>Claim</u>	<u>Result</u>	<u>Units</u>
Calcium3		39.3	39.0	%
Magnesium3		1.01	1.34	%
Moisture3			66.00	%
Total Neutralizing Power		95.4	117.6	%

Site: Village of Cadiz Water Dep	Cadiz, OH 43907	Collected: 5/24/2006		
<u>Test</u>		<u>Claim</u>	<u>Result</u>	<u>Units</u>
Calcium3			39.1	
Magnesium3			0.97	
Moisture3			61.79	%
Total Neutralizing Power			93.9	%



Consumer Analytical Laboratory

Ohio Department of Agriculture
Consumer Analytical Laboratory
8995 East Main St. Bldg 3
Reynoldsburg, OH 43068
Phone: (614) 728-6230

ODA Plant Industry/Fertilizer-Lime APPROVED RESULTS sorted by Site LIME SAMPLES COLLECTED 1/1/2006 - 12/31/2006

Site: Village of Canal Winchester Canal Winchester, OH 43110

Collected: 1/10/2006

<u>Test</u>	<u>Claim</u>	<u>Result</u>	<u>Units</u>
Calcium3	33	36.0	
Magnesium3	2	2.41	
Moisture3		84.08	%
Total Neutralizing Power	97	102.2	%

Site: Village of Canal Winchester Canal Winchester, OH 43110

Collected: 5/15/2006

<u>Test</u>	<u>Claim</u>	<u>Result</u>	<u>Units</u>
Calcium3	33	40.4	
Magnesium3	2	1.88	
Moisture3		77.03	%
Total Neutralizing Power	97	92.9	%

Site: Village of Canal Winchester Canal Winchester, OH 43110

Collected: 10/25/2006

<u>Test</u>	<u>Claim</u>	<u>Result</u>	<u>Units</u>
Calcium3	33	29.9	
ENP	190 lb/Tn	541	lbs/ton
Magnesium3	2	1.76	
Moisture3		73.19	%
Total Neutralizing Power	97	100.9	%

Site: Village of Delta Delta, OH 43515

Collected: 10/18/2006

<u>Test</u>	<u>Claim</u>	<u>Result</u>	<u>Units</u>
Calcium3	28	37.1	%
Magnesium3	1.75	2.01	%
Moisture3		61.61	%
Total Neutralizing Power	85	92.6	%

Site: Village of Forest

Collected: 2/13/2006

<u>Test</u>	<u>Claim</u>	<u>Result</u>	<u>Units</u>
Calcium3	30.2	34.4	
Magnesium3	4.53	4.01	%
Moisture3		73.19	%
Total Neutralizing Power	104.4	105.4	%



Consumer Analytical Laboratory

Ohio Department of Agriculture
Consumer Analytical Laboratory
8995 East Main St. Bldg 3
Reynoldsburg, OH 43068
Phone: (614) 728-6230

ODA Plant Industry/Fertilizer-Lime APPROVED RESULTS sorted by Site LIME SAMPLES COLLECTED 1/1/2006 - 12/31/2006

Site: Village of Forest	Forest, OH 45843		Collected: 9/26/2006
<u>Test</u>		<u>Claim</u>	<u>Result</u> <u>Units</u>
Calcium3			36.4 %
Magnesium3			5.96 %
Moisture3			75.00 %
Total Neutralizing Power			106.2 %
<hr/>			
Site: Village of Granville	Granville, OH 43023		Collected: 5/15/2006
<u>Test</u>		<u>Claim</u>	<u>Result</u> <u>Units</u>
Calcium3			40.0
Magnesium3			2.04
Moisture3			51.11 %
Total Neutralizing Power			91.6 %
<hr/>			
Site: Village of Johnstown	Johnstown, OH 434031		Collected: 6/15/2006
<u>Test</u>		<u>Claim</u>	<u>Result</u> <u>Units</u>
Calcium3		32.5	34.4 %
Magnesium3		3.55	4.28 %
Moisture3			67.87 %
Total Neutralizing Power		100.2	102.3 %
<hr/>			
Site: Village of Loudonville	Loudonville, OH 44842		Collected: 4/19/2006
<u>Test</u>		<u>Claim</u>	<u>Result</u> <u>Units</u>
Calcium3		25	37.3 %
Magnesium3		1	1.09 %
Moisture3			69.97 %
Total Neutralizing Power		85	92.8 %
<hr/>			
Site: Village of Loudonville	Loudonville, OH 44842		Collected: 10/12/2006
<u>Test</u>		<u>Claim</u>	<u>Result</u> <u>Units</u>
Calcium3		25	39.2 %
Magnesium3		1	1.96 %
Moisture3			79.76 %
Total Neutralizing Power		85	93.0 %



Consumer Analytical Laboratory

Ohio Department of Agriculture
Consumer Analytical Laboratory
8995 East Main St. Bldg 3
Reynoldsburg, OH 43068
Phone: (614) 728-6230

ODA Plant Industry/Fertilizer-Lime APPROVED RESULTS sorted by Site LIME SAMPLES COLLECTED 1/1/2006 - 12/31/2006

Site: Village of Metamora Metamora, OH 43540

Collected: 10/23/2006

<u>Test</u>	<u>Claim</u>	<u>Result</u>	<u>Units</u>
Calcium3	30.1	31.1	%
ENP	190 lb/Tn	332	lbs/ton
Magnesium3	5.7	5.55	%
Moisture3		83.64	%
Total Neutralizing Power	100.4	101.4	%

Site: Village of Mingo Junction Mingo Junction, OH 43938

Collected: 4/26/2006

<u>Test</u>	<u>Claim</u>	<u>Result</u>	<u>Units</u>
#100 US Sieve		98	%
#20 US Sieve		100	%
#60 US Sieve		100	%
#8 US Sieve		100	%
Calcium3	34	36.0	
Magnesium3	2	1.23	%
Moisture3		23.85	%
Total Neutralizing Power	97	96.8	%

Site: Village of Mingo Junction Mingo Junction, OH 43938

Collected: 9/22/2006

<u>Test</u>	<u>Claim</u>	<u>Result</u>	<u>Units</u>
#100 US Sieve		99	%
#20 US Sieve		100	%
#60 US Sieve		100	%
#8 US Sieve		100	%
Calcium3	36	38.8	%
Magnesium3	1.23	1.35	%
Moisture3		25.70	%
Total Neutralizing Power	96.8	116.0	%

Site: Village of North Baltimore N. Baltimore, OH 45872

Collected: 5/24/2006

<u>Test</u>	<u>Claim</u>	<u>Result</u>	<u>Units</u>
Calcium3	25	36.5	
Magnesium3	2	5.06	
Moisture3		89.07	%
Total Neutralizing Power	90	92.9	%



Consumer Analytical Laboratory

Ohio Department of Agriculture
Consumer Analytical Laboratory
8995 East Main St. Bldg 3
Reynoldsburg, OH 43068
Phone: (614) 728-6230

ODA Plant Industry/Fertilizer-Lime APPROVED RESULTS sorted by Site LIME SAMPLES COLLECTED 1/1/2006 - 12/31/2006

Site: Village of North Baltimore N. Baltimore, OH

Collected: 10/26/2006

<u>Test</u>	<u>Claim</u>	<u>Result</u>	<u>Units</u>
Calcium3	25	27.2	%
ENP	150 lb/Tn	253	lbs/ton
Magnesium3	2	4.70	%
Moisture3		86.91	%
Total Neutralizing Power	90	96.6	%

Site: Village of West Liberty W. Liberty, OH 43357

Collected: 4/27/2006

<u>Test</u>	<u>Claim</u>	<u>Result</u>	<u>Units</u>
Calcium3	30	38.5	
Magnesium3	2	2.65	
Moisture3		78.69	%
Total Neutralizing Power	100	107.8	%

Site: Village of West Liberty W. Liberty, OH 43357

Collected: 9/27/2006

<u>Test</u>	<u>Claim</u>	<u>Result</u>	<u>Units</u>
Calcium3	30	40.7	%
Magnesium3	2	3.28	%
Moisture3		77.45	%
Total Neutralizing Power	100	102.8	%

Site: Wagner Transport Leipsic, OH 45856

Collected: 9/28/2006

<u>Test</u>	<u>Claim</u>	<u>Result</u>	<u>Units</u>
Calcium3	23.75	32.0	%
Magnesium3	2.12	2.87	%
Moisture3		33.13	%
Total Neutralizing Power	62	77.8	%

Site: Westerville Water Plant Westerville, OH 43081

Collected: 9/26/2006

<u>Test</u>	<u>Claim</u>	<u>Result</u>	<u>Units</u>
Calcium3	30.6	40.9	%
Magnesium3	2.91	3.42	%
Moisture3		91.78	%
Total Neutralizing Power	82.8	96.5	%



Consumer Analytical Laboratory

Ohio Department of Agriculture
Consumer Analytical Laboratory
8995 East Main St. Bldg 3
Reynoldsburg, OH 43068
Phone: (614) 728-6230

ODA Plant Industry/Fertilizer-Lime APPROVED RESULTS sorted by Site LIME SAMPLES COLLECTED 1/1/2006 - 12/31/2006

Site: Wilmington Water Dept. Wilmington, OH 45177

Collected: 4/26/2006

<u>Test</u>	<u>Claim</u>	<u>Result</u>	<u>Units</u>
Calcium3	29.0	36.3	
Magnesium3	2.0	3.43	
Moisture3		80.59	%
Total Neutralizing Power	90	98.9	%

Site: Wilmington Water Dept. Wilmington, OH 45177

Collected: 10/19/2006

<u>Test</u>	<u>Claim</u>	<u>Result</u>	<u>Units</u>
Calcium3	29	35.0	%
Magnesium3	2	4.39	%
Moisture3	Check	86.08	%
Total Neutralizing Power	90	101.9	%

Site: Wyandot Dolomite, Inc. carey, OH 43316

Collected: 5/3/2006

<u>Test</u>	<u>Claim</u>	<u>Result</u>	<u>Units</u>
#100 US Sieve		46	%
#20 US Sieve		76	%
#60 US Sieve		61	%
#8 US Sieve		98	%
Calcium3	21	23.8	
Magnesium3	12	11.9	%
Moisture3		10.54	%
Total Neutralizing Power	105	111.9	%

Site: Wyandot Dolomite, Inc. Carey, OH 43316

Collected: 10/25/2006

<u>Test</u>	<u>Claim</u>	<u>Result</u>	<u>Units</u>
#100 US Sieve		44	%
#20 US Sieve		78	%
#60 US Sieve		51	%
#8 US Sieve		97	%
Calcium3	21	24.3	%
Magnesium3	12	13.4	%
Moisture3		11.62	%
Total Neutralizing Power	105	107.8	%
