



Consumer Analytical Laboratory

Ohio Department of Agriculture
Consumer Analytical Laboratory
8995 East Main St. Bldg 3
Reynoldsburg, OH 43068
Phone: (614) 728-6230

ODA Plant Industry/Fertilizer-Lime APPROVED RESULTS sorted by Site LIME SAMPLES COLLECTED 1/1/2007 - 12/31/2007

Site:

Collected: 10/17/2007

<u>Test</u>	<u>Claim</u>	<u>Result</u>	<u>Units</u>
Calcium3	20	36.9	%
ENP	309	2037	lb/ton
Magnesium3	2	3.54	%
Moisture3	Check	41.75	%
Total Neutralizing Power	65	83.4	%

Site: Airgas Great Lakes

Miamiville, OH 45147

Collected: 4/9/2007

<u>Test</u>	<u>Claim</u>	<u>Result</u>	<u>Units</u>
Calcium3	25	66.3	
ENP	800 Lb/Tn	2067	lb/ton
Magnesium3		0.11	%
Moisture3		1.0	%
Total Neutralizing Power	100	104.4	%

Site: Andreanos D & J, Inc.

Thompson, OH 44086

Collected: 3/28/2007

<u>Test</u>	<u>Claim</u>	<u>Result</u>	<u>Units</u>
#100 US Sieve		94	%
#20 US Sieve		99	%
#60 US Sieve		97	%
#8 US Sieve		100	%
Calcium3	32	32.1	%
ENP	1200	1492	lb/ton
Magnesium3	6	11.2	%
Moisture3		26.60	%
Total Neutralizing Power	100	103.3	%



Consumer Analytical Laboratory

Ohio Department of Agriculture
Consumer Analytical Laboratory
8995 East Main St. Bldg 3
Reynoldsburg, OH 43068
Phone: (614) 728-6230

ODA Plant Industry/Fertilizer-Lime APPROVED RESULTS sorted by Site LIME SAMPLES COLLECTED 1/1/2007 - 12/31/2007

Site: Area Rock	Woodville, OH 43469	Collected: 11/27/2007
<u>Test</u>	<u>Claim</u>	<u>Result</u> <u>Units</u>
#100 US Sieve		95 %
#20 US Sieve		100 %
#60 US Sieve		100 %
#8 US Sieve		100 %
Calcium3	22.3	21.4 %
ENP	1933	1997 lb/ton
Magnesium3	13.2	13.0 %
Moisture3		8.41 %
Total Neutralizing Power	107.30	109.0 %

Site: Bambauer Fertilizer and Se	Pemberton, OH 45353	Collected: 11/19/2007
<u>Test</u>	<u>Claim</u>	<u>Result</u> <u>Units</u>
Calcium3	10.0	9.36 %
Magnesium3	1.33	1.98 %
Total Neutralizing Power		Not needed %

Site: Bluffton Stone Co.	Bluffton, OH 45817	Collected: 4/13/2007
<u>Test</u>	<u>Claim</u>	<u>Result</u> <u>Units</u>
#100 US Sieve		59 %
#20 US Sieve		92 %
#60 US Sieve		76 %
#8 US Sieve		99 %
Calcium3	20	22.3 %
ENP	1308 lb/tn	1868 lb/ton
Magnesium3	12	13.0 %
Moisture3		3.63 %
Total Neutralizing Power	96	111.4 %



Consumer Analytical Laboratory

Ohio Department of Agriculture
Consumer Analytical Laboratory
8995 East Main St. Bldg 3
Reynoldsburg, OH 43068
Phone: (614) 728-6230

ODA Plant Industry/Fertilizer-Lime APPROVED RESULTS sorted by Site LIME SAMPLES COLLECTED 1/1/2007 - 12/31/2007

Site: Bluffton Stone Co.

Bluffton, OH 45817

Collected: 9/24/2007

<u>Test</u>	<u>Claim</u>	<u>Result</u>	<u>Units</u>
#100 US Sieve		60	%
#20 US Sieve		93	%
#60 US Sieve		82	%
#8 US Sieve		98	%
Calcium3	20	23.6	
ENP	1308	1691	lb/ton
Magnesium3	12	13.5	
Moisture3		4.13	%
Total Neutralizing Power	96	98.4	%

Site: C.F. Poeppelman, Inc.

Bradford, OH 45308

Collected: 10/16/2007

<u>Test</u>	<u>Claim</u>	<u>Result</u>	<u>Units</u>
#100 US Sieve		66	%
#20 US Sieve		97	%
#60 US Sieve		84	%
#8 US Sieve		100	%
Calcium3	20	22.7	%
ENP	1400	1882	lb/ton
Magnesium3	11	12.7	%
Moisture3	check	6.46	%
Total Neutralizing Power	100	108.9	%

Site: C.F. Poeppelman, Inc.

Bradford, OH 45308

Collected: 4/10/2007

<u>Test</u>	<u>Claim</u>	<u>Result</u>	<u>Units</u>
#100 US Sieve		66	%
#20 US Sieve		98	%
#60 US Sieve		81	%
#8 US Sieve		100	%
Calcium3	20	23.0	%
ENP	1400 lb/Tn	1807	lb/ton
Magnesium3	11	12.7	%
Moisture3	check	5.61	%
Total Neutralizing Power	100	104.5	%



Consumer Analytical Laboratory

Ohio Department of Agriculture
Consumer Analytical Laboratory
8995 East Main St. Bldg 3
Reynoldsburg, OH 43068
Phone: (614) 728-6230

ODA Plant Industry/Fertilizer-Lime APPROVED RESULTS sorted by Site LIME SAMPLES COLLECTED 1/1/2007 - 12/31/2007

Site: City of Bowling Green Bowling Green, OH 43402

Collected: 7/9/2007

<u>Test</u>	<u>Claim</u>	<u>Result</u>	<u>Units</u>
Calcium3	25	30.8	%
ENP	230	267	lb/ton
Magnesium3	2	3.08	%
Moisture3		83.33	%
Total Neutralizing Power	75	79.9	%

Site: City of Columbiana Columbiana, OH 44408

Collected: 4/2/2007

<u>Test</u>	<u>Claim</u>	<u>Result</u>	<u>Units</u>
Calcium3	450000 mg/kg	37.6	%
Magnesium3	22000 mg/kg	1.61	%
Moisture3		71.67	%
Total Neutralizing Power		109.1	%

Site: City of Fairfield WP Fairfield, OH 45014

Collected: 3/22/2007

<u>Test</u>	<u>Claim</u>	<u>Result</u>	<u>Units</u>
Calcium3	30	35.3	%
ENP	540	970	lb/ton
Magnesium3	2	3.15	%
Moisture3		56.45	%
Total Neutralizing Power	90	111.4	%

Site: City of Fremont WTP Fremont, OH 43420

Collected: 4/2/2007

<u>Test</u>	<u>Claim</u>	<u>Result</u>	<u>Units</u>
Calcium3	25	23.1	%
ENP	900 lb/tn	159	lb/ton
Magnesium3	5	3.44	%
Moisture3		91.59	%
Total Neutralizing Power	80	94.3	%

Site: City of Greenville WTP Greenville, OH 45331

Collected: 4/2/2007

<u>Test</u>	<u>Claim</u>	<u>Result</u>	<u>Units</u>
Calcium3	30	36.3	%
ENP	500 lb/Tn	975	lb/ton
Magnesium3	3	3.62	%
Moisture3		54.49	%
Total Neutralizing Power	95	107.1	%



Consumer Analytical Laboratory

Ohio Department of Agriculture
Consumer Analytical Laboratory
8995 East Main St. Bldg 3
Reynoldsburg, OH 43068
Phone: (614) 728-6230

ODA Plant Industry/Fertilizer-Lime APPROVED RESULTS sorted by Site LIME SAMPLES COLLECTED 1/1/2007 - 12/31/2007

Site: City of London London, Oh 43140

Collected: 3/27/2007

<u>Test</u>	<u>Claim</u>	<u>Result</u>	<u>Units</u>
Calcium3	20	33.6	%
ENP	300 lb/tn	564	lb/ton
Magnesium3	1.5	3.06	%
Moisture3		70.55	%
Total Neutralizing Power	90	95.8	%

Site: City of Middletown Middletown, OH 45042

Collected: 1/25/2007

<u>Test</u>	<u>Claim</u>	<u>Result</u>	<u>Units</u>
Calcium3	30	34.8	%
ENP	540 lb/t	1182	lbs/ton
Magnesium3	2	3.12	%
Moisture3		37	%
Total Neutralizing Power	90	93.8	%

Site: City of Sidney Sidney, OH 45365

Collected: 3/27/2007

<u>Test</u>	<u>Claim</u>	<u>Result</u>	<u>Units</u>
Calcium3	30	31.6	%
ENP	900	989	lb/ton
Magnesium3	3	3.57	%
Moisture3		39.27	%
Total Neutralizing Power	80	81.4	%

Site: City of Troy Troy, OH 45373

Collected: 4/17/2007

<u>Test</u>	<u>Claim</u>	<u>Result</u>	<u>Units</u>
Calcium3	30	38.1	%
ENP	300 lb/Tn	821	lb/ton
Magnesium3	2	2.57	%
Moisture3	Check	57.17	%
Total Neutralizing Power	90	95.8	%



Consumer Analytical Laboratory

Ohio Department of Agriculture
Consumer Analytical Laboratory
8995 East Main St. Bldg 3
Reynoldsburg, OH 43068
Phone: (614) 728-6230

ODA Plant Industry/Fertilizer-Lime APPROVED RESULTS sorted by Site LIME SAMPLES COLLECTED 1/1/2007 - 12/31/2007

Site: City of Troy Troy, OH 45373 **Collected:** 10/18/2007

<u>Test</u>	<u>Claim</u>	<u>Result</u>	<u>Units</u>
Calcium3	30	35.0	%
ENP	300	748	lb/ton
Magnesium3	2	2.70	%
Moisture3	check	62.24	%
Total Neutralizing Power	90	99.0	%

Site: City of Upper Sandusky W Upper Sandusky, OH 45551 **Collected:** 4/17/2007

<u>Test</u>	<u>Claim</u>	<u>Result</u>	<u>Units</u>
Calcium3	7	32.8	%
ENP	146	208	lb/ton
Magnesium3	1	2.98	%
Moisture3		88.50	%
Total Neutralizing Power	75	90.6	%

Site: City of Van Wert Van Wert, OH 45891 **Collected:** 3/29/2007

<u>Test</u>	<u>Claim</u>	<u>Result</u>	<u>Units</u>
Calcium3	22	26.4	%
ENP	909	791	lb/ton
Magnesium3	2.5	3.08	%
Moisture3		52.07	%
Total Neutralizing Power	75	82.5	%

Site: City of Washington Court H Washington CH, OH 43160 **Collected:** 3/28/2007

<u>Test</u>	<u>Claim</u>	<u>Result</u>	<u>Units</u>
Calcium3	30	31.3	%
ENP	393	1007	lb/ton
Magnesium3	.5	6.92	%
Moisture3	check	55.93	%
Total Neutralizing Power	90	114.3	%



Consumer Analytical Laboratory

Ohio Department of Agriculture
Consumer Analytical Laboratory
8995 East Main St. Bldg 3
Reynoldsburg, OH 43068
Phone: (614) 728-6230

ODA Plant Industry/Fertilizer-Lime APPROVED RESULTS sorted by Site LIME SAMPLES COLLECTED 1/1/2007 - 12/31/2007

Site: City of Washington Court H Washington CH, OH 43160

Collected: 10/10/2007

<u>Test</u>	<u>Claim</u>	<u>Result</u>	<u>Units</u>
Calcium3	30	29.1	%
ENP	393	1030	lb/ton
Magnesium3	.3	6.08	%
Moisture3	check	56.61	%
Total Neutralizing Power	9	118.7	%

Site: City of Wilmington WTP Wilmington, OH 45177

Collected: 3/29/2007

<u>Test</u>	<u>Claim</u>	<u>Result</u>	<u>Units</u>
Calcium3		29.3	%
ENP		364	lb/ton
Magnesium3		3.73	%
Moisture3		83.94	%
Total Neutralizing Power		113.4	%

Site: City of Wyoming Water De Wyoming, OH 45215

Collected: 4/9/2007

<u>Test</u>	<u>Claim</u>	<u>Result</u>	<u>Units</u>
Calcium3	30	37.2	%
ENP	300 lb/Tn	700	lb/ton
Magnesium3	2	2.02	%
Moisture3		67.37	%
Total Neutralizing Power	90	107.2	%

Site: CN/P & C Dock Conneaut, OH 44030

Collected: 5/3/2007

<u>Test</u>	<u>Claim</u>	<u>Result</u>	<u>Units</u>
#100 US Sieve		32	%
#20 US Sieve		69	%
#60 US Sieve		44	%
#8 US Sieve		94	%
Calcium3	20	22.1	%
ENP	1032 lb/Tn	1221	lb/ton
Magnesium3	9	13.2	%
Moisture3		6.88	%
Total Neutralizing Power	103	102.4	%



Consumer Analytical Laboratory

Ohio Department of Agriculture
Consumer Analytical Laboratory
8995 East Main St. Bldg 3
Reynoldsburg, OH 43068
Phone: (614) 728-6230

ODA Plant Industry/Fertilizer-Lime APPROVED RESULTS sorted by Site LIME SAMPLES COLLECTED 1/1/2007 - 12/31/2007

Site: CN/P & C Dock

Conneaut, OH 44030

Collected: 5/3/2007

<u>Test</u>	<u>Claim</u>	<u>Result</u>	<u>Units</u>
#100 US Sieve		34	%
#20 US Sieve		66	%
#60 US Sieve		50	%
#8 US Sieve		86	%
Calcium3	36	38.9	%
ENP	1000 lb/Tn	1157	lb/ton
Magnesium3	0.3	0.90	%
Moisture3		8.14	%
Total Neutralizing Power	97	99.0	%

Site: CN/P & C Dock

Conneaut, OH 44030

Collected: 10/17/2007

<u>Test</u>	<u>Claim</u>	<u>Result</u>	<u>Units</u>
#100 US Sieve		30	%
#20 US Sieve		61	%
#60 US Sieve		34	%
#8 US Sieve		91	%
Calcium3	20	22.0	%
ENP	1032	1178	lb/ton
Magnesium3	9	12.9	%
Moisture3		6.90	%
Total Neutralizing Power	103	112.6	%

Site: CN/P & C Dock

Conneaut, OH 44030

Collected: 10/17/2007

<u>Test</u>	<u>Claim</u>	<u>Result</u>	<u>Units</u>
#100 US Sieve		60	%
#20 US Sieve		86	%
#60 US Sieve		72	%
#8 US Sieve		96	%
Calcium3	23	31.3	%
ENP	1300 TN	1657	lb/ton
Magnesium3	6	5.38	%
Moisture3		7.16	%
Total Neutralizing Power	93	108.3	%



Consumer Analytical Laboratory

Ohio Department of Agriculture
Consumer Analytical Laboratory
8995 East Main St. Bldg 3
Reynoldsburg, OH 43068
Phone: (614) 728-6230

ODA Plant Industry/Fertilizer-Lime APPROVED RESULTS sorted by Site LIME SAMPLES COLLECTED 1/1/2007 - 12/31/2007

Site: Con-Ag Inc.	St. Marys, OH 45885	Collected: 4/18/2007
Test	Claim	Result Units
#100 US Sieve		81 %
#20 US Sieve		98 %
#60 US Sieve		92 %
#8 US Sieve		100 %
Calcium3	20	22.4 %
ENP	1752.7 lb/Tn	1991 lb/ton
Magnesium3	12	13.2 %
Moisture3		10.93 %
Total Neutralizing Power	100	116.4 %

Site: Con-Ag Inc.	St. Marys, OH 45885	Collected: 9/18/2007
Test	Claim	Result Units
#100 US Sieve		81 %
#20 US Sieve		97 %
#60 US Sieve		94 %
#8 US Sieve		99 %
Calcium3	20	24.3 %
ENP	1752.7 lb/tn	1741 lb/ton
Magnesium3	12	13.3 %
Moisture3		12.40 %
Total Neutralizing Power	100	103.3 %

Site: Custar Stone Co.	Custar, OH 43511	Collected: 5/17/2007
Test	Claim	Result Units
#100 US Sieve		42 %
#20 US Sieve		82 %
#60 US Sieve		61 %
#8 US Sieve		98 %
Calcium3	18.92	21.4 %
ENP	1293.6 lb/TN	1613 lb/ton
Magnesium3	10.93	11.8 %
Moisture3		3.72 %
Total Neutralizing Power	102.8	109.1 %



Consumer Analytical Laboratory

Ohio Department of Agriculture
Consumer Analytical Laboratory
8995 East Main St. Bldg 3
Reynoldsburg, OH 43068
Phone: (614) 728-6230

ODA Plant Industry/Fertilizer-Lime APPROVED RESULTS sorted by Site LIME SAMPLES COLLECTED 1/1/2007 - 12/31/2007

Site: Custar Stone Co.

Custar, OH 43511

Collected: 9/18/2007

<u>Test</u>	<u>Claim</u>	<u>Result</u>	<u>Units</u>
#100 US Sieve		42	%
#20 US Sieve		84	%
#60 US Sieve		61	%
#8 US Sieve		99	%
Calcium3	18.92	21.6	%
ENP	1293.6	1604	lb/ton
Magnesium3	10.93	12.0	%
Moisture3		4.35	%
Total Neutralizing Power	102.8	107.8	%

Site: CWS

Fairfield, OH 45014

Collected: 10/24/2007

<u>Test</u>	<u>Claim</u>	<u>Result</u>	<u>Units</u>
#100 US Sieve		100	%
#20 US Sieve		100	%
#60 US Sieve		100	%
#8 US Sieve		100	%
Calcium3	39.2	40.2	%
Magnesium3		0.65	%
Moisture3		30.83	%
Total Neutralizing Power	98	100.0	%

Site: Del-Co Water

Delaware, OH 43015

Collected: 1/2/2007

<u>Test</u>	<u>Claim</u>	<u>Result</u>	<u>Units</u>
Calcium3	20.0	33.0	%
ENP	125 lb/Tn	226	lb/ton
Magnesium3	1.0	3.17	%
Moisture3		88.26	%
Total Neutralizing Power	50.0	96.1	%

Site: Del-Co Water

Lewis Center, OH 43035

Collected: 1/2/2007

<u>Test</u>	<u>Claim</u>	<u>Result</u>	<u>Units</u>
Calcium3	20.0	33.0	%
ENP	175 Lb/Tn	422	lb/ton
Magnesium3	1.0	3.32	%
Moisture3		79.29	%
Total Neutralizing Power	50.0	101.9	%



Consumer Analytical Laboratory

Ohio Department of Agriculture
Consumer Analytical Laboratory
8995 East Main St. Bldg 3
Reynoldsburg, OH 43068
Phone: (614) 728-6230

ODA Plant Industry/Fertilizer-Lime APPROVED RESULTS sorted by Site LIME SAMPLES COLLECTED 1/1/2007 - 12/31/2007

Site: Del-Co Water	Fredericktown, OH 43019	Collected: 1/3/2007
<u>Test</u>	<u>Claim</u>	<u>Result</u> <u>Units</u>
Calcium3	20.0	34.2 %
ENP	125 lb/Tn	950 lb/ton
Magnesium3	1.0	2.32 %
Moisture3		49.76 %
Total Neutralizing Power	50.0	94.5 %

Site: Erie Materials, Inc., Sandu	Sandusky, OH 44870	Collected: 6/21/2007
<u>Test</u>	<u>Claim</u>	<u>Result</u> <u>Units</u>
#100 US Sieve		88 %
#20 US Sieve		100 %
#60 US Sieve		98 %
#8 US Sieve		100 %
Calcium3	28	30.6 %
ENP		1750 lb/ton
Magnesium3	5	7.12 %
Moisture3		7.55 %
Total Neutralizing Power	94	95.4 %

Site: Erie Materials, Inc., Sandu	Sandusky, Oh 44870	Collected: 11/6/2007
<u>Test</u>	<u>Claim</u>	<u>Result</u> <u>Units</u>
#100 US Sieve		91 %
#20 US Sieve		100 %
#60 US Sieve		99 %
#8 US Sieve		100 %
Calcium3	28	30.0 %
ENP	1750	1821 lb/ton
Magnesium3	5	6.33 %
Moisture3		7.73 %
Total Neutralizing Power	94	99.1 %



Consumer Analytical Laboratory

Ohio Department of Agriculture
Consumer Analytical Laboratory
8995 East Main St. Bldg 3
Reynoldsburg, OH 43068
Phone: (614) 728-6230

ODA Plant Industry/Fertilizer-Lime APPROVED RESULTS sorted by Site LIME SAMPLES COLLECTED 1/1/2007 - 12/31/2007

Site: Golden Oval Eggs LLC Millersburg, OH 44654

Collected: 4/18/2007

<u>Test</u>	<u>Claim</u>	<u>Result</u>	<u>Units</u>
#100 US Sieve		100	%
#20 US Sieve		100	%
#60 US Sieve		100	%
#8 US Sieve		100	%
Calcium3	22	24.3	%
ENP	940 lb/Tn	877	lb/ton
Magnesium3	10	14.3	%
Moisture3		51.69	%
Total Neutralizing Power	79/87	90.8	%

Site: Golden Oval Eggs LLC Millersburg, OH 44654

Collected: 4/18/2007

<u>Test</u>	<u>Claim</u>	<u>Result</u>	<u>Units</u>
#100 US Sieve		1	%
#20 US Sieve		8	%
#60 US Sieve		4	%
#8 US Sieve		53	%
Calcium3	33	37.9	%
ENP	187 lb/Tn	198	lb/ton
Magnesium3	.44	0.57	%
Moisture3		15.67	%
Total Neutralizing Power	59	76.1	%

Site: Graymont Do-Lime Inc. Genoa, OH 43420

Collected: 8/9/2007

<u>Test</u>	<u>Claim</u>	<u>Result</u>	<u>Units</u>
#100 US Sieve		92	%
#20 US Sieve		99	%
#60 US Sieve		97	%
#8 US Sieve		100	%
Calcium3	30	34.3	%
ENP	2445 Lb/Tn	3162	lbs/ton
Magnesium3	16	19.4	%
Moisture3		1.32	%
Total Neutralizing Power	140	162.8	%



Consumer Analytical Laboratory

Ohio Department of Agriculture
Consumer Analytical Laboratory
8995 East Main St. Bldg 3
Reynoldsburg, OH 43068
Phone: (614) 728-6230

ODA Plant Industry/Fertilizer-Lime APPROVED RESULTS sorted by Site LIME SAMPLES COLLECTED 1/1/2007 - 12/31/2007

Site: Ground Level Development Woodville, OH 43469

Collected: 3/28/2007

<u>Test</u>	<u>Claim</u>	<u>Result</u>	<u>Units</u>
#100 US Sieve		92	%
#20 US Sieve		100	%
#60 US Sieve		99	%
#8 US Sieve		100	%
Calcium3	25.4	22.3	%
ENP	1912	1933	lb/ton
Magnesium3	13.4	13.2	%
Moisture3		9.56	%
Total Neutralizing Power	106.2	107.3	%

Site: Hanson Aggregates Peebles, OH 45660

Collected: 4/24/2007

<u>Test</u>	<u>Claim</u>	<u>Result</u>	<u>Units</u>
#100 US Sieve		44	%
#20 US Sieve		72	%
#60 US Sieve		61	%
#8 US Sieve		98	%
Calcium3	20	21.9	%
ENP	1450 lb/Tn	1523	lb/ton
Magnesium3	12	12.8	%
Moisture3		6.38	%
Total Neutralizing Power	100	111.7	%

Site: Hanson Aggregates Peebles, OH 45660

Collected: 4/24/2007

<u>Test</u>	<u>Claim</u>	<u>Result</u>	<u>Units</u>
#100 US Sieve		91	%
#20 US Sieve		100	%
#60 US Sieve		100	%
#8 US Sieve		100	%
Calcium3	21	23.2	%
ENP	2000 lb/Tn	2219	lb/ton
Magnesium3	12	12.8	%
Moisture3		0.32	%
Total Neutralizing Power	100	111.3	%



Consumer Analytical Laboratory

Ohio Department of Agriculture
Consumer Analytical Laboratory
8995 East Main St. Bldg 3
Reynoldsburg, OH 43068
Phone: (614) 728-6230

ODA Plant Industry/Fertilizer-Lime APPROVED RESULTS sorted by Site LIME SAMPLES COLLECTED 1/1/2007 - 12/31/2007

Site: Hanson Aggregates Winchester, OH 45697 **Collected:** 4/24/2007

<u>Test</u>	<u>Claim</u>	<u>Result</u>	<u>Units</u>
#100 US Sieve		29	%
#20 US Sieve		62	%
#60 US Sieve		44	%
#8 US Sieve		84	%
Calcium3	21	33.2	%
ENP	1085	1176	lb/ton
Magnesium3	1	1.24	%
Moisture3		3.02	%
Total Neutralizing Power	85	102.4	%

Site: Hanson Aggregates Hillsboro, OH 45133 **Collected:** 5/8/2007

<u>Test</u>	<u>Claim</u>	<u>Result</u>	<u>Units</u>
#100 US Sieve		38	%
#20 US Sieve		70	%
#60 US Sieve		46	%
#8 US Sieve		91	%
Calcium3	31.0	27.1	%
ENP	1100 lb/tn	1171	lb/ton
Magnesium3	1.0	8.70	%
Moisture3		3.20	%
Total Neutralizing Power	85	93.6	%

Site: Hanson Aggregates Paulding, OH 45879 **Collected:** 5/16/2007

<u>Test</u>	<u>Claim</u>	<u>Result</u>	<u>Units</u>
#100 US Sieve		18	%
#20 US Sieve		64	%
#60 US Sieve		38	%
#8 US Sieve		84	%
Calcium3	18	26.4	%
ENP	775.2	984	lb/ton
Magnesium3	6	8.28	%
Moisture3		9.49	%
Total Neutralizing Power	85	94.4	%



Consumer Analytical Laboratory

Ohio Department of Agriculture
Consumer Analytical Laboratory
8995 East Main St. Bldg 3
Reynoldsburg, OH 43068
Phone: (614) 728-6230

ODA Plant Industry/Fertilizer-Lime APPROVED RESULTS sorted by Site LIME SAMPLES COLLECTED 1/1/2007 - 12/31/2007

Site: Hanson Aggregates	Bloomville, OH 44818	Collected: 8/9/2007
<u>Test</u>	<u>Claim</u>	<u>Result</u> <u>Units</u>
#100 US Sieve		32 %
#20 US Sieve		70 %
#60 US Sieve		44 %
#8 US Sieve		91 %
Calcium3	26.5	29.4 %
ENP	1190	1363 lbs/ton
Magnesium3	6	8.92 %
Moisture3		5.54 %
Total Neutralizing Power	99	113.1 %

Site: Hanson Aggregates	Flatrock, OH 44828	Collected: 8/8/2007
<u>Test</u>	<u>Claim</u>	<u>Result</u> <u>Units</u>
#100 US Sieve		33 %
#20 US Sieve		62 %
#60 US Sieve		44 %
#8 US Sieve		94 %
Calcium3	26	27.0 %
ENP	1250	1251 lbs/ton
Magnesium3	8	10.1 %
Moisture3		6.47 %
Total Neutralizing Power	98	109.3 %

Site: Hanson Aggregates	Castalia, OH 44824	Collected: 8/8/2007
<u>Test</u>	<u>Claim</u>	<u>Result</u> <u>Units</u>
#100 US Sieve		36 %
#20 US Sieve		59 %
#60 US Sieve		46 %
#8 US Sieve		97 %
Calcium3	30	33.3 %
ENP	1200	1263 lbs/ton
Magnesium3	5	6.10 %
Moisture3		4.24 %
Total Neutralizing Power	95	107.4 %



Consumer Analytical Laboratory

Ohio Department of Agriculture
Consumer Analytical Laboratory
8995 East Main St. Bldg 3
Reynoldsburg, OH 43068
Phone: (614) 728-6230

ODA Plant Industry/Fertilizer-Lime APPROVED RESULTS sorted by Site LIME SAMPLES COLLECTED 1/1/2007 - 12/31/2007

Site: Hanson Aggregates Winchester, OH 45697

Collected: 9/17/2007

<u>Test</u>	<u>Claim</u>	<u>Result</u>	<u>Units</u>
#100 US Sieve		36	%
#20 US Sieve		72	%
#60 US Sieve		44	%
#8 US Sieve		91	%
Calcium3	31	37.0	
ENP	1085	1092	lb/ton
Magnesium3	1	1.33	
Moisture3		3.70	%
Total Neutralizing Power	85	92.3	%

Site: Hanson Aggregates Sylvania, OH 43560

Collected: 9/19/2007

<u>Test</u>	<u>Claim</u>	<u>Result</u>	<u>Units</u>
#100 US Sieve		32	%
#20 US Sieve		66	%
#60 US Sieve		40	%
#8 US Sieve		92	%
Calcium3	23	25.7	
ENP	1086	1103	lb/ton
Magnesium3	10	10.0	
Moisture3		8.04	%
Total Neutralizing Power	93	98.6	%

Site: Hanson Aggregates Rt. 5 4281 Roush Rd. Hillsboro, OH

Collected: 10/2/2007

<u>Test</u>	<u>Claim</u>	<u>Result</u>	<u>Units</u>
#100 US Sieve		38	%
#20 US Sieve		72	%
#60 US Sieve		51	%
#8 US Sieve		89	%
ENP	1100	1159	lb/ton
Magnesium3	1	1.54	%
Moisture3		1.52	%
Total Neutralizing Power	85	87.8	%



Consumer Analytical Laboratory

Ohio Department of Agriculture
Consumer Analytical Laboratory
8995 East Main St. Bldg 3
Reynoldsburg, OH 43068
Phone: (614) 728-6230

ODA Plant Industry/Fertilizer-Lime APPROVED RESULTS sorted by Site LIME SAMPLES COLLECTED 1/1/2007 - 12/31/2007

Site: Hanson Aggregates 848 Plum Run Rd., Peebles, OH 456 **Collected:** 10/1/2007

<u>Test</u>	<u>Claim</u>	<u>Result</u>	<u>Units</u>
#100 US Sieve		38	%
#20 US Sieve		75	%
#60 US Sieve		54	%
#8 US Sieve		94	%
Calcium3	20	23.1	%
ENP	1450	1564	lb/ton
Magnesium3	12	10.9	%
Moisture3		.26	%
Total Neutralizing Power	100	111.4	%

Site: Hanson Aggregates 848 Plum Run Rd., Peebles, OH 456 **Collected:** 10/1/2007

<u>Test</u>	<u>Claim</u>	<u>Result</u>	<u>Units</u>
#100 US Sieve		91	%
#20 US Sieve		100	%
#60 US Sieve		99	%
#8 US Sieve		100	%
Calcium3	21	20.6	%
ENP	2000	2102	lb/ton
Magnesium3	12	12.4	%
Moisture3		5.04	%
Total Neutralizing Power	100	111.1	%

Site: Hanson Aggregates Paulding, OH 45879 **Collected:** 9/19/2007

<u>Test</u>	<u>Claim</u>	<u>Result</u>	<u>Units</u>
#100 US Sieve		18	%
#20 US Sieve		56	%
#60 US Sieve		32	%
#8 US Sieve		86	%
Calcium3	18	26.2	%
ENP	775.2	1066	lb/ton
Magnesium3	6	8.07	%
Moisture3		11.30	%
Total Neutralizing Power	775.2	114.7	%



Consumer Analytical Laboratory

Ohio Department of Agriculture
Consumer Analytical Laboratory
8995 East Main St. Bldg 3
Reynoldsburg, OH 43068
Phone: (614) 728-6230

ODA Plant Industry/Fertilizer-Lime APPROVED RESULTS sorted by Site LIME SAMPLES COLLECTED 1/1/2007 - 12/31/2007

Site: Honda of America Anna, OH 45302

Collected: 3/27/2007

<u>Test</u>	<u>Claim</u>	<u>Result</u>	<u>Units</u>
Calcium3	20	34.2	%
ENP	400	543	lb/ton
Magnesium3	2.5	3.40	%
Moisture3		66.85	%
Total Neutralizing Power	65	81.9	%

Site: Honda of America 11000 SR 347

Collected: 3/28/2007

<u>Test</u>	<u>Claim</u>	<u>Result</u>	<u>Units</u>
Calcium3	28	32.3	%
ENP	500	871	lb/ton
Magnesium3	3	2.83	%
Moisture3		52.95	%
Total Neutralizing Power	96	92.6	%

Site: Huron Lime, Inc. Huron, OH 44839

Collected: 5/16/2007

<u>Test</u>	<u>Claim</u>	<u>Result</u>	<u>Units</u>
#100 US Sieve		91	%
#20 US Sieve		96	%
#60 US Sieve		92	%
#8 US Sieve		99	%
Calcium3	25	31.9	%
ENP	900 lb/Tn	929	lbs/ton
Magnesium3	1	0.95	%
Moisture3		45.72	%
Total Neutralizing Power	76	90.1	%



Consumer Analytical Laboratory

Ohio Department of Agriculture
Consumer Analytical Laboratory
8995 East Main St. Bldg 3
Reynoldsburg, OH 43068
Phone: (614) 728-6230

ODA Plant Industry/Fertilizer-Lime APPROVED RESULTS sorted by Site LIME SAMPLES COLLECTED 1/1/2007 - 12/31/2007

Site: Huron Lime, Inc.

Huron, OH 44839

Collected: 9/10/2007

<u>Test</u>	<u>Claim</u>	<u>Result</u>	<u>Units</u>
#100 US Sieve		90	%
#20 US Sieve		94	%
#60 US Sieve		92	%
#8 US Sieve		98	%
Calcium3	25	35.1	
ENP	900	762	lb/ton
Magnesium3	1	1.02	
Moisture3		51.89	%
Total Neutralizing Power	76	84.2	%

Site: Kent Water Treatment Plan Kent, OH 44240

Collected: 4/2/2007

<u>Test</u>	<u>Claim</u>	<u>Result</u>	<u>Units</u>
#100 US Sieve		93	%
#20 US Sieve		96	%
#60 US Sieve		95	%
#8 US Sieve		98	%
Calcium3	25	36.7	%
ENP	1000 lb/Tn	1498	lb/ton
Magnesium3	1	1.36	%
Moisture3		30.42	%
Total Neutralizing Power	90	112.1	%

Site: LaFarge Construction Mate Warren, OH 44481

Collected: 4/24/2007

<u>Test</u>	<u>Claim</u>	<u>Result</u>	<u>Units</u>
#100 US Sieve		7	%
#20 US Sieve		46	%
#60 US Sieve		18	%
#8 US Sieve		84	%
Calcium3	25	27.5	%
ENP	670 lb/Tn	726	lb/ton
Magnesium3	7	7.34	%
Moisture3		8.56	%
Total Neutralizing Power	92	93.6	%



Consumer Analytical Laboratory

Ohio Department of Agriculture
Consumer Analytical Laboratory
8995 East Main St. Bldg 3
Reynoldsburg, OH 43068
Phone: (614) 728-6230

ODA Plant Industry/Fertilizer-Lime APPROVED RESULTS sorted by Site LIME SAMPLES COLLECTED 1/1/2007 - 12/31/2007

Site: Mahoning Valley Sanitary Mineral Ridge, OH 44440

Collected: 3/27/2007

<u>Test</u>	<u>Claim</u>	<u>Result</u>	<u>Units</u>
#100 US Sieve		99	%
#20 US Sieve		100	%
#60 US Sieve		100	%
#8 US Sieve		100	%
Calcium3	32.6	32.8	%
ENP	1849	1140	lb/ton
Magnesium3	2.85	2.97	%
Moisture3		43.22	%
Total Neutralizing Power	92.5	100.4	%

Site: Martin Marietta Magnesia Woodville, OH 43469

Collected: 4/19/2007

<u>Test</u>	<u>Claim</u>	<u>Result</u>	<u>Units</u>
#100 US Sieve		48	%
#20 US Sieve		76	%
#60 US Sieve		61	%
#8 US Sieve		94	%
Calcium3	23	22.3	%
ENP	1250	1591	
Magnesium3	13	13.0	%
Moisture3		6.4	%
Total Neutralizing Power	10.5	115.5	%

Site: Melvin Stone Co. Wilmington, OH 45177

Collected: 3/29/2007

<u>Test</u>	<u>Claim</u>	<u>Result</u>	<u>Units</u>
#100 US Sieve		44	%
#20 US Sieve		81	%
#60 US Sieve		62	%
#8 US Sieve		98	%
Calcium3	21	21.9	%
ENP	1450	1691	lb/ton
Magnesium3	12	13.0	%
Moisture3	Check	5.34	%
Total Neutralizing Power	103	116.3	%



Consumer Analytical Laboratory

Ohio Department of Agriculture
Consumer Analytical Laboratory
8995 East Main St. Bldg 3
Reynoldsburg, OH 43068
Phone: (614) 728-6230

ODA Plant Industry/Fertilizer-Lime APPROVED RESULTS sorted by Site LIME SAMPLES COLLECTED 1/1/2007 - 12/31/2007

Site: Melvin Stone Co.

Wilmington, OH 45177

Collected: 10/9/2007

<u>Test</u>	<u>Claim</u>	<u>Result</u>	<u>Units</u>
#100 US Sieve		51	%
#20 US Sieve		84	%
#60 US Sieve		66	%
#8 US Sieve		98	%
Calcium3	21	21.2	%
ENP	1450	1680	lb/ton
Magnesium3	12	12.3	%
Moisture3	Check	2.66	%
Total Neutralizing Power	103	108.4	%

Site: Millersville Lime, Inc.

Millersville, OH 43435

Collected: 4/9/2007

<u>Test</u>	<u>Claim</u>	<u>Result</u>	<u>Units</u>
#100 US Sieve		42	%
#20 US Sieve		72	%
#60 US Sieve		60	%
#8 US Sieve		97	%
Calcium3	23.5	22.9	%
ENP	1413	1448	lb/ton
Magnesium3	12.8	13.3	%
Moisture3		5.74	%
Total Neutralizing Power	107.2	106.4	%

Site: Millersville Lime, Inc.

Millersville, OH 43435

Collected: 9/6/2007

<u>Test</u>	<u>Claim</u>	<u>Result</u>	<u>Units</u>
#100 US Sieve		39	%
#20 US Sieve		73	%
#60 US Sieve		66	%
#8 US Sieve		96	%
Calcium3	22.9	24.1	%
ENP	1448	1588	lb/ton
Magnesium3	13.3	13.1	%
Moisture3		2.73	%
Total Neutralizing Power	106.4	109.1	%



Consumer Analytical Laboratory

Ohio Department of Agriculture
Consumer Analytical Laboratory
8995 East Main St. Bldg 3
Reynoldsburg, OH 43068
Phone: (614) 728-6230

ODA Plant Industry/Fertilizer-Lime APPROVED RESULTS sorted by Site LIME SAMPLES COLLECTED 1/1/2007 - 12/31/2007

Site: Mineral Processing Carey, OH 43316

Collected: 4/19/2007

<u>Test</u>	<u>Claim</u>	<u>Result</u>	<u>Units</u>
Calcium3	20	16.8	%
ENP	1900 lb/Tn	1821	lb/ton
Magnesium3	12	10.1	
Moisture3		1.38	%
Total Neutralizing Power	97	100.8	%

Site: Mineral Processing Carey, OH 43316

Collected: 4/19/2007

<u>Test</u>	<u>Claim</u>	<u>Result</u>	<u>Units</u>
Calcium3	30	31.2	%
Magnesium3	4	5.41	%
Moisture3		1.32	%
Total Neutralizing Power	93	94.3	%

Site: Mineral Processing Carey, OH 43316

Collected: 10/23/2007

<u>Test</u>	<u>Claim</u>	<u>Result</u>	<u>Units</u>
#100 US Sieve		0	%
#20 US Sieve		0	%
#60 US Sieve		0	%
#8 US Sieve		0	%
Calcium3	20	21.4	%
ENP	1900 lb/tn	2150	lb/ton
Magnesium3	12	12.6	%
Moisture3		2.02	%
Total Neutralizing Power	97	109.7	%

Site: Mineral Processing Carey, OH 43316

Collected: 10/23/2007

<u>Test</u>	<u>Claim</u>	<u>Result</u>	<u>Units</u>
#100 US Sieve		0	%
#20 US Sieve		0	%
#60 US Sieve		0	%
#8 US Sieve		0	%
Calcium3	30	29.4	%
ENP	1860	2028	lb/ton
Magnesium3	4	5.31	%
Moisture3		1.92	%
Total Neutralizing Power	93	103.4	%



Consumer Analytical Laboratory

Ohio Department of Agriculture
Consumer Analytical Laboratory
8995 East Main St. Bldg 3
Reynoldsburg, OH 43068
Phone: (614) 728-6230

ODA Plant Industry/Fertilizer-Lime APPROVED RESULTS sorted by Site LIME SAMPLES COLLECTED 1/1/2007 - 12/31/2007

Site: National Lime & Stone Co. Buckland, OH 45819

Collected: 4/11/2007

<u>Test</u>	<u>Claim</u>	<u>Result</u>	<u>Units</u>
#100 US Sieve		28	%
#20 US Sieve		71	%
#60 US Sieve		40	%
#8 US Sieve		94	%
Calcium3	20	22.2	%
ENP	1055 Lb/Tn	1149	lb/ton
Magnesium3	11	13.0	%
Moisture3		10.12	%
Total Neutralizing Power	98	101.1	%

Site: National Lime & Stone Co. Carey, OH 43316

Collected: 4/19/2007

<u>Test</u>	<u>Claim</u>	<u>Result</u>	<u>Units</u>
Calcium3	12	16.3	%
ENP	1200 lb/Tn	1385	lbs/ton
Magnesium3	7	9.97	%
Moisture3		0.90	%
Total Neutralizing Power	60	69.9	%

Site: National Lime & Stone Co. Marion, OH 43302

Collected: 4/25/2007

<u>Test</u>	<u>Claim</u>	<u>Result</u>	<u>Units</u>
#100 US Sieve		42	%
#20 US Sieve		77	%
#60 US Sieve		49	%
#8 US Sieve		99	%
Calcium3	24	24.7	%
ENP	1260	1251	lb/ton
Magnesium3	6	10.8	%
Moisture3		11.94	%
Total Neutralizing Power	95	101.2	%



Consumer Analytical Laboratory

Ohio Department of Agriculture
Consumer Analytical Laboratory
8995 East Main St. Bldg 3
Reynoldsburg, OH 43068
Phone: (614) 728-6230

ODA Plant Industry/Fertilizer-Lime APPROVED RESULTS sorted by Site LIME SAMPLES COLLECTED 1/1/2007 - 12/31/2007

Site: National Lime & Stone Co. Upper Sandusky, OH 43351

Collected: 4/25/2007

<u>Test</u>	<u>Claim</u>	<u>Result</u>	<u>Units</u>
#100 US Sieve		96	%
#20 US Sieve		100	%
#60 US Sieve		99	%
#8 US Sieve		100	%
Calcium3	21	22.1	%
ENP	2060	2048	lb/ton
Magnesium3	12	13.0	%
Moisture3		1.07	%
Total Neutralizing Power	105	103.9	%

Site: National Lime & Stone Co. Upper Sandusky, OH 43351

Collected: 4/25/2007

<u>Test</u>	<u>Claim</u>	<u>Result</u>	<u>Units</u>
#100 US Sieve		93	%
#20 US Sieve		100	%
#60 US Sieve		98	%
#8 US Sieve		100	%
Calcium3	30	30.5	%
ENP	1885	2026	lb/ton
Magnesium3	4	6.61	%
Moisture3		0	%
Total Neutralizing Power	97	102.1	%

Site: National Lime & Stone Co. Delaware, OH 43015

Collected: 5/2/2007

<u>Test</u>	<u>Claim</u>	<u>Result</u>	<u>Units</u>
#100 US Sieve		21	%
#20 US Sieve		56	%
#60 US Sieve		34	%
#8 US Sieve		88	%
Calcium3	21.6	29.3	%
ENP	80377 Lb/Tn	1108	lb/ton
Magnesium3	.12	7.45	%
Moisture3		7.14	%
Total Neutralizing Power	104.4	111.3	%



Consumer Analytical Laboratory

Ohio Department of Agriculture
Consumer Analytical Laboratory
8995 East Main St. Bldg 3
Reynoldsburg, OH 43068
Phone: (614) 728-6230

ODA Plant Industry/Fertilizer-Lime APPROVED RESULTS sorted by Site LIME SAMPLES COLLECTED 1/1/2007 - 12/31/2007

Site: National Lime & Stone Co. Bucyrus, OH 44820

Collected: 5/10/2007

<u>Test</u>	<u>Claim</u>	<u>Result</u>	<u>Units</u>
#100 US Sieve		54	%
#20 US Sieve		85	%
#60 US Sieve		66	%
#8 US Sieve		97	%
Calcium3	30	30.4	
ENP	1355	1555	lb/ton
Magnesium3	4	5.79	
Moisture3		3.53	%
Total Neutralizing Power	97	101.0	%

Site: National Lime & Stone Co. Buckland, OH 45819

Collected: 9/18/2007

<u>Test</u>	<u>Claim</u>	<u>Result</u>	<u>Units</u>
#100 US Sieve		28	%
#20 US Sieve		63	%
#60 US Sieve		43	%
#8 US Sieve		89	%
Calcium3	20	23.4	
ENP	1055	1087	lb/ton
Magnesium3	11	13.2	
Moisture3		10.54	%
Total Neutralizing Power	98	100.9	%

Site: National Lime & Stone Co. Upper Sandusky, OH 43351

Collected: 10/23/2007

<u>Test</u>	<u>Claim</u>	<u>Result</u>	<u>Units</u>
#100 US Sieve		97	%
#20 US Sieve		100	%
#60 US Sieve		98	%
#8 US Sieve		100	%
Calcium3	21	21.7	%
ENP	2060 lb/Tn	2144	lb/ton
Magnesium3	12	12.8	%
Moisture3		.87	%
Total Neutralizing Power	105	109.0	%



Consumer Analytical Laboratory

Ohio Department of Agriculture
Consumer Analytical Laboratory
8995 East Main St. Bldg 3
Reynoldsburg, OH 43068
Phone: (614) 728-6230

ODA Plant Industry/Fertilizer-Lime APPROVED RESULTS sorted by Site LIME SAMPLES COLLECTED 1/1/2007 - 12/31/2007

Site: National Lime & Stone Co. Upper Sandusky, OH 43351

Collected: 10/12/2007

<u>Test</u>	<u>Claim</u>	<u>Result</u>	<u>Units</u>
#100 US Sieve		94	%
#20 US Sieve		100	%
#60 US Sieve		99	%
#8 US Sieve		100	%
Calcium3	30	28.6	%
ENP	1885 lb/Tn	2097	lb/ton
Magnesium3	4	6.73	%
Moisture3		.32	%
Total Neutralizing Power	97	105.6	%

Site: National Lime & Stone Co. Marion, OH 43302

Collected: 10/24/2007

<u>Test</u>	<u>Claim</u>	<u>Result</u>	<u>Units</u>
#100 US Sieve		52	%
#20 US Sieve		86	%
#60 US Sieve		61	%
#8 US Sieve		100	%
Calcium3	24	23.2	%
ENP	1250 Lb/Tn	1412	lb/ton
Magnesium3	6	10.4	%
Moisture3		10.74	%
Total Neutralizing Power	95	100.4	%

Site: National Lime & Stone Co. Bucyrus, OH 44820

Collected: 10/24/2007

<u>Test</u>	<u>Claim</u>	<u>Result</u>	<u>Units</u>
#100 US Sieve		56	%
#20 US Sieve		91	%
#60 US Sieve		70	%
#8 US Sieve		99	%
Calcium3	30	29.6	%
ENP	1355	1623	lb/ton
Magnesium3	4	6.15	%
Moisture3		4.01	%
Total Neutralizing Power	97	100.4	%



Consumer Analytical Laboratory

Ohio Department of Agriculture
Consumer Analytical Laboratory
8995 East Main St. Bldg 3
Reynoldsburg, OH 43068
Phone: (614) 728-6230

ODA Plant Industry/Fertilizer-Lime APPROVED RESULTS sorted by Site LIME SAMPLES COLLECTED 1/1/2007 - 12/31/2007

Site: National Lime & Stone Co. carey, OH 43316

Collected: 10/25/2007

<u>Test</u>	<u>Claim</u>	<u>Result</u>	<u>Units</u>
#100 US Sieve		60	%
#20 US Sieve		91	%
#60 US Sieve		71	%
#8 US Sieve		98	%
Calcium3	21	22.9	%
ENP	1465	1735	lb/ton
Magnesium3	12	12.6	%
Moisture3		5.16	%
Total Neutralizing Power	105	108.4	%

Site: National Lime & Stone Co. Carey, OH 43316

Collected: 10/25/2007

<u>Test</u>	<u>Claim</u>	<u>Result</u>	<u>Units</u>
Calcium3	12	18.3	%
ENP	1200	1477	lb/ton
Magnesium3	7	11.0	%
Moisture3		6.39	%
Total Neutralizing Power	60	78.9	%

Site: National Lime & Stone Co. Delaware, OH 43015

Collected: 11/7/2007

<u>Test</u>	<u>Claim</u>	<u>Result</u>	<u>Units</u>
#100 US Sieve		18	%
#20 US Sieve		64	%
#60 US Sieve		44	%
#8 US Sieve		86	%
Calcium3	21.6	30.4	%
ENP	803.77	1245	lbs/ton
Magnesium3	6.12	6.89	%
Moisture3		2.60	%
Total Neutralizing Power	104.4	105.8	%



Consumer Analytical Laboratory

Ohio Department of Agriculture
Consumer Analytical Laboratory
8995 East Main St. Bldg 3
Reynoldsburg, OH 43068
Phone: (614) 728-6230

ODA Plant Industry/Fertilizer-Lime APPROVED RESULTS sorted by Site LIME SAMPLES COLLECTED 1/1/2007 - 12/31/2007

Site: National line & Stone Co. Carey, OH 43316

Collected: 4/19/2007

<u>Test</u>	<u>Claim</u>	<u>Result</u>	<u>Units</u>
#100 US Sieve		51	%
#20 US Sieve		90	%
#60 US Sieve		66	%
#8 US Sieve		98	%
Calcium3	21	22.9	%
ENP	1465 lb/Tn	1439	lb/ton
Magnesium3	12	13.2	%
Moisture3		21.25	%
Total Neutralizing Power	105	111.4	%

Site: Newark Water Treatment Newark, OH 43055

Collected: 1/4/2007

<u>Test</u>	<u>Claim</u>	<u>Result</u>	<u>Units</u>
Calcium3	37.7	34.7	%
ENP	1009 lb/Tn	1135	lb/ton
Magnesium3	2.03	1.66	%
Moisture3		42.02	%
Total Neutralizing Power	90.1	97.9	%

Site: Nofziger Farm Service Wauseon, OH

Collected: 4/16/2007

<u>Test</u>	<u>Claim</u>	<u>Result</u>	<u>Units</u>
Calcium3	28	34.1	%
ENP	1200	1937	lb/ton
Magnesium3	4	4.83	%
Moisture3		14.98	%
Total Neutralizing Power	80	91.4	%

Site: North Canton WTP N. Canton, OH 44720

Collected: 3/26/2007

<u>Test</u>	<u>Claim</u>	<u>Result</u>	<u>Units</u>
Calcium3	37.9	36.3	%
ENP	1795	899	lb/ton
Magnesium3	2.41	2.86	%
Moisture3		61.89	%
Total Neutralizing Power	115.4	117.9	%



Consumer Analytical Laboratory

Ohio Department of Agriculture
Consumer Analytical Laboratory
8995 East Main St. Bldg 3
Reynoldsburg, OH 43068
Phone: (614) 728-6230

ODA Plant Industry/Fertilizer-Lime APPROVED RESULTS sorted by Site LIME SAMPLES COLLECTED 1/1/2007 - 12/31/2007

Site: Ohio Asphaltic Limestone Hillsboro, OH 45133

Collected: 5/2/2007

<u>Test</u>	<u>Claim</u>	<u>Result</u>	<u>Units</u>
#100 US Sieve		56	%
#20 US Sieve		81	%
#60 US Sieve		62	%
#8 US Sieve		94	%
Calcium3	20	21.1	%
ENP	1354 lb/Tn	1567	lb/ton
Magnesium3	11	12.3	%
Moisture3		7.89	%
Total Neutralizing Power	100	111.9	%

Site: Ohio Asphaltic Limestone Hillsboro, OH 45133

Collected: 10/2/2007

<u>Test</u>	<u>Claim</u>	<u>Result</u>	<u>Units</u>
#100 US Sieve		48	%
#20 US Sieve		76	%
#60 US Sieve		56	%
#8 US Sieve		94	%
Calcium3	20	20.0	%
ENP	1354	1285	lb/ton
Magnesium3	11	11.9	%
Moisture3		11.39	%
Total Neutralizing Power	100	101.3	%

Site: Piqua Mineral Piqua, OH 45356

Collected: 4/10/2007

<u>Test</u>	<u>Claim</u>	<u>Result</u>	<u>Units</u>
#100 US Sieve		60	%
#20 US Sieve		94	%
#60 US Sieve		71	%
#8 US Sieve		100	%
Calcium3	34	35.2	%
ENP	1735	1867	lb/ton
Magnesium3	4	3.91	%
Moisture3	check	0.50	%
Total Neutralizing Power	100	109.1	%



Consumer Analytical Laboratory

Ohio Department of Agriculture
Consumer Analytical Laboratory
8995 East Main St. Bldg 3
Reynoldsburg, OH 43068
Phone: (614) 728-6230

ODA Plant Industry/Fertilizer-Lime APPROVED RESULTS sorted by Site LIME SAMPLES COLLECTED 1/1/2007 - 12/31/2007

Site: Piqua Mineral	Piqua, OH 45356	Collected: 10/16/2007
<u>Test</u>	<u>Claim</u>	<u>Result</u> <u>Units</u>
#100 US Sieve		68 %
#20 US Sieve		98 %
#60 US Sieve		81 %
#8 US Sieve		100 %
Calcium3	34	35.1 %
ENP	1735	2078 lb/ton
Magnesium3	4	4.28 %
Moisture3		.35 %
Total Neutralizing Power	100	113.8 %

Site: Roseville Water Dept.	Roseville, OH 43777	Collected: 3/27/2007
<u>Test</u>	<u>Claim</u>	<u>Result</u> <u>Units</u>
Calcium3	26.2	28.4 %
ENP	138 lb/tn	500 lb/ton
Magnesium3	5.31	5.01 %
Moisture3		75.76 %
Total Neutralizing Power	92.2	103.1 %

Site: Shelly Materials, Inc.	Forest, OH 45843	Collected: 3/20/2007
<u>Test</u>	<u>Claim</u>	<u>Result</u> <u>Units</u>
#100 US Sieve		30 %
#20 US Sieve		72 %
#60 US Sieve		42 %
#8 US Sieve		98 %
Calcium3	20	21.0 %
ENP	95	1228 lb/ton
Magnesium3	11	13.0 %
Moisture3		12.20 %
Total Neutralizing Power	1190 lb/tn	107.3 %



Consumer Analytical Laboratory

Ohio Department of Agriculture
Consumer Analytical Laboratory
8995 East Main St. Bldg 3
Reynoldsburg, OH 43068
Phone: (614) 728-6230

ODA Plant Industry/Fertilizer-Lime APPROVED RESULTS sorted by Site LIME SAMPLES COLLECTED 1/1/2007 - 12/31/2007

Site: Shelly Materials, Inc. E. Fultonham, OH 43737 **Collected:** 3/27/2007

<u>Test</u>	<u>Claim</u>	<u>Result</u>	<u>Units</u>
#100 US Sieve		46	%
#20 US Sieve		81	%
#60 US Sieve		56	%
#8 US Sieve		96	%
Calcium3	28	33.8	%
ENP	1200 lb/Tn	1360	lb/ton
Magnesium3	3	3.11	%
Moisture3		1.62	%
Total Neutralizing Power	90	93.4	%

Site: Shelly Materials, Inc. Belle Center, OH 43310 **Collected:** 3/28/2007

<u>Test</u>	<u>Claim</u>	<u>Result</u>	<u>Units</u>
#100 US Sieve		34	%
#20 US Sieve		66	%
#60 US Sieve		42	%
#8 US Sieve		94	%
Calcium3	20	21.2	%
ENP	1100	1124	lb/ton
Magnesium3	10	12.6	%
Moisture3		8.41	%
Total Neutralizing Power	100	99.0	%

Site: Shelly Materials, Inc. W. Mansfield, OH 43358 **Collected:** 5/1/2007

<u>Test</u>	<u>Claim</u>	<u>Result</u>	<u>Units</u>
#100 US Sieve		31	%
#20 US Sieve		69	%
#60 US Sieve		38	%
#8 US Sieve		92	%
Calcium3	20	21.9	%
ENP	1150	1202	lb/ton
Magnesium3	10	12.7	%
Moisture3		8.58	%
Total Neutralizing Power	98	107.4	%



Consumer Analytical Laboratory

Ohio Department of Agriculture
Consumer Analytical Laboratory
8995 East Main St. Bldg 3
Reynoldsburg, OH 43068
Phone: (614) 728-6230

ODA Plant Industry/Fertilizer-Lime APPROVED RESULTS sorted by Site LIME SAMPLES COLLECTED 1/1/2007 - 12/31/2007

Site: Shelly Materials, Inc. Ostrander, OH 43061

Collected: 5/1/2007

<u>Test</u>	<u>Claim</u>	<u>Result</u>	<u>Units</u>
#100 US Sieve		56	%
#20 US Sieve		81	%
#60 US Sieve		72	%
#8 US Sieve		98	%
Calcium3	28	35.0	%
ENP	1300 lb/Tn	1644	lb/ton
Magnesium3	3	3.82	%
Moisture3		2.38	%
Total Neutralizing Power	95	104.2	%

Site: Shelly Materials, Inc. E. Fultonham, OH 43735

Collected: 8/14/2007

<u>Test</u>	<u>Claim</u>	<u>Result</u>	<u>Units</u>
#100 US Sieve		52	%
#20 US Sieve		84	%
#60 US Sieve		61	%
#8 US Sieve		98	%
Calcium3	28	33.4	%
ENP	1200	1586	lbs/ton
Magnesium3	3	2.82	%
Moisture3		3.04	%
Total Neutralizing Power	90	105.4	%

Site: Shelly Materials, Inc. Forest, OH 45843

Collected: 9/12/2007

<u>Test</u>	<u>Claim</u>	<u>Result</u>	<u>Units</u>
#100 US Sieve		28	%
#20 US Sieve		83	%
#60 US Sieve		51	%
#8 US Sieve		98	%
Calcium3	20	24.1	%
ENP	1190	1233	lb/ton
Magnesium3	11	13.6	%
Moisture3		14.86	%
Total Neutralizing Power	95	98.9	%



Consumer Analytical Laboratory

Ohio Department of Agriculture
Consumer Analytical Laboratory
8995 East Main St. Bldg 3
Reynoldsburg, OH 43068
Phone: (614) 728-6230

ODA Plant Industry/Fertilizer-Lime APPROVED RESULTS sorted by Site LIME SAMPLES COLLECTED 1/1/2007 - 12/31/2007

Site: Shelly Materials, Inc. Belle Center, OH 43310 Collected: 9/25/2007

<u>Test</u>	<u>Claim</u>	<u>Result</u>	<u>Units</u>
#100 US Sieve		31	%
#20 US Sieve		66	%
#60 US Sieve		48	%
#8 US Sieve		94	%
Calcium3	20	23.1	
ENP	1100	1294	lb/ton
Magnesium3	10	13.0	
Moisture3		5.30	%
Total Neutralizing Power	100	106.1	%

Site: Shelly Materials, Inc. Ostrander, OH 43061 Collected: 11/7/2007

<u>Test</u>	<u>Claim</u>	<u>Result</u>	<u>Units</u>
#100 US Sieve		54	%
#20 US Sieve		80	%
#60 US Sieve		72	%
#8 US Sieve		98	%
Calcium3	28	30.2	%
ENP	1300	1556	lbs/ton
Magnesium3	3	6.97	%
Moisture3		4.2	%
Total Neutralizing Power	95	101.0	%

Site: Shelly Materials, Inc. West Mansfield, OH 43358 Collected: 11/7/2007

<u>Test</u>	<u>Claim</u>	<u>Result</u>	<u>Units</u>
#100 US Sieve		36	%
#20 US Sieve		73	%
#60 US Sieve		44	%
#8 US Sieve		92	%
Calcium3	20	21.9	%
ENP	1150	1207	lbs/ton
Magnesium3	10	12.5	%
Moisture3		7.84	%
Total Neutralizing Power	98	100.4	%



Consumer Analytical Laboratory

Ohio Department of Agriculture
Consumer Analytical Laboratory
8995 East Main St. Bldg 3
Reynoldsburg, OH 43068
Phone: (614) 728-6230

ODA Plant Industry/Fertilizer-Lime APPROVED RESULTS sorted by Site LIME SAMPLES COLLECTED 1/1/2007 - 12/31/2007

Site: Specialty Mineral

W. Carrollton, OH 45449

Collected: 4/18/2007

<u>Test</u>	<u>Claim</u>	<u>Result</u>	<u>Units</u>
Calcium3	20	33.0	%
ENP	309	883	lb/ton
Magnesium3	2	5.00	%
Moisture3	Check	47.57	%
Total Neutralizing Power	65	84.2	%

Site: Stansley Mineral Resource Genoa, OH 43430

Collected: 8/22/2007

<u>Test</u>	<u>Claim</u>	<u>Result</u>	<u>Units</u>
#100 US Sieve		14	%
#20 US Sieve		56	%
#60 US Sieve		29	%
#8 US Sieve		77	%
Calcium3	23	22.8	%
ENP	908	1083	lbs/ton
Magnesium3	12	13.3	%
Moisture3		5.38	%
Total Neutralizing Power	106.2	115.9	%

Site: Stone Co.

Convoy, OH 45832

Collected: 3/29/2007

<u>Test</u>	<u>Claim</u>	<u>Result</u>	<u>Units</u>
#100 US Sieve		81	%
#20 US Sieve		91	%
#60 US Sieve		87	%
#8 US Sieve		97	%
Calcium3	19	22.7	%
ENP	1400	1591	lb/ton
Magnesium3	11	13.6	%
Moisture3		12.46	%
Total Neutralizing Power	101	100.3	%



Consumer Analytical Laboratory

Ohio Department of Agriculture
Consumer Analytical Laboratory
8995 East Main St. Bldg 3
Reynoldsburg, OH 43068
Phone: (614) 728-6230

ODA Plant Industry/Fertilizer-Lime APPROVED RESULTS sorted by Site LIME SAMPLES COLLECTED 1/1/2007 - 12/31/2007

Site: Stone Co.

Portage, OH 43451

Collected: 4/12/2007

<u>Test</u>	<u>Claim</u>	<u>Result</u>	<u>Units</u>
#100 US Sieve		86	%
#20 US Sieve		92	%
#60 US Sieve		90	%
#8 US Sieve		97	%
Calcium3	19	22.3	%
ENP	1550	1749	lb/ton
Magnesium3	11	13.2	%
Moisture3		11.36	%
Total Neutralizing Power	102	107.0	%

Site: Stone Co.

Perrysburg, OH 43551

Collected: 4/12/2007

<u>Test</u>	<u>Claim</u>	<u>Result</u>	<u>Units</u>
#100 US Sieve		84	%
#20 US Sieve		93	%
#60 US Sieve		91	%
#8 US Sieve		97	%
Calcium3	21	22.7	%
ENP	1580	1808	lb/ton
Magnesium3	11	13.3	%
Moisture3		12.67	%
Total Neutralizing Power	101	111.3	%

Site: Stone Co.

Oakwood, OH 45873

Collected: 5/2/2007

<u>Test</u>	<u>Claim</u>	<u>Result</u>	<u>Units</u>
#100 US Sieve		26	%
#20 US Sieve		54	%
#60 US Sieve		36	%
#8 US Sieve		82	%
Calcium3	28	31.4	%
ENP	970	1005	lb/ton
Magnesium3	7	4.02	%
Moisture3		6.09	%
Total Neutralizing Power	100	102.1	%



Consumer Analytical Laboratory

Ohio Department of Agriculture
Consumer Analytical Laboratory
8995 East Main St. Bldg 3
Reynoldsburg, OH 43068
Phone: (614) 728-6230

ODA Plant Industry/Fertilizer-Lime APPROVED RESULTS sorted by Site LIME SAMPLES COLLECTED 1/1/2007 - 12/31/2007

Site: Stone Co.

Maumee, OH 43537

Collected: 5/1/2007

<u>Test</u>	<u>Claim</u>	<u>Result</u>	<u>Units</u>
#100 US Sieve		78	%
#20 US Sieve		88	%
#60 US Sieve		84	%
#8 US Sieve		92	%
Calcium3	21	21.9	%
ENP	1550 lb/Tn	1587	lbs/ton
Magnesium3	11	12.6	%
Moisture3		10.88	%
Total Neutralizing Power	101	102.1	%

Site: Stone Co.

Celina, OH 45822

Collected: 9/27/2007

<u>Test</u>	<u>Claim</u>	<u>Result</u>	<u>Units</u>
#100 US Sieve		27	%
#20 US Sieve		50	%
#60 US Sieve		31	%
#8 US Sieve		83	%
Calcium3	20	22.8	%
ENP	1050	1036	lb/ton
Magnesium3	12	12.8	%
Moisture3		3.87	%
Total Neutralizing Power	103	110.0	%

Site: Stone Co.

Perrysburg, OH 43551

Collected: 9/18/2007

<u>Test</u>	<u>Claim</u>	<u>Result</u>	<u>Units</u>
#100 US Sieve		84	%
#20 US Sieve		92	%
#60 US Sieve		89	%
#8 US Sieve		98	%
Calcium3	21	21.7	%
ENP	1580	1997	lb/ton
Magnesium3	11	12.9	%
Moisture3		10.16	%
Total Neutralizing Power	101	120.8	%



Consumer Analytical Laboratory

Ohio Department of Agriculture
Consumer Analytical Laboratory
8995 East Main St. Bldg 3
Reynoldsburg, OH 43068
Phone: (614) 728-6230

ODA Plant Industry/Fertilizer-Lime APPROVED RESULTS sorted by Site LIME SAMPLES COLLECTED 1/1/2007 - 12/31/2007

Site: Stone Co. Portage, OH 43451 **Collected:** 9/18/2007

<u>Test</u>	<u>Claim</u>	<u>Result</u>	<u>Units</u>
#100 US Sieve		83	%
#20 US Sieve		92	%
#60 US Sieve		87	%
#8 US Sieve		98	%
Calcium3	19	21.6	%
ENP	1550	1808	lb/ton
Magnesium3	11	12.9	%
Moisture3		9.12	%
Total Neutralizing Power	102	109.1	%

Site: Stone Co. Carey, OH 43316 **Collected:** 10/25/2007

<u>Test</u>	<u>Claim</u>	<u>Result</u>	<u>Units</u>
#100 US Sieve		69	%
#20 US Sieve		76	%
#60 US Sieve		74	%
#8 US Sieve		96	%
Calcium3	21	21.2	%
ENP	1400 lb/Tn	1556	lb/ton
Magnesium3	12	12.7	%
Moisture3		9.81	%
Total Neutralizing Power	105	108.9	%

Site: Stone Co. Oakwood, OH 45873 **Collected:** 10/15/2007

<u>Test</u>	<u>Claim</u>	<u>Result</u>	<u>Units</u>
#100 US Sieve		28	%
#20 US Sieve		66	%
#60 US Sieve		42	%
#8 US Sieve		91	%
Calcium3	28	29.9	%
ENP	970	1297	lbs/ton
Magnesium3	7	7.92	%
Moisture3		3.40	%
Total Neutralizing Power	100	109.3	%



Consumer Analytical Laboratory

Ohio Department of Agriculture
Consumer Analytical Laboratory
8995 East Main St. Bldg 3
Reynoldsburg, OH 43068
Phone: (614) 728-6230

ODA Plant Industry/Fertilizer-Lime APPROVED RESULTS sorted by Site LIME SAMPLES COLLECTED 1/1/2007 - 12/31/2007

Site: Stoneco

Celina, OH 45822

Collected: 3/21/2007

<u>Test</u>	<u>Claim</u>	<u>Result</u>	<u>Units</u>
#100 US Sieve		19	%
#20 US Sieve		66	%
#60 US Sieve		39	%
#8 US Sieve		90	%
Calcium3	20	24.3	%
ENP	1050	1202	lb/ton
Magnesium3	12	13.1	%
Moisture3		6.03	%
Total Neutralizing Power	103	106.6	%

Site: Stoneco Whiterock Quarry Clay Center, OH 43408

Collected: 11/15/2007

<u>Test</u>	<u>Claim</u>	<u>Result</u>	<u>Units</u>
#100 US Sieve		80	%
#20 US Sieve		90	%
#60 US Sieve		83	%
#8 US Sieve		94	%
Calcium3	20	20.8	%
ENP	1600	1639	lb/ton
Magnesium3	10	12.3	%
Moisture3		8.51	%
Total Neutralizing Power	102	101.8	%

Site: Stoneco, Inc.

CO RD 99, Carey, OH 43316

Collected: 4/19/2007

<u>Test</u>	<u>Claim</u>	<u>Result</u>	<u>Units</u>
#100 US Sieve		82	%
#20 US Sieve		98	%
#60 US Sieve		91	%
#8 US Sieve		100	%
Calcium3	21	23.3	%
ENP	1700 lb/Tn	1832	lb/ton
Magnesium3	12	13.7	%
Moisture3		11.79	%
Total Neutralizing Power	105	108.6	%



Consumer Analytical Laboratory

Ohio Department of Agriculture
Consumer Analytical Laboratory
8995 East Main St. Bldg 3
Reynoldsburg, OH 43068
Phone: (614) 728-6230

ODA Plant Industry/Fertilizer-Lime APPROVED RESULTS sorted by Site LIME SAMPLES COLLECTED 1/1/2007 - 12/31/2007

Site: Stoneco, Inc. Convoy, OH 45832 **Collected:** 9/17/2007

<u>Test</u>	<u>Claim</u>	<u>Result</u>	<u>Units</u>
#100 US Sieve		71	%
#20 US Sieve		91	%
#60 US Sieve		77	%
#8 US Sieve		97	%
Calcium3	19	23.4	
ENP	1400	1623	lb/ton
Magnesium3	11	13.1	
Moisture3		8.66	%
Total Neutralizing Power	101	102.6	%

Site: Synagro Central LLC Dayton, OH 45705 **Collected:** 10/17/2007

<u>Test</u>	<u>Claim</u>	<u>Result</u>	<u>Units</u>
Calcium3	30	36.7	%
ENP	540	736	lb/ton
Magnesium3	2	2.91	%
Moisture3	check	63.29	%
Total Neutralizing Power	90	100.3	%

Site: Synagro Midwest, Inc. Troy, OH 45373 **Collected:** 4/17/2007

<u>Test</u>	<u>Claim</u>	<u>Result</u>	<u>Units</u>
Calcium3	29	41.0	%
ENP	608 lb/Tn	1574	lb/ton
Magnesium3		0.90	%
Moisture3	check	15.18	%
Total Neutralizing Power	76	92.8	%

Site: Synagro Midwest, Inc. Dayton, OH 45404 **Collected:** 4/18/2007

<u>Test</u>	<u>Claim</u>	<u>Result</u>	<u>Units</u>
Calcium3	30	38.0	%
ENP	540	791	lb/ton
Magnesium3	2	2.76	%
Moisture3	Check	58.69	%
Total Neutralizing Power	90	95.8	%



Consumer Analytical Laboratory

Ohio Department of Agriculture
Consumer Analytical Laboratory
8995 East Main St. Bldg 3
Reynoldsburg, OH 43068
Phone: (614) 728-6230

ODA Plant Industry/Fertilizer-Lime APPROVED RESULTS sorted by Site LIME SAMPLES COLLECTED 1/1/2007 - 12/31/2007

Site: Synagro Midwest, Inc. Troy, OH 45373

Collected: 10/18/2007

<u>Test</u>	<u>Claim</u>	<u>Result</u>	<u>Units</u>
Calcium3	29	37.1	%
ENP	608	886	lb/ton
Magnesium3		0.78	%
Moisture3	check	50.17	%
Total Neutralizing Power	76	88.9	%

Site: Tyler Grain & Fertilizer Smithville, OH 44677

Collected: 4/16/2007

<u>Test</u>	<u>Claim</u>	<u>Result</u>	<u>Units</u>
#100 US Sieve		Pelletized	%
#20 US Sieve		Pelletized	%
Calcium3	30	31.3	%
ENP	1860	1937	lb/ton
Magnesium3	4	5.71	%
Moisture3		.61	%
Total Neutralizing Power	93	106.4	%

Site: Tyler Grain & Fertilizer Smithville, OH 44677

Collected: 4/16/2007

<u>Test</u>	<u>Claim</u>	<u>Result</u>	<u>Units</u>
#100 US Sieve		41	%
#20 US Sieve		74	%
#60 US Sieve		57	%
#8 US Sieve		97	%
Calcium3	30	31.6	%
ENP	1200 lb/tn	1330	lb/ton
Magnesium3	5	6.58	%
Moisture3		8.59	%
Total Neutralizing Power	95	101.3	%



Consumer Analytical Laboratory

Ohio Department of Agriculture
Consumer Analytical Laboratory
8995 East Main St. Bldg 3
Reynoldsburg, OH 43068
Phone: (614) 728-6230

ODA Plant Industry/Fertilizer-Lime APPROVED RESULTS sorted by Site LIME SAMPLES COLLECTED 1/1/2007 - 12/31/2007

Site: Tyler Grain & Fertilizer Smithville, OH 44677

Collected: 10/29/2007

<u>Test</u>	<u>Claim</u>	<u>Result</u>	<u>Units</u>
#100 US Sieve		36	%
#20 US Sieve		71	%
#60 US Sieve		51	%
#8 US Sieve		98	%
Calcium3	30	31.2	%
ENP	1200	1316	lbs/ton
Magnesium3	5	6.71	%
Moisture3		4.47	%
Total Neutralizing Power	95	100.7	%

Site: Villae of Mingo Jct. Water Mingo Jct, OH 43938

Collected: 3/21/2007

<u>Test</u>	<u>Claim</u>	<u>Result</u>	<u>Units</u>
#100 US Sieve		98	%
#20 US Sieve		100	%
#60 US Sieve		100	%
#8 US Sieve		100	%
Calcium3	34	36.2	%
ENP	1250	1469	lb/ton
Magnesium3	2	1.83	%
Moisture3		27.91	%
Total Neutralizing Power	97	101.9	%

Site: Village of Ada Ada, OH 45816

Collected: 3/20/2007

<u>Test</u>	<u>Claim</u>	<u>Result</u>	<u>Units</u>
Calcium3	35.4	34.0	%
ENP	979.2 lb/TN	865	lb/ton
Magnesium3	4.06	3.30	%
Moisture3		56.87	%
Total Neutralizing Power	101.2	100.3	%



Consumer Analytical Laboratory

Ohio Department of Agriculture
Consumer Analytical Laboratory
8995 East Main St. Bldg 3
Reynoldsburg, OH 43068
Phone: (614) 728-6230

ODA Plant Industry/Fertilizer-Lime APPROVED RESULTS sorted by Site LIME SAMPLES COLLECTED 1/1/2007 - 12/31/2007

Site: Village of Canal Wincheste Canal Winchester, Oh 43110

Collected: 4/2/2007

<u>Test</u>	<u>Claim</u>	<u>Result</u>	<u>Units</u>
Calcium3	33	36.2	%
ENP	190 lb/tn	714	lb/ton
Magnesium3	2	2.39	%
Moisture3		64.38	%
Total Neutralizing Power	97	100.2	%

Site: Village of Forest Forest, OH 45843

Collected: 3/20/2007

<u>Test</u>	<u>Claim</u>	<u>Result</u>	<u>Units</u>
Calcium3	29.4	29.9	%
ENP	150	723	lb/ton
Magnesium3	4.8	6.73	%
Moisture3		64.59	%
Total Neutralizing Power	96.2	102.1	%

Site: Village of Granville Granville, OH 434028

Collected: 4/2/2007

<u>Test</u>	<u>Claim</u>	<u>Result</u>	<u>Units</u>
Calcium3	3.5	34.7	%
ENP	1035 lg/Tn	1233	lb/ton
Magnesium3	1.3	1.93	%
Moisture3		42.07	%
Total Neutralizing Power	92.0	106.4	%

Site: Village of Johnstown Johnstown, OH 43031

Collected: 1/4/2007

<u>Test</u>	<u>Claim</u>	<u>Result</u>	<u>Units</u>
Calcium3	34.4	35.7	%
ENP	657 lb/Tn	648	lb/ton
Magnesium3		4.26	%
Moisture3		70.48	%
Total Neutralizing Power	102.3	109.8	%



Consumer Analytical Laboratory

Ohio Department of Agriculture
Consumer Analytical Laboratory
8995 East Main St. Bldg 3
Reynoldsburg, OH 43068
Phone: (614) 728-6230

ODA Plant Industry/Fertilizer-Lime APPROVED RESULTS sorted by Site LIME SAMPLES COLLECTED 1/1/2007 - 12/31/2007

Site: Village of Loudonville	Loudonville, OH 44842	Collected: 4/23/2007
Test	Claim	Result Units
Calcium3	25	38.9 %
ENP	300 lb/Tn	447 lb/ton
Magnesium3	1	2.01 %
Moisture3		76.27 %
Total Neutralizing Power	85	94.2 %

Site: Village of Metamora	Metamora, OH 43540	Collected: 4/25/2007
Test	Claim	Result Units
Calcium3	31.10	30.6
ENP	332 lb/Tn	241 lb/ton
Magnesium3	5.5	1.87
Moisture3		88.20 %
Total Neutralizing Power	101.4	102.3 %

Site: Village of Swanton	Swanton, OH 43558	Collected: 4/25/2007
Test	Claim	Result Units
Calcium3	29.9	31.0
ENP	228.6	388 lb/ton
Magnesium3	5.57	4.61
Moisture3		81.11 %
Total Neutralizing Power	104.4	102.7 %

Site: Village of West Liberty	W. Liberty, OH 43357	Collected: 3/19/2007
Test	Claim	Result Units
Calcium3	30	36.7 %
ENP	75	458 lb/ton
Magnesium3	2	3.17 %
Moisture3		79.19 %
Total Neutralizing Power	100	110.1 %



Consumer Analytical Laboratory

Ohio Department of Agriculture
Consumer Analytical Laboratory
8995 East Main St. Bldg 3
Reynoldsburg, OH 43068
Phone: (614) 728-6230

ODA Plant Industry/Fertilizer-Lime APPROVED RESULTS sorted by Site LIME SAMPLES COLLECTED 1/1/2007 - 12/31/2007

Site: White Rock Quarry LP Clay Center, OH 43408

Collected: 6/27/2007

<u>Test</u>	<u>Claim</u>	<u>Result</u>	<u>Units</u>
#100 US Sieve		81	%
#20 US Sieve		91	%
#60 US Sieve		84	%
#8 US Sieve		98	%
Calcium3	20	22.2	%
ENP	1600	1766	lb/ton
Magnesium3	10	12.6	%
Moisture3		5.35	%
Total Neutralizing Power	102	104.1	%

Site: Wilmington Water Dept. Wilmington, OH 45177

Collected: 10/9/2007

<u>Test</u>	<u>Claim</u>	<u>Result</u>	<u>Units</u>
Calcium3	29	30.2	%
ENP	150	291	lb/ton
Magnesium3	2	4.95	%
Moisture3	check	87.09	%
Total Neutralizing Power	90	112.8	%

Site: Wyandot Dolomite, Inc. Carey, OH 43316

Collected: 4/19/2007

<u>Test</u>	<u>Claim</u>	<u>Result</u>	<u>Units</u>
#100 US Sieve		71	%
#20 US Sieve		80	%
#60 US Sieve		76	%
#8 US Sieve		98	%
Calcium3	21	24.0	%
ENP	1625 Lb/Tn	1612	lb/ton
Magnesium3	12	13.3	%
Moisture3		9.92	%
Total Neutralizing Power	105	109.1	%