



Consumer Analytical Laboratory

Ohio Department of Agriculture
Consumer Analytical Laboratory
8995 East Main St. Bldg 3
Reynoldsburg, OH 43068
Phone: (614) 728-6230

ODA Plant Industry/Fertilizer-Lime APPROVED RESULTS sorted by Site LIME SAMPLES COLLECTED 1/1/2011 - 12/31/2011

Site:	Piqua, OH 45356	Collected:	5/11/2011	
Test	Claim	Result	Units	
#100 US Sieve		61	%	
#20 US Sieve		93	%	
#60 US Sieve		80	%	
#8 US Sieve		99	%	
Calcium3	33%	33.04		
ENP	1500lb/ton	2007	lbs/ton	
Magnesium3	3%	3.95		
Moisture3		2.05	%	
Total Neutralizing Power	97%	115.1	%	

Site:	Arch Materials Batavia, OH 45103	Collected:	3/31/2011	
Test	Claim	Result	Units	
#100 US Sieve		28	%	
#20 US Sieve		72	%	
#60 US Sieve		46	%	
#8 US Sieve		98	%	
Calcium3	30%	32.86		
ENP	1050 lb/T	1491	lb/ton	
Magnesium3	0%	1.7		
Moisture3		2.38	%	
Total Neutralizing Power	100%	114.3	%	

Site:	Audreanos D J Inc. Painesville, OH 44077	Collected:	11/7/2011	
Test	Claim	Result	Units	
#100 US Sieve		30	%	
#20 US Sieve		54	%	
#60 US Sieve		37	%	
#8 US Sieve		73	%	
Calcium3	32.0%	32.78		
ENP	1200 lb/ton	369		
Magnesium3	6.0%	9.74		
Moisture3		66.19	%	
Total Neutralizing Power	100%	106.9	%	



Consumer Analytical Laboratory

Ohio Department of Agriculture
Consumer Analytical Laboratory
8995 East Main St. Bldg 3
Reynoldsburg, OH 43068
Phone: (614) 728-6230

ODA Plant Industry/Fertilizer-Lime APPROVED RESULTS sorted by Site LIME SAMPLES COLLECTED 1/1/2011 - 12/31/2011

Site: Bluffton Stone Co.

Bluffton, OH 45817

Collected: 4/25/2011

<u>Test</u>	<u>Claim</u>	<u>Result</u>	<u>Units</u>
#100 US Sieve		66	%
#20 US Sieve		92	%
#60 US Sieve		83	%
#8 US Sieve		100	%
Calcium3	20%	19.66	
ENP	1482 Lb/Ton	1858	lb/ton
Magnesium3	12%	12.75	
Moisture3		3.01	%
Total Neutralizing Power	96%	106.4	%

Site: C.F. Poeppelman, Inc.

Bradford, OH 45308

Collected: 5/11/2011

<u>Test</u>	<u>Claim</u>	<u>Result</u>	<u>Units</u>
#100 US Sieve		62	%
#20 US Sieve		98	%
#60 US Sieve		81	%
#8 US Sieve		100	%
Calcium3	20%	21.75	
ENP	1400lb/ton	1927	lb/ton
Magnesium3	11%	12.21	
Moisture3		3.30	%
Total Neutralizing Power	100%	108.8	%

Site: Carmeuse Lime

Millersville, OH 43435

Collected: 6/6/2011

<u>Test</u>	<u>Claim</u>	<u>Result</u>	<u>Units</u>
#100 US Sieve		50	%
#20 US Sieve		84	%
#60 US Sieve		71	%
#8 US Sieve		98	%
Calcium3	22%	21.08	
ENP	1500 lb/T	1854	lbs/ton
Magnesium3	13%	13.15	
Moisture3		2.67	%
Total Neutralizing Power	106.9%	116.7	%



Consumer Analytical Laboratory

Ohio Department of Agriculture
Consumer Analytical Laboratory
8995 East Main St. Bldg 3
Reynoldsburg, OH 43068
Phone: (614) 728-6230

ODA Plant Industry/Fertilizer-Lime APPROVED RESULTS sorted by Site LIME SAMPLES COLLECTED 1/1/2011 - 12/31/2011

Site: City of Delphos

Delphos, OH 45833

Collected: 9/6/2011

<u>Test</u>	<u>Claim</u>	<u>Result</u>	<u>Units</u>
#100 US Sieve		N/A	%
#20 US Sieve		N/A	%
#60 US Sieve		N/A	%
#8 US Sieve		N/A	%
Calcium3		29.02	
ENP		N/A	
Magnesium3		5.10	
Moisture3		48.95	%
Total Neutralizing Power		106.4	%

Site: City of Oregon

Oregon, OH 43616

Collected: 6/13/2011

<u>Test</u>	<u>Claim</u>	<u>Result</u>	<u>Units</u>
Calcium3	23.5%	27.47	
ENP	119 lb/Ton	745	lb/ton
Magnesium3	2.83%	3.35	
Moisture3		69.62	%
Total Neutralizing Power	86.9%	122.6	%

Site: Con-Ag Inc.

St. Marys, OH 45885

Collected: 5/10/2011

<u>Test</u>	<u>Claim</u>	<u>Result</u>	<u>Units</u>
#100 US Sieve		83	%
#20 US Sieve		98	%
#60 US Sieve		93	%
#8 US Sieve		100	%
Calcium3	20%	20.35	
ENP	1650lb/ton	1856	lb/ton
Magnesium3	12%	13.29	
Moisture3		9.28	%
Total Neutralizing Power	100%	106.1	%



Consumer Analytical Laboratory

Ohio Department of Agriculture
Consumer Analytical Laboratory
8995 East Main St. Bldg 3
Reynoldsburg, OH 43068
Phone: (614) 728-6230

ODA Plant Industry/Fertilizer-Lime APPROVED RESULTS sorted by Site LIME SAMPLES COLLECTED 1/1/2011 - 12/31/2011

Site: Cox Paving

Leesburg, OH 45135

Collected: 3/30/2011

<u>Test</u>	<u>Claim</u>	<u>Result</u>	<u>Units</u>
#100 US Sieve		96	%
#20 US Sieve		100	%
#60 US Sieve		98	%
#8 US Sieve		100	%
Calcium3	25%	24.74	
ENP	1300 lb/T	1555	lb/ton
Magnesium3	1%	1.90	
Moisture3		7.24	%
Total Neutralizing Power	73%	84.5	%

Site: Cumberland Limestone

Collected: 5/9/2011

<u>Test</u>	<u>Claim</u>	<u>Result</u>	<u>Units</u>
#100 US Sieve		33	%
#20 US Sieve		66	%
#60 US Sieve		42	%
#8 US Sieve		96	%
Calcium3		22.80	
ENP		1121	lb/ton
Magnesium3		3.41	
Moisture3		8.70	%
Total Neutralizing Power		98.4	%

Site: Erie Materials, Inc., Sandus Sandusky, OH 44870

Collected: 5/10/2011

<u>Test</u>	<u>Claim</u>	<u>Result</u>	<u>Units</u>
#100 US Sieve		90	%
#20 US Sieve		100	%
#60 US Sieve		98	%
#8 US Sieve		100	%
Calcium3	28%	28.51	
ENP	1750 lb/T	1757	lb/ton
Magnesium3	5%	6.55	
Moisture3		12.67	%
Total Neutralizing Power	94%	101.4	%



Consumer Analytical Laboratory

Ohio Department of Agriculture
Consumer Analytical Laboratory
8995 East Main St. Bldg 3
Reynoldsburg, OH 43068
Phone: (614) 728-6230

ODA Plant Industry/Fertilizer-Lime APPROVED RESULTS sorted by Site LIME SAMPLES COLLECTED 1/1/2011 - 12/31/2011

Site: Fremont Water Treatment Fremont, OH 43420

Collected: 6/27/2011

<u>Test</u>	<u>Claim</u>	<u>Result</u>	<u>Units</u>
Calcium3	29.5%	26.55	
ENP	431 lb/T	630	lb/ton
Magnesium3	7.5%	7.92	
Moisture3		73.33	%
Total Neutralizing Power	96.9%	118.1	%

Site: Graymont Dolime Inc Genoa, OH 43430

Collected: 5/31/2011

<u>Test</u>	<u>Claim</u>	<u>Result</u>	<u>Units</u>
#100 US Sieve		86	%
#20 US Sieve		99	%
#60 US Sieve		89	%
#8 US Sieve		100	%
Calcium3	30%	32.25	
ENP	2445 lb/T	3888	lb/ton
Magnesium3	16%	19.50	
Moisture3		0.0	%
Total Neutralizing Power	140%	204.2	%

Site: Grow Mark, Inc. East Liverpool, OH 43920

Collected: 5/18/2011

<u>Test</u>	<u>Claim</u>	<u>Result</u>	<u>Units</u>
#100 US Sieve		0	%
#20 US Sieve		0	%
#60 US Sieve		0	%
#8 US Sieve		0	%
Calcium3	30%	29.26	
ENP	1860 Lb/T	2116	lb/ton
Magnesium3	4%	5.49	
Moisture3		1.02	%
Total Neutralizing Power	95%	106.9	%



Consumer Analytical Laboratory

Ohio Department of Agriculture
Consumer Analytical Laboratory
8995 East Main St. Bldg 3
Reynoldsburg, OH 43068
Phone: (614) 728-6230

ODA Plant Industry/Fertilizer-Lime APPROVED RESULTS sorted by Site LIME SAMPLES COLLECTED 1/1/2011 - 12/31/2011

Site: Hansin Aggregates Sylvania, OH 43560

Collected: 4/19/2011

<u>Test</u>	<u>Claim</u>	<u>Result</u>	<u>Units</u>
#100 US Sieve		28	%
#20 US Sieve		44	%
#60 US Sieve		44	%
#8 US Sieve		88	%
Calcium3	29%	23.96	
ENP	1176 lb/Ton	1105	lb/ton
Magnesium3	10%	11.27	
Moisture3		7.82	%
Total Neutralizing Power	108%	113.5	%

Site: Hanson - Sandusky Crushe Castalia, OH 44824

Collected: 5/23/2011

<u>Test</u>	<u>Claim</u>	<u>Result</u>	<u>Units</u>
#100 US Sieve		36	%
#20 US Sieve		71	%
#60 US Sieve		46	%
#8 US Sieve		98	%
Calcium3	30%	23.86	
ENP	1200 lb/T	1368	lb/ton
Magnesium3	5%	10.50	
Moisture3		7.85	%
Total Neutralizing Power	95%	111.8	%

Site: Hanson Aggregates Winchester, OH 45697

Collected: 3/23/2011

<u>Test</u>	<u>Claim</u>	<u>Result</u>	<u>Units</u>
#100 US Sieve		34	%
#20 US Sieve		72	%
#60 US Sieve		50	%
#8 US Sieve		89	%
Calcium3	31%	25.76	
ENP	1085 lb/T	1257	lbs/ton
Magnesium3	1%	1.15	
Moisture3		5.23	%
Total Neutralizing Power	85%	99.6	%



Consumer Analytical Laboratory

Ohio Department of Agriculture
Consumer Analytical Laboratory
8995 East Main St. Bldg 3
Reynoldsburg, OH 43068
Phone: (614) 728-6230

ODA Plant Industry/Fertilizer-Lime APPROVED RESULTS sorted by Site LIME SAMPLES COLLECTED 1/1/2011 - 12/31/2011

Site: Hanson Aggregates Peebles, OH 45660

Collected: 3/25/2011

<u>Test</u>	<u>Claim</u>	<u>Result</u>	<u>Units</u>
#100 US Sieve		33	%
#20 US Sieve		67	%
#60 US Sieve		41	%
#8 US Sieve		89	%
Calcium3	20%	20.60	
ENP	1450 lb/T	1220	lb/ton
Magnesium3	12%	12.80	
Moisture3		5.83	%
Total Neutralizing Power	100%	106.2	%

Site: Hanson Aggregates Peebles, OH 45660

Collected: 3/25/2011

<u>Test</u>	<u>Claim</u>	<u>Result</u>	<u>Units</u>
#100 US Sieve		91	%
#20 US Sieve		100	%
#60 US Sieve		100	%
#8 US Sieve		100	%
Calcium3	20%	23.47	
ENP	2000 lb/T	2119	lb/ton
Magnesium3	12%	11.22	
Moisture3		.24	%
Total Neutralizing Power	100%	106.2	%

Site: Hanson Aggregates Paulding, OH 45879

Collected: 4/18/2011

<u>Test</u>	<u>Claim</u>	<u>Result</u>	<u>Units</u>
#100 US Sieve		16	%
#20 US Sieve		54	%
#60 US Sieve		28	%
#8 US Sieve		86	%
Calcium3	18%	23.05	
ENP	775 lb/Ton	902	lb/ton
Magnesium3	6%	3.41	
Moisture3		6.91	%
Total Neutralizing Power	85%	96.9	%



Consumer Analytical Laboratory

Ohio Department of Agriculture
Consumer Analytical Laboratory
8995 East Main St. Bldg 3
Reynoldsburg, OH 43068
Phone: (614) 728-6230

ODA Plant Industry/Fertilizer-Lime APPROVED RESULTS sorted by Site LIME SAMPLES COLLECTED 1/1/2011 - 12/31/2011

Site: Hanson Aggregates - Bloo Bloomville, OH 44818

Collected: 6/6/2011

<u>Test</u>	<u>Claim</u>	<u>Result</u>	<u>Units</u>
#100 US Sieve		26	%
#20 US Sieve		61	%
#60 US Sieve		38	%
#8 US Sieve		91	%
Calcium3	26.5%	25.63	
ENP	1190 lb/T	1114	lb/ton
Magnesium3	6%	5.76	
Moisture3		3.06	%
Total Neutralizing Power	99%	99.4	%

Site: Hanson Aggregates - Park Castalia, OH 44824

Collected: 5/10/2011

<u>Test</u>	<u>Claim</u>	<u>Result</u>	<u>Units</u>
#100 US Sieve		38	%
#20 US Sieve		62	%
#60 US Sieve		44	%
#8 US Sieve		95	%
Calcium3	30%	26.90	
ENP	1200 lb/T	1102	G/T
Magnesium3	5%	7.37	
Moisture3		7.62	%
Total Neutralizing Power	95%	106.5	%

Site: Hanson Aggregates - Wag Sandusky, OH 44870

Collected: 5/9/2011

<u>Test</u>	<u>Claim</u>	<u>Result</u>	<u>Units</u>
#100 US Sieve		44	%
#20 US Sieve		71	%
#60 US Sieve		52	%
#8 US Sieve		98	%
Calcium3	26%	29.65	
ENP	1300 lb/T	1320	lb/ton
Magnesium3	7%	5.99	
Moisture3		9.93	%
Total Neutralizing Power	95%	106.5	%



Consumer Analytical Laboratory

Ohio Department of Agriculture
Consumer Analytical Laboratory
8995 East Main St. Bldg 3
Reynoldsburg, OH 43068
Phone: (614) 728-6230

ODA Plant Industry/Fertilizer-Lime APPROVED RESULTS sorted by Site LIME SAMPLES COLLECTED 1/1/2011 - 12/31/2011

Site: Hartz-Promin Co.

Marshallville, OH 44645

Collected: 4/27/2011

<u>Test</u>	<u>Claim</u>	<u>Result</u>	<u>Units</u>
#100 US Sieve		0	%
#20 US Sieve		0	%
#60 US Sieve		0	%
#8 US Sieve		0	%
Calcium3	38%	37.14	
ENP	1800 lb/ton	2159	lbs/ton
Magnesium3	0.5%	3.53	
Moisture3		0.42	%
Total Neutralizing Power	95%	108.4	%

Site: Honda of America

East Liberty, OH 43319

Collected: 3/16/2011

<u>Test</u>	<u>Claim</u>	<u>Result</u>	<u>Units</u>
Calcium3		36.29	
ENP		989	lbs/ton
Magnesium3		3.37	
Moisture3		55.22	%
Total Neutralizing Power		110.4	%

Site: Hoopes Fertilizer

East Rochester, OH 44625

Collected: 6/1/2011

<u>Test</u>	<u>Claim</u>	<u>Result</u>	<u>Units</u>
#100 US Sieve		0	%
#20 US Sieve		0	%
#60 US Sieve		0	%
#8 US Sieve		0	%
Calcium3	21%	20.59	
ENP	2050 lb/Ton	2203	lbs/ton
Magnesium3	12%	12.78	
Moisture3		1.98	%
Total Neutralizing Power	105%	112.4	%



Consumer Analytical Laboratory

Ohio Department of Agriculture
Consumer Analytical Laboratory
8995 East Main St. Bldg 3
Reynoldsburg, OH 43068
Phone: (614) 728-6230

ODA Plant Industry/Fertilizer-Lime APPROVED RESULTS sorted by Site LIME SAMPLES COLLECTED 1/1/2011 - 12/31/2011

Site: Huron Lime, Inc.

Huron, OH 44839

Collected: 5/10/2011

<u>Test</u>	<u>Claim</u>	<u>Result</u>	<u>Units</u>
#100 US Sieve		92	%
#20 US Sieve		96	%
#60 US Sieve		94	%
#8 US Sieve		99	%
Calcium3	32%	34.33	
ENP	934 lb/T	1067	lb/ton
Magnesium3	1%	1.02	
Moisture3		45.03	%
Total Neutralizing Power	87%	101.3	%

Site: Marshall Quarry, Inc.

Hillsboro, OH 45133

Collected: 3/23/2011

<u>Test</u>	<u>Claim</u>	<u>Result</u>	<u>Units</u>
#100 US Sieve		31	%
#20 US Sieve		71	%
#60 US Sieve		50	%
#8 US Sieve		88	%
Calcium3	20%	21.45	
ENP	1060 lb/T	1321	lbs/ton
Magnesium3	10%	12.59	
Moisture3		7.06	%
Total Neutralizing Power	100%	107.7	%

Site: Melvin Stone Co.

Wilmington, OH 45177

Collected: 6/1/2011 1:38:

<u>Test</u>	<u>Claim</u>	<u>Result</u>	<u>Units</u>
#100 US Sieve		43	%
#20 US Sieve		82	%
#60 US Sieve		61	%
#8 US Sieve		98	%
Calcium3	21%	20.38	
ENP	1450 lb/ton	1565	lbs/ton
Magnesium3	12%	12.43	
Moisture3		4.57	%
Total Neutralizing Power	103%	106.0	%



Consumer Analytical Laboratory

Ohio Department of Agriculture
Consumer Analytical Laboratory
8995 East Main St. Bldg 3
Reynoldsburg, OH 43068
Phone: (614) 728-6230

ODA Plant Industry/Fertilizer-Lime APPROVED RESULTS sorted by Site LIME SAMPLES COLLECTED 1/1/2011 - 12/31/2011

Site: MGQ, Inc.

Tiffin, OH 44883

Collected: 6/6/2011

<u>Test</u>	<u>Claim</u>	<u>Result</u>	<u>Units</u>
#100 US Sieve		36	%
#20 US Sieve		80	%
#60 US Sieve		51	%
#8 US Sieve		98	%
Calcium3	21%	20.53	
ENP	1454 lb/T	1414	
Magnesium3	12%	13.40	
Moisture3		7.63	%
Total Neutralizing Power	109.9 lb/T	106.3	%

Site: National Lime & Stone Co. Bochland, OH 45819

Collected: 5/10/2011

<u>Test</u>	<u>Claim</u>	<u>Result</u>	<u>Units</u>
#100 US Sieve		39	%
#20 US Sieve		82	%
#60 US Sieve		51	%
#8 US Sieve		97	%
Calcium3	21%	19.76	
ENP	1200lb/ton	1398	lb/ton
Magnesium3	12%	13.68	
Moisture3		9.68	%
Total Neutralizing Power	102%	106.6	%

Site: National Lime & Stone Co. Delaware, OH 43015

Collected: 5/9/2011

<u>Test</u>	<u>Claim</u>	<u>Result</u>	<u>Units</u>
#100 US Sieve		51	%
#20 US Sieve		86	%
#60 US Sieve		64	%
#8 US Sieve		97	%
Calcium3		20.86	
ENP		1669	lbs/ton
Magnesium3		10.23	
Moisture3		4.27	%
Total Neutralizing Power		109.8	%



Consumer Analytical Laboratory

Ohio Department of Agriculture
Consumer Analytical Laboratory
8995 East Main St. Bldg 3
Reynoldsburg, OH 43068
Phone: (614) 728-6230

ODA Plant Industry/Fertilizer-Lime APPROVED RESULTS sorted by Site LIME SAMPLES COLLECTED 1/1/2011 - 12/31/2011

Site: National Lime & Stone Co. Bucyrus, OH 44820

Collected: 5/10/2011

<u>Test</u>	<u>Claim</u>	<u>Result</u>	<u>Units</u>
#100 US Sieve		58	%
#20 US Sieve		91	%
#60 US Sieve		66	%
#8 US Sieve		96	%
Calcium3	30%	28.99	
ENP	1355lb/ton	1798	lbs/ton
Magnesium3	4%	6.35	
Moisture3		7.62	%
Total Neutralizing Power	97%	118.7	%

Site: National Lime & Stone Co. Marion, OH 43302

Collected: 5/11/2011

<u>Test</u>	<u>Claim</u>	<u>Result</u>	<u>Units</u>
#100 US Sieve		43	%
#20 US Sieve		81	%
#60 US Sieve		51	%
#8 US Sieve		100	%
Calcium3	24%	24.00	
ENP	1260lb/ton	1409	lbs/ton
Magnesium3	6%	10.46	
Moisture3		13.12	%
Total Neutralizing Power	95%	111.4	%

Site: National Lime & Stone Co. Carey, OH 43316

Collected: 5/12/2011

<u>Test</u>	<u>Claim</u>	<u>Result</u>	<u>Units</u>
#100 US Sieve		58	%
#20 US Sieve		91	%
#60 US Sieve		72	%
#8 US Sieve		99	%
Calcium3	21%	21.49	
ENP	1465lb/ton	1919	lb/ton
Magnesium3	12%	13.10	
Moisture3		4.49	%
Total Neutralizing Power	105%	118.2	%



Consumer Analytical Laboratory

Ohio Department of Agriculture
Consumer Analytical Laboratory
8995 East Main St. Bldg 3
Reynoldsburg, OH 43068
Phone: (614) 728-6230

ODA Plant Industry/Fertilizer-Lime APPROVED RESULTS sorted by Site LIME SAMPLES COLLECTED 1/1/2011 - 12/31/2011

Site: National Lime & Stone Co. Carey, OH 43316

Collected: 5/12/2011

<u>Test</u>	<u>Claim</u>	<u>Result</u>	<u>Units</u>
#100 US Sieve		0	%
#20 US Sieve		0	%
#60 US Sieve		0	%
#8 US Sieve		0	%
Calcium3	12%	16.10	
ENP	1200lb/ton	1860	lb/ton
Magnesium3	7%	8.77	
Moisture3		.84	%
Total Neutralizing Power	60%	93.8	%

Site: National Lime & Stone Co. Findlay, OH 45839

Collected: 5/18/2011

<u>Test</u>	<u>Claim</u>	<u>Result</u>	<u>Units</u>
#100 US Sieve		92	%
#20 US Sieve		100	%
#60 US Sieve		99	%
#8 US Sieve		100	%
Calcium3	21%	21.42	
ENP	2060 lb/T	2222	lb/ton
Magnesium3	12%	12.50	
Moisture3		.24	%
Total Neutralizing Power	105%	111.8	%

Site: National Lime & Stone Co. Findlay, OH45839

Collected: 5/18/2011

<u>Test</u>	<u>Claim</u>	<u>Result</u>	<u>Units</u>
#100 US Sieve		94	%
#20 US Sieve		100	%
#60 US Sieve		98	%
#8 US Sieve		100	%
Calcium3	30%	30.20	
ENP	1885 lb/T	2121	lb/ton
Magnesium3	4%	5.64	
Moisture3		0.0	%
Total Neutralizing Power	97%	106.9	%



Consumer Analytical Laboratory

Ohio Department of Agriculture
Consumer Analytical Laboratory
8995 East Main St. Bldg 3
Reynoldsburg, OH 43068
Phone: (614) 728-6230

ODA Plant Industry/Fertilizer-Lime APPROVED RESULTS sorted by Site LIME SAMPLES COLLECTED 1/1/2011 - 12/31/2011

Site: National Lime & Stone Co. Lima, OH 45802

Collected: 7/7/2011

<u>Test</u>	<u>Claim</u>	<u>Result</u>	<u>Units</u>
#100 US Sieve		51	%
#20 US Sieve		82	%
#60 US Sieve		59	%
#8 US Sieve		98	%
Calcium3		19.33	
ENP		1633	lb/ton
Magnesium3		11.29	
Moisture3		1.18	%
Total Neutralizing Power		108.7	%

Site: Newark Water Treatment P Newark, Ohio 43055

Collected: 12/13/2011

<u>Test</u>	<u>Claim</u>	<u>Result</u>	<u>Units</u>
Calcium3	36.1%	29.50	
ENP	1353 lb/ton	1162	
Magnesium3	2.35%	2.99	
Total Neutralizing Power	105.2%	106.4	%

Site: Ohio Asphaltic Limestone Hillsboro, OH

Collected: 3/24/2011

<u>Test</u>	<u>Claim</u>	<u>Result</u>	<u>Units</u>
#100 US Sieve		36	%
#20 US Sieve		66	%
#60 US Sieve		48	%
#8 US Sieve		92	%
Calcium3	20%	19.00	
ENP	1426 lb/T	1224	lbs/ton
Magnesium3	11%	11.82	
Moisture3		13.07	%
Total Neutralizing Power	100%	110.0	%



Consumer Analytical Laboratory

Ohio Department of Agriculture
Consumer Analytical Laboratory
8995 East Main St. Bldg 3
Reynoldsburg, OH 43068
Phone: (614) 728-6230

ODA Plant Industry/Fertilizer-Lime APPROVED RESULTS sorted by Site LIME SAMPLES COLLECTED 1/1/2011 - 12/31/2011

Site: Piqua Mineral

Piqua, OH 45356

Collected: 5/11/2011

<u>Test</u>	<u>Claim</u>	<u>Result</u>	<u>Units</u>
#100 US Sieve		63	%
#20 US Sieve		98	%
#60 US Sieve		82	%
#8 US Sieve		100	%
Calcium3	34%	32.77	
ENP	1705lb/ton	1985	lb/ton
Magnesium3	4%	4.37	
Moisture3		0.0	%
Total Neutralizing Power	100%	107.9	%

Site: Shelly Materials, Inc.

Ostrander, OH 43061

Collected: 3/30/2011

<u>Test</u>	<u>Claim</u>	<u>Result</u>	<u>Units</u>
#100 US Sieve		50	%
#20 US Sieve		81	%
#60 US Sieve		73	%
#8 US Sieve		98	%
Calcium3	28%	29.85	
ENP	1300 lb/T	1651	
Magnesium3	3%	6.80	
Moisture3		4.26	%
Total Neutralizing Power	95%	106.2	%

Site: Shelly Materials, Inc.

Belle Center, OH 43310

Collected: 3/30/2011

<u>Test</u>	<u>Claim</u>	<u>Result</u>	<u>Units</u>
#100 US Sieve		41	%
#20 US Sieve		80	%
#60 US Sieve		53	%
#8 US Sieve		94	%
Calcium3	21%	20.13	
ENP	1100 lb/T	1411	lbs/ton
Magnesium3	10%	12.00	
Moisture3		8.26	%
Total Neutralizing Power	100%	106.8	%



Consumer Analytical Laboratory

Ohio Department of Agriculture
Consumer Analytical Laboratory
8995 East Main St. Bldg 3
Reynoldsburg, OH 43068
Phone: (614) 728-6230

ODA Plant Industry/Fertilizer-Lime APPROVED RESULTS sorted by Site LIME SAMPLES COLLECTED 1/1/2011 - 12/31/2011

Site: Shelly Materials, Inc. Forest, OH 45843

Collected: 3/31/2011

<u>Test</u>	<u>Claim</u>	<u>Result</u>	<u>Units</u>
#100 US Sieve		32	%
#20 US Sieve		64	%
#60 US Sieve		39	%
#8 US Sieve		94	%
Calcium3	21%	20.84	
ENP	1100 lb/T	1185	lbs/ton
Magnesium3	10%	13.15	
Moisture3		12.16	%
Total Neutralizing Power	100%	112.4	%

Site: Shelly Materials, Inc.

Collected: 5/9/2011

<u>Test</u>	<u>Claim</u>	<u>Result</u>	<u>Units</u>
#100 US Sieve		39	%
#20 US Sieve		74	%
#60 US Sieve		52	%
#8 US Sieve		96	%
Calcium3	28%	31.33	
ENP	1200 lb/Tn	1356	lbs/ton
Magnesium3	3%	2.45	
Moisture3		2.51	%
Total Neutralizing Power	90%	99.9	%

Site: Stone Co.

Celina, OH 45822

Collected: 4/11/2011

<u>Test</u>	<u>Claim</u>	<u>Result</u>	<u>Units</u>
#100 US Sieve		26	%
#20 US Sieve		69	%
#60 US Sieve		41	%
#8 US Sieve		88	%
Calcium3	20%	19.30	
ENP	1050 lb/Ton	1300	lb/ton
Magnesium3	12%	13.39	
Moisture3		5.97	%
Total Neutralizing Power	103%	112.2	%



Consumer Analytical Laboratory

Ohio Department of Agriculture
Consumer Analytical Laboratory
8995 East Main St. Bldg 3
Reynoldsburg, OH 43068
Phone: (614) 728-6230

ODA Plant Industry/Fertilizer-Lime APPROVED RESULTS sorted by Site LIME SAMPLES COLLECTED 1/1/2011 - 12/31/2011

Site: Stone Co.	Convoy, OH 45832	Collected: 4/14/2011
Test	Claim	Result Units
#100 US Sieve		81 %
#20 US Sieve		92 %
#60 US Sieve		86 %
#8 US Sieve		98 %
Calcium3	19%	20.73
ENP	1400 lb/Ton	1804 lb/ton
Magnesium3	11%	13.39
Moisture3		10.41 %
Total Neutralizing Power	101%	110.9 %

Site: Stone Co.	Oakwood, OH 45873	Collected: 4/18/2011
Test	Claim	Result Units
#100 US Sieve		24 %
#20 US Sieve		66 %
#60 US Sieve		42 %
#8 US Sieve		88 %
Calcium3	28%	30.72
ENP	970 lb/Ton	1264 lb/ton
Magnesium3	7%	5.45
Moisture3		6.47 %
Total Neutralizing Power	100%	111.1 %

Site: Stone Co.	Maumee, OH 43537	Collected: 4/19/2011
Test	Claim	Result Units
#100 US Sieve		84 %
#20 US Sieve		92 %
#60 US Sieve		90 %
#8 US Sieve		98 %
Calcium3	21%	20.80
ENP	1550 lb/Ton	1764 lb/ton
Magnesium3	11%	12.12
Moisture3		9.93 %
Total Neutralizing Power	101%	106.0 %



Consumer Analytical Laboratory

Ohio Department of Agriculture
Consumer Analytical Laboratory
8995 East Main St. Bldg 3
Reynoldsburg, OH 43068
Phone: (614) 728-6230

ODA Plant Industry/Fertilizer-Lime APPROVED RESULTS sorted by Site LIME SAMPLES COLLECTED 1/1/2011 - 12/31/2011

Site: Stone Co.	Portage, OH 43451	Collected: 4/19/2011
<u>Test</u>	<u>Claim</u>	<u>Result</u> <u>Units</u>
#100 US Sieve		79 %
#20 US Sieve		92 %
#60 US Sieve		90 %
#8 US Sieve		96 %
Calcium3	19%	19.80
ENP	1550 lb/Ton	1883 lb/ton
Magnesium3	11%	13.61
Moisture3		8.80 %
Total Neutralizing Power	102%	112.2 %

Site: The Andersons	Lordstown, OH 44481	Collected: 4/18/2011
<u>Test</u>	<u>Claim</u>	<u>Result</u> <u>Units</u>
Calcium3	22%	23.3
ENP	1800 lb/Ton	1917 lb/ton
Magnesium3	10%	9.66
Moisture3		0.56 %
Total Neutralizing Power		96.4 %

Site: The Andersons	Carey, OH 43316	Collected: 5/18/2011
<u>Test</u>	<u>Claim</u>	<u>Result</u> <u>Units</u>
#100 US Sieve		0 %
#20 US Sieve		0 %
#60 US Sieve		0 %
#8 US Sieve		0 %
Calcium3	20%	21.04
ENP	1900 Lb/T	2176 lb/ton
Magnesium3	12%	12.27
Moisture3		.91 %
Total Neutralizing Power	97%	109.8 %



Consumer Analytical Laboratory

Ohio Department of Agriculture
Consumer Analytical Laboratory
8995 East Main St. Bldg 3
Reynoldsburg, OH 43068
Phone: (614) 728-6230

ODA Plant Industry/Fertilizer-Lime APPROVED RESULTS sorted by Site LIME SAMPLES COLLECTED 1/1/2011 - 12/31/2011

Site: The Andersons

Carey, OH 43316

Collected: 5/18/2011

<u>Test</u>	<u>Claim</u>	<u>Result</u>	<u>Units</u>
#100 US Sieve		0	%
#20 US Sieve		0	%
#60 US Sieve		0	%
#8 US Sieve		0	%
Calcium3	30%	28.76	
ENP	1860 Lb/T	2122	lb/ton
Magnesium3	4%	5.52	
Moisture3		.58	%
Total Neutralizing Power	93%	106.7	%

Site: Tyler Grain & Fertilizer

Smithville, OH 44677

Collected: 5/23/2011

<u>Test</u>	<u>Claim</u>	<u>Result</u>	<u>Units</u>
#100 US Sieve		0	%
#20 US Sieve		0	%
#60 US Sieve		0	%
#8 US Sieve		0	%
Calcium3	30%	29.22	
ENP	1850 lb/T	1995	lb/ton
Magnesium3	4%	5.76	
Moisture3		.65	%
Total Neutralizing Power	93%	100.4	%

Site: Village of Granville

Granville, OH 43023

Collected: 9/22/2011

<u>Test</u>	<u>Claim</u>	<u>Result</u>	<u>Units</u>
Calcium3	35%	38.6	%
ENP	1035 lb/ton	N/A	
Magnesium3	1.3%	3.48	%
Moisture3		56.73	%
Total Neutralizing Power	92.0%	116.1	%



Consumer Analytical Laboratory

Ohio Department of Agriculture
Consumer Analytical Laboratory
8995 East Main St. Bldg 3
Reynoldsburg, OH 43068
Phone: (614) 728-6230

ODA Plant Industry/Fertilizer-Lime APPROVED RESULTS sorted by Site LIME SAMPLES COLLECTED 1/1/2011 - 12/31/2011

Site: White Rock Quarry LP Clay Center, OH 43408

Collected: 5/31/2011

<u>Test</u>	<u>Claim</u>	<u>Result</u>	<u>Units</u>
#100 US Sieve		89	%
#20 US Sieve		96	%
#60 US Sieve		92	%
#8 US Sieve		99	%
Calcium3	22%	20.95	
ENP	1432 lb/T	2079	lb/ton
Magnesium3	13%	12.15	
Moisture3		11.33	%
Total Neutralizing Power	110%	123.4	%

Site: Wyandot Dolomite, Inc. Carey, OH 43316

Collected: 5/12/2011

<u>Test</u>	<u>Claim</u>	<u>Result</u>	<u>Units</u>
#100 US Sieve		84	%
#20 US Sieve		97	%
#60 US Sieve		92	%
#8 US Sieve		100	%
Calcium3	21%	21.84	
ENP	1700lb/ton	2121	lbs/ton
Magnesium3	12%	13.74	
Moisture3		10.33	%
Total Neutralizing Power	105%	123.7	%

Site: Wyandot Dolomite, Inc. Carey, OH 43316

Collected: 5/12/2011

<u>Test</u>	<u>Claim</u>	<u>Result</u>	<u>Units</u>
#100 US Sieve		39	%
#20 US Sieve		76	%
#60 US Sieve		46	%
#8 US Sieve		98	%
Calcium3	21%	21.47	
ENP	1625lb/ton	1512	lbs/ton
Magnesium3	12%	13.45	
Moisture3		9.42	%
Total Neutralizing Power	105%	122.0	%