



Consumer Protection Laboratory

Ohio Department of Agriculture
Consumer Protection Laboratory
8995 East Main St. Bldg 3
Reynoldsburg, OH 43068
Phone: (614) 728-6230

ODA Plant Industry/Fertilizer-Lime APPROVED RESULTS sorted by Site LIME SAMPLES COLLECTED 1/1/2014 - 12/5/2014

Site: Arch Materials

Batavia, OH 45103

Collected: 4/30/2014

<u>Test</u>	<u>Claim</u>	<u>Result</u>	<u>Units</u>
#100 US Sieve		38	%
#20 US Sieve		71	%
#60 US Sieve		46	%
#8 US Sieve		90	%
Calcium3	30%	37.7	%
ENP	1250 lb/ton	1339	lb/ton
Magnesium3	2%	1.57	%
Moisture3		4.75	%
Total Neutralizing Power	105%	108.5	%

Site: Area Aggregates

Woodville, OH 43469

Collected: 4/16/2014

<u>Test</u>	<u>Claim</u>	<u>Result</u>	<u>Units</u>
#100 US Sieve		95	%
#20 US Sieve		99	%
#60 US Sieve		97	%
#8 US Sieve		99	%
Calcium3	20%	22.3	%
ENP	2321 lb/ton	2328	lb/ton
Magnesium3	12.3%	14.2	%
Moisture3		6.65	%
Total Neutralizing Power	121.9%	124.7	%

Site: Bluffton Stone Co.

Bluffton, OH 45817

Collected: 4/1/2014

<u>Test</u>	<u>Claim</u>	<u>Result</u>	<u>Units</u>
#100 US Sieve		80	%
#20 US Sieve		98	%
#60 US Sieve		90	%
#8 US Sieve		100	%
Calcium3	20%	21.2	%
ENP	2000 lb/ton	1922	lb/ton
Magnesium3	12%	13.3	%
Moisture3		1.41	%
Total Neutralizing Power	109%	102.4	%



Consumer Protection Laboratory

Ohio Department of Agriculture
Consumer Protection Laboratory
8995 East Main St. Bldg 3
Reynoldsburg, OH 43068
Phone: (614) 728-6230

ODA Plant Industry/Fertilizer-Lime APPROVED RESULTS sorted by Site LIME SAMPLES COLLECTED 1/1/2014 - 12/5/2014

Site: C.F. Poeppelman, Inc. Bradford, OH 45308

Collected: 4/10/2014

<u>Test</u>	<u>Claim</u>	<u>Result</u>	<u>Units</u>
#100 US Sieve		61	%
#20 US Sieve		97	%
#60 US Sieve		74	%
#8 US Sieve		100	%
Calcium3	20%	22.7	%
ENP	1400 lb/ton	1672	lb/ton
Magnesium3	11%	13.1	%
Moisture3		6.76	%
Total Neutralizing Power	100%	101.4	%

Site: Carmeuse Lime & Stone Millersville, OH 43435

Collected: 4/24/2014

<u>Test</u>	<u>Claim</u>	<u>Result</u>	<u>Units</u>
#100 US Sieve		46	%
#20 US Sieve		81	%
#60 US Sieve		70	%
#8 US Sieve		97	%
Calcium3	22%	21.8	%
ENP	1686 lb/ton	2116	lb/ton
Magnesium3	12.9%	12.8	%
Moisture3		5.13	%
Total Neutralizing Power	110.4%	111.5	%

Site: City of Findlay Water Plant Findlay, OH 45840

Collected: 7/16/2014

<u>Test</u>	<u>Claim</u>	<u>Result</u>	<u>Units</u>
Calcium3	30.3%	32.8	%
ENP	273 lb/ton	82	lb/ton
Magnesium3	2.71%	3.51	%
Moisture3		95.79	%
Total Neutralizing Power	96.7%	97.7	%



Consumer Protection Laboratory

Ohio Department of Agriculture
Consumer Protection Laboratory
8995 East Main St. Bldg 3
Reynoldsburg, OH 43068
Phone: (614) 728-6230

ODA Plant Industry/Fertilizer-Lime APPROVED RESULTS sorted by Site LIME SAMPLES COLLECTED 1/1/2014 - 12/5/2014

Site: City of Fostoria Fostoria, OH 44830

Collected: 7/16/2014

<u>Test</u>	<u>Claim</u>	<u>Result</u>	<u>Units</u>
Calcium3	31.9%	31.9	%
ENP	1006 lb/ton	1147	lb/ton
Magnesium3	4.24%	4.06	%
Moisture3		56.29	%
Total Neutralizing Power	109.9%	96.5	%

Site: City of Fostoria Water Plan Fostoria, OH 44830

Collected: 10/16/2014

<u>Test</u>	<u>Claim</u>	<u>Result</u>	<u>Units</u>
Calcium3	check %	31.1	%
ENP		916	lb/ton
Magnesium3	check %	3.44	%
Moisture3		52.42	%
Total Neutralizing Power	Check %	96.3	%

Site: Con-Ag Inc.

Collected: 4/17/2014

<u>Test</u>	<u>Claim</u>	<u>Result</u>	<u>Units</u>
#100 US Sieve		72	%
#20 US Sieve		97	%
#60 US Sieve		88	%
#8 US Sieve		100	%
Calcium3	20%	22.2	%
ENP	1750 lb/ton	1590	lb/ton
Magnesium3	12%	13.9	%
Moisture3		16.26	%
Total Neutralizing Power	100%	101	%



Consumer Protection Laboratory

Ohio Department of Agriculture
Consumer Protection Laboratory
8995 East Main St. Bldg 3
Reynoldsburg, OH 43068
Phone: (614) 728-6230

ODA Plant Industry/Fertilizer-Lime APPROVED RESULTS sorted by Site LIME SAMPLES COLLECTED 1/1/2014 - 12/5/2014

Site: Cumberland Limestone	Cumberland, OH 43732	Collected: 5/20/2014
<u>Test</u>	<u>Claim</u>	<u>Result</u> <u>Units</u>
#100 US Sieve		36 %
#20 US Sieve		77 %
#60 US Sieve		46 %
#8 US Sieve		96 %
Calcium3	18.8%	17.9 %
ENP	1173 lb/ton	1280 lb/ton
Magnesium3	3%	3.05 %
Moisture3		5.88 %
Total Neutralizing Power	100%	99.4 %

Site: Erie Materials	Sandusky, OH 44870	Collected: 4/17/2014
<u>Test</u>	<u>Claim</u>	<u>Result</u> <u>Units</u>
#100 US Sieve		86 %
#20 US Sieve		99 %
#60 US Sieve		96 %
#8 US Sieve		100 %
Calcium3	28%	28.6 %
ENP	1750 lb/ton	1672 lb/ton
Magnesium3	5%	8.00 %
Moisture3		14.07 %
Total Neutralizing Power	94%	97.3 %

Site: Gerken Materials	West Milgrove, OH 43467	Collected: 4/17/2014
<u>Test</u>	<u>Claim</u>	<u>Result</u> <u>Units</u>
#100 US Sieve		88 %
#20 US Sieve		96 %
#60 US Sieve		90 %
#8 US Sieve		99 %
Calcium3	21%	22.2 %
ENP	1900 lb/ton	1767 lb/ton
Magnesium3	12%	13.9 %
Moisture3		9.90 %
Total Neutralizing Power	105%	104.1 %



Consumer Protection Laboratory

Ohio Department of Agriculture
Consumer Protection Laboratory
8995 East Main St. Bldg 3
Reynoldsburg, OH 43068
Phone: (614) 728-6230

ODA Plant Industry/Fertilizer-Lime APPROVED RESULTS sorted by Site LIME SAMPLES COLLECTED 1/1/2014 - 12/5/2014

Site: Graymont Dolime Genoa, OH 43430

Collected: 4/24/2014

<u>Test</u>	<u>Claim</u>	<u>Result</u>	<u>Units</u>
#100 US Sieve		71	%
#20 US Sieve		97	%
#60 US Sieve		81	%
#8 US Sieve		99	%
Calcium3	30%	28.9	%
ENP	2445 lb/ton	2552	lb/ton
Magnesium3	16%	18.3	%
Moisture3		0.0	%
Total Neutralizing Power	140%	140.2	%

Site: Hanson Aggregates Paulding, OH 45879

Collected: 4/15/2014

<u>Test</u>	<u>Claim</u>	<u>Result</u>	<u>Units</u>
#100 US Sieve		24	%
#20 US Sieve		54	%
#60 US Sieve		28	%
#8 US Sieve		89	%
Calcium3	18%	27.9	%
ENP	775 lb/ton	799	lb/ton
Magnesium3	6%	7.62	%
Moisture3		12.95	%
Total Neutralizing Power	85%	90.7	%

Site: Hanson Aggregates

Collected: 4/16/2014

<u>Test</u>	<u>Claim</u>	<u>Result</u>	<u>Units</u>
#100 US Sieve		91	%
#20 US Sieve		97	%
#60 US Sieve		94	%
#8 US Sieve		100	%
Calcium3	21%	23.8	%
ENP	1692 lb/ton	1792	lb/ton
Magnesium3	10%	12.2	%
Moisture3		10.87	%
Total Neutralizing Power	102%	104.3	%



Consumer Protection Laboratory

Ohio Department of Agriculture
Consumer Protection Laboratory
8995 East Main St. Bldg 3
Reynoldsburg, OH 43068
Phone: (614) 728-6230

ODA Plant Industry/Fertilizer-Lime APPROVED RESULTS sorted by Site LIME SAMPLES COLLECTED 1/1/2014 - 12/5/2014

Site: Hanson Aggregates Peebles, OH 45660

Collected: 5/6/2014

<u>Test</u>	<u>Claim</u>	<u>Result</u>	<u>Units</u>
#100 US Sieve		49	%
#20 US Sieve		81	%
#60 US Sieve		64	%
#8 US Sieve		98	%
Calcium3	20%	20.8	%
ENP	1450 lb/ton	1437	lb/ton
Magnesium3	12%	12.3	%
Moisture3		6.65	%
Total Neutralizing Power	100%	99.2	%

Site: Hanson Aggregates Peebles, OH 45660

Collected: 5/6/2014

<u>Test</u>	<u>Claim</u>	<u>Result</u>	<u>Units</u>
#100 US Sieve		90	%
#20 US Sieve		100	%
#60 US Sieve		99	%
#8 US Sieve		100	%
Calcium3	21%	22.1	%
ENP	2000 lb/ton	2004	lb/ton
Magnesium3	12%	11.9	%
Moisture3		0.0	%
Total Neutralizing Power	100%	100.6	%

Site: Hanson Aggregates Bloomville, OH 44818

Collected: 10/14/2014

<u>Test</u>	<u>Claim</u>	<u>Result</u>	<u>Units</u>
#100 US Sieve		37	%
#20 US Sieve		69	%
#60 US Sieve		52	%
#8 US Sieve		91	%
Calcium3	26.5%	36.5	%
ENP	1190 lb/ton	1181	lb/ton
Magnesium3	6%	5.70	%
Moisture3		6.18	%
Total Neutralizing Power	99%	94.5	%



Consumer Protection Laboratory

Ohio Department of Agriculture
Consumer Protection Laboratory
8995 East Main St. Bldg 3
Reynoldsburg, OH 43068
Phone: (614) 728-6230

ODA Plant Industry/Fertilizer-Lime APPROVED RESULTS sorted by Site LIME SAMPLES COLLECTED 1/1/2014 - 12/5/2014

Site: Hanson Aggregates - Park Castalia, OH 44824

Collected: 4/10/2014

<u>Test</u>	<u>Claim</u>	<u>Result</u>	<u>Units</u>
#100 US Sieve		30	%
#20 US Sieve		66	%
#60 US Sieve		47	%
#8 US Sieve		93	%
Calcium3	27%	28.0	%
ENP	1150 lb/ton	1873	lb/ton
Magnesium3	6%	4.13	%
Moisture3		3.33	%
Total Neutralizing Power	95%	96.9	%

Site: Hanson Aggregates Eagle Winchester, OH 45697

Collected: 4/28/2014

<u>Test</u>	<u>Claim</u>	<u>Result</u>	<u>Units</u>
#100 US Sieve		33	%
#20 US Sieve		68	%
#60 US Sieve		46	%
#8 US Sieve		91	%
Calcium3	31%	32.6	%
ENP	1085 lb/ton	1058	lb/ton
Magnesium3	1%	1.30	%
Moisture3		3.74	%
Total Neutralizing Power	85%	86.1	%

Site: Harvest Land Corp.

Seven Mile, OH 45062

Collected: 4/9/2014

<u>Test</u>	<u>Claim</u>	<u>Result</u>	<u>Units</u>
Calcium3	30%	29.2	%
Magnesium3	0.04%	3.22	%



Consumer Protection Laboratory

Ohio Department of Agriculture
Consumer Protection Laboratory
8995 East Main St. Bldg 3
Reynoldsburg, OH 43068
Phone: (614) 728-6230

ODA Plant Industry/Fertilizer-Lime APPROVED RESULTS sorted by Site LIME SAMPLES COLLECTED 1/1/2014 - 12/5/2014

Site: Huron Lime Div Mississippi Huron, OH 44839

Collected: 4/17/2014

<u>Test</u>	<u>Claim</u>	<u>Result</u>	<u>Units</u>
#100 US Sieve		88	%
#20 US Sieve		95	%
#60 US Sieve		92	%
#8 US Sieve		97	%
Calcium3	34%	37.9	%
ENP	1004 lb/ton	1026	lb/ton
Magnesium3	1%	0.91	%
Moisture3		42.52	%
Total Neutralizing Power	94%	94.7	%

Site: Martin Marietta Woodville, OH 43469

Collected: 4/16/2014

<u>Test</u>	<u>Claim</u>	<u>Result</u>	<u>Units</u>
#100 US Sieve		44	%
#20 US Sieve		74	%
#60 US Sieve		61	%
#8 US Sieve		96	%
Calcium3	22%	21.5	%
ENP	1250 lb/ton	1376	lb/ton
Magnesium3	13%	12.9	%
Moisture3		10.09	%
Total Neutralizing Power	105%	104.5	%

Site: Melvin Stone Co. Wilmington, OH 45177

Collected: 4/21/2014

<u>Test</u>	<u>Claim</u>	<u>Result</u>	<u>Units</u>
#100 US Sieve		43	%
#20 US Sieve		82	%
#60 US Sieve		56	%
#8 US Sieve		97	%
Calcium3	21%	22.1	%
ENP	1450 lb/ton	1485	lb/ton
Magnesium3	12%	13.5	%
Moisture3		3.28	%
Total Neutralizing Power	103%	102.9	%



Consumer Protection Laboratory

Ohio Department of Agriculture
Consumer Protection Laboratory
8995 East Main St. Bldg 3
Reynoldsburg, OH 43068
Phone: (614) 728-6230

ODA Plant Industry/Fertilizer-Lime APPROVED RESULTS sorted by Site LIME SAMPLES COLLECTED 1/1/2014 - 12/5/2014

Site: Mineral Processing Carey, OH 43316

Collected: 4/14/2014

<u>Test</u>	<u>Claim</u>	<u>Result</u>	<u>Units</u>
#100 US Sieve		N/A	%
#20 US Sieve		N/A	%
#60 US Sieve		N/A	%
#8 US Sieve		N/A	%
Calcium3	30%	26.0	%
ENP	1860 lb/ton	1876	lb/ton
Magnesium3	4%	8.09	%
Moisture3		0.94	%
Total Neutralizing Power	93%	94.7	%

Site: National Lime & Stone Co. Lima, OH 45802

Collected: 4/14/2014

<u>Test</u>	<u>Claim</u>	<u>Result</u>	<u>Units</u>
#100 US Sieve		58	%
#20 US Sieve		90	%
#60 US Sieve		71	%
#8 US Sieve		98	%
Calcium3	20%	21.3	%
ENP	1735 lb/ton	1563	lb/ton
Magnesium3	10%	13.5	%
Moisture3		6.96	%
Total Neutralizing Power	111%	100.0	%

Site: National Lime & Stone Co. Delaware, OH 43015

Collected: 4/24/2014

<u>Test</u>	<u>Claim</u>	<u>Result</u>	<u>Units</u>
#100 US Sieve		54	%
#20 US Sieve		91	%
#60 US Sieve		66	%
#8 US Sieve		100	%
Calcium3	29.98%	29.0	%
ENP	1437 lb/ton	1557	lb/ton
Magnesium3	6.79%	7.54	%
Moisture3		5.91	%
Total Neutralizing Power	96.2%	99.9	%



Consumer Protection Laboratory

Ohio Department of Agriculture
Consumer Protection Laboratory
8995 East Main St. Bldg 3
Reynoldsburg, OH 43068
Phone: (614) 728-6230

ODA Plant Industry/Fertilizer-Lime APPROVED RESULTS sorted by Site LIME SAMPLES COLLECTED 1/1/2014 - 12/5/2014

Site: National Lime & Stone Co. Bucyrus, OH 44820

Collected: 4/9/2014

<u>Test</u>	<u>Claim</u>	<u>Result</u>	<u>Units</u>
#100 US Sieve		53	%
#20 US Sieve		89	%
#60 US Sieve		66	%
#8 US Sieve		97	%
Calcium3	30%	26.0	%
ENP	1355 lb/ton	1854	lb/ton
Magnesium3	4%	7.60	%
Moisture3		5.91	%
Total Neutralizing Power	97%	98.5	%

Site: National Lime & Stone Co. Upper Sandusky, OH 43351

Collected: 4/22/2014

<u>Test</u>	<u>Claim</u>	<u>Result</u>	<u>Units</u>
#100 US Sieve		92	%
#20 US Sieve		99	%
#60 US Sieve		98	%
#8 US Sieve		99	%
Calcium3	21%	21.8	%
ENP	2060 lb/ton	2115	lb/ton
Magnesium3	12%	12.8	%
Moisture3		0.31	%
Total Neutralizing Power	105%	106.1	%

Site: National Lime & Stone Co. Marion, OH 43302

Collected: 4/9/2014

<u>Test</u>	<u>Claim</u>	<u>Result</u>	<u>Units</u>
#100 US Sieve		44	%
#20 US Sieve		81	%
#60 US Sieve		60	%
#8 US Sieve		100	%
Calcium3	24%	21.8	%
ENP	1260 lb/ton	1397	lb/ton
Magnesium3	6%	9.03	%
Moisture3		10.31	%
Total Neutralizing Power	95%	101.9	%



Consumer Protection Laboratory

Ohio Department of Agriculture
Consumer Protection Laboratory
8995 East Main St. Bldg 3
Reynoldsburg, OH 43068
Phone: (614) 728-6230

ODA Plant Industry/Fertilizer-Lime APPROVED RESULTS sorted by Site LIME SAMPLES COLLECTED 1/1/2014 - 12/5/2014

Site: National Lime & Stone Co. Carey, OH 43316

Collected: 4/22/2014

<u>Test</u>	<u>Claim</u>	<u>Result</u>	<u>Units</u>
#100 US Sieve		N/A	%
#20 US Sieve		N/A	%
#60 US Sieve		N/A	%
#8 US Sieve		N/A	%
Calcium3	12%	14.8	%
ENP	1200 lb/ton	1696	lb/ton
Magnesium3	7%	8.67	%
Moisture3		0.91	%
Total Neutralizing Power	60%	85.6	%

Site: National Lime & Stone Co. Carey, OH 43316

Collected: 4/22/2014

<u>Test</u>	<u>Claim</u>	<u>Result</u>	<u>Units</u>
#100 US Sieve		N/A	%
#20 US Sieve		N/A	%
#60 US Sieve		N/A	%
#8 US Sieve		N/A	%
Calcium3	12%	17.8	%
ENP	1200 lb/ton	1784	lb/ton
Magnesium3	7%	10.7	%
Moisture3		0.49	%
Total Neutralizing Power	60%	89.2	%

Site: National Lime & Stone Co. Carey, OH 43316

Collected: 4/22/2014

<u>Test</u>	<u>Claim</u>	<u>Result</u>	<u>Units</u>
#100 US Sieve		49	%
#20 US Sieve		90	%
#60 US Sieve		58	%
#8 US Sieve		99	%
Calcium3	21%	21.9	%
ENP	1465 lb/ton	1557	lb/ton
Magnesium3	12%	12.9	%
Moisture3		5.63	%
Total Neutralizing Power	105%	104.4	%



Consumer Protection Laboratory

Ohio Department of Agriculture
Consumer Protection Laboratory
8995 East Main St. Bldg 3
Reynoldsburg, OH 43068
Phone: (614) 728-6230

ODA Plant Industry/Fertilizer-Lime APPROVED RESULTS sorted by Site LIME SAMPLES COLLECTED 1/1/2014 - 12/5/2014

Site: Ohio Asphaltic Limestone Hillsboro, OH 45133

Collected: 4/21/2014

<u>Test</u>	<u>Claim</u>	<u>Result</u>	<u>Units</u>
#100 US Sieve		44	%
#20 US Sieve		83	%
#60 US Sieve		60	%
#8 US Sieve		96	%
Calcium3	20%	20.0	%
ENP	1461 lb/ton	1439	lb/ton
Magnesium3	11%	12.3	%
Moisture3		7.49	%
Total Neutralizing Power	100%	101.8	%

Site: Piqua Mineral Piqua, OH 45356

Collected: 4/10/2014

<u>Test</u>	<u>Claim</u>	<u>Result</u>	<u>Units</u>
#100 US Sieve		62	%
#20 US Sieve		93	%
#60 US Sieve		69	%
#8 US Sieve		100	%
Calcium3	34%	35.2	%
ENP	1500 lb/ton	1661	lb/ton
Magnesium3	3%	3.77	%
Moisture3		.66	%
Total Neutralizing Power	99%	98.6	%

Site: Piqua Mineral Piqua, OH 45356

Collected: 4/10/2014

<u>Test</u>	<u>Claim</u>	<u>Result</u>	<u>Units</u>
#100 US Sieve		85	%
#20 US Sieve		98	%
#60 US Sieve		89	%
#8 US Sieve		100	%
Calcium3	34%	34.9	%
ENP	1735 lb/ton	1900	lb/ton
Magnesium3	4%	4.02	%
Moisture3		0.00	%
Total Neutralizing Power	100%	100.2	%



Consumer Protection Laboratory

Ohio Department of Agriculture
Consumer Protection Laboratory
8995 East Main St. Bldg 3
Reynoldsburg, OH 43068
Phone: (614) 728-6230

ODA Plant Industry/Fertilizer-Lime APPROVED RESULTS sorted by Site LIME SAMPLES COLLECTED 1/1/2014 - 12/5/2014

Site: Shelly Materials, Inc. Forest, OH 45840

Collected: 4/14/2014

<u>Test</u>	<u>Claim</u>	<u>Result</u>	<u>Units</u>
#100 US Sieve		22	%
#20 US Sieve		66	%
#60 US Sieve		36	%
#8 US Sieve		88	%
Calcium3	21%	22.2	%
ENP	1100 lb/ton	1098	lb/ton
Magnesium3	10%	14.0	%
Moisture3		5.59	%
Total Neutralizing Power	100%	99.6	%

Site: Shelly Materials, Inc. Ostrander, OH 43061

Collected: 4/24/2014

<u>Test</u>	<u>Claim</u>	<u>Result</u>	<u>Units</u>
#100 US Sieve		40	%
#20 US Sieve		81	%
#60 US Sieve		71	%
#8 US Sieve		97	%
Calcium3	28%	30.2	%
ENP	1300 lb/ton	1560	lb/ton
Magnesium3	3%	7.55	%
Moisture3		6.48	%
Total Neutralizing Power	95%	104.0	%

Site: Shelly Materials, Inc. West Mansfield, OH 43358

Collected: 5/1/2014

<u>Test</u>	<u>Claim</u>	<u>Result</u>	<u>Units</u>
#100 US Sieve		32	%
#20 US Sieve		80	%
#60 US Sieve		44	%
#8 US Sieve		97	%
Calcium3	20%	20.8	%
ENP	1150 lb/ton	1309	lb/ton
Magnesium3	10%	12.5	%
Moisture3		3.63	%
Total Neutralizing Power	98%	98.4	%



Consumer Protection Laboratory

Ohio Department of Agriculture
Consumer Protection Laboratory
8995 East Main St. Bldg 3
Reynoldsburg, OH 43068
Phone: (614) 728-6230

ODA Plant Industry/Fertilizer-Lime APPROVED RESULTS sorted by Site LIME SAMPLES COLLECTED 1/1/2014 - 12/5/2014

Site: Shelly Materials, Inc.	East Fultonham, OH 43735	Collected: 5/20/2014
<u>Test</u>	<u>Claim</u>	<u>Result</u> <u>Units</u>
#100 US Sieve		46 %
#20 US Sieve		80 %
#60 US Sieve		61 %
#8 US Sieve		97 %
Calcium3	28%	28.8 %
ENP	1200 lb/ton	1495 lb/ton
Magnesium3	3%	3.57 %
Moisture3		2.36 %
Total Neutralizing Power	90%	101.0 %

Site: Stone Co.	Oakwood, OH 45873	Collected: 4/15/2014
<u>Test</u>	<u>Claim</u>	<u>Result</u> <u>Units</u>
#100 US Sieve		28 %
#20 US Sieve		61 %
#60 US Sieve		36 %
#8 US Sieve		92 %
Calcium3	28%	26.7 %
ENP	970 lb/ton	1105 lb/ton
Magnesium3	7%	7.72 %
Moisture3		5.38 %
Total Neutralizing Power	100%	102.1 %

Site: Stone Co.	Portage, OH	Collected: 4/17/2014
<u>Test</u>	<u>Claim</u>	<u>Result</u> <u>Units</u>
#100 US Sieve		80 %
#20 US Sieve		92 %
#60 US Sieve		88 %
#8 US Sieve		98 %
Calcium3	19%	20.6 %
ENP	1550 lb/ton	1656 lb/ton
Magnesium3	11%	12.7 %
Moisture3		12.30 %
Total Neutralizing Power	102%	103.1 %



Consumer Protection Laboratory

Ohio Department of Agriculture
Consumer Protection Laboratory
8995 East Main St. Bldg 3
Reynoldsburg, OH 43068
Phone: (614) 728-6230

ODA Plant Industry/Fertilizer-Lime APPROVED RESULTS sorted by Site LIME SAMPLES COLLECTED 1/1/2014 - 12/5/2014

Site: Stone Co.	Perrysburg, OH 43551	Collected: 4/17/2014
<u>Test</u>	<u>Claim</u>	<u>Result</u> <u>Units</u>
#100 US Sieve		81 %
#20 US Sieve		93 %
#60 US Sieve		84 %
#8 US Sieve		98 %
Calcium3	20%	22.3 %
ENP	1580 lb/ton	1647 lb/ton
Magnesium3	11%	14.0 %
Moisture3		11.46 %
Total Neutralizing Power	101%	102.9 %

Site: Stone Co.	Convoy, OH 45832	Collected: 4/25/2014
<u>Test</u>	<u>Claim</u>	<u>Result</u> <u>Units</u>
#100 US Sieve		73 %
#20 US Sieve		91 %
#60 US Sieve		82 %
#8 US Sieve		98 %
Calcium3	19%	21.6 %
ENP	1400 lb/ton	1585 lb/ton
Magnesium3	11%	13.0 %
Moisture3		13.18 %
Total Neutralizing Power	101%	102.8 %

Site: Stoneco	Carey, OH 43316	Collected: 4/22/2014
<u>Test</u>	<u>Claim</u>	<u>Result</u> <u>Units</u>
#100 US Sieve		66 %
#20 US Sieve		82 %
#60 US Sieve		73 %
#8 US Sieve		96 %
Calcium3	21%	22.0 %
ENP	1400 lb/ton	1897 lb/ton
Magnesium3	12%	13.9 %
Moisture3		9.42 %
Total Neutralizing Power	105%	104.7 %



Consumer Protection Laboratory

Ohio Department of Agriculture
Consumer Protection Laboratory
8995 East Main St. Bldg 3
Reynoldsburg, OH 43068
Phone: (614) 728-6230

ODA Plant Industry/Fertilizer-Lime APPROVED RESULTS sorted by Site LIME SAMPLES COLLECTED 1/1/2014 - 12/5/2014

Site: Stoneco, Inc. Celina, OH 45822

Collected: 4/3/2014

<u>Test</u>	<u>Claim</u>	<u>Result</u>	<u>Units</u>
#100 US Sieve		26	%
#20 US Sieve		68	%
#60 US Sieve		42	%
#8 US Sieve		91	%
Calcium3	20%	22.7	%
ENP	1050 lb/ton	1235	lb/ton
Magnesium3	12%	14.4	%
Moisture3		3.58	%
Total Neutralizing Power	103%	103.0	%

Site: Systech Environmental Cor Paulding, OH 45879

Collected: 4/3/2014

<u>Test</u>	<u>Claim</u>	<u>Result</u>	<u>Units</u>
Calcium3	check	32.1	%
ENP	check	1614	lb/ton
Magnesium3	check	1.41	%
Moisture3		0	%
Total Neutralizing Power	check	80.7	%

Site: Systech Environmental Cor Paulding, OH 45879

Collected: 7/15/2014

<u>Test</u>	<u>Claim</u>	<u>Result</u>	<u>Units</u>
Calcium3	check	29.6	%
ENP	check	844	lb/ton
Magnesium3	check	1.08	%
Moisture3		16.79	%
Total Neutralizing Power	check	68.9	%

Site: Toronto City Water Treatm Toronto, OH 43964

Collected: 5/14/2014

<u>Test</u>	<u>Claim</u>	<u>Result</u>	<u>Units</u>
Calcium3		0.96	%
ENP		365	lb/ton
Magnesium3		0.29	%
Moisture3		77.50	%
Total Neutralizing Power		81.2	%



Consumer Protection Laboratory

Ohio Department of Agriculture
Consumer Protection Laboratory
8995 East Main St. Bldg 3
Reynoldsburg, OH 43068
Phone: (614) 728-6230

ODA Plant Industry/Fertilizer-Lime APPROVED RESULTS sorted by Site LIME SAMPLES COLLECTED 1/1/2014 - 12/5/2014

Site: White Rock Quarry LP

Clay Center, OH 43408

Collected: 4/24/2014

<u>Test</u>	<u>Claim</u>	<u>Result</u>	<u>Units</u>
#100 US Sieve		78	%
#20 US Sieve		92	%
#60 US Sieve		89	%
#8 US Sieve		98	%
Calcium3	20%	20.7	%
ENP	1600 lb/ton	1924	lb/ton
Magnesium3	10%	13.0	%
Moisture3		8.01	%
Total Neutralizing Power	102%	104.6	%
